62.67

HORTON

NURSERIES, INC.

FORMERLY HENRY KOHANKIE & SON SEP 2 0 1955

WHOLESALE LU. S. Department of Agricult

PRICE LIST

FALL, 1955 - SPRING, 1956



It's Not a Home Until It's Planted

SHRUBS TREES
HERBACEOUS PERENNIALS
ROSES EVERGREENS

PAINESVILLE, OHIO

30 Miles East of Cleveland on Rt. 20 Telephone: ELmwood 4-4100





WHOLESALE PRICE LIST

FOR MEMBERS OF THE TRADE ONLY

W E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

This catalog cancels all previous price lists.

OUR PRICES ARE NOW NET NO DISCOUNTS

and are now adjusted competitively.

We now issue both a wholesale and a retail catalog. Retail catalog will be mailed free of charge to the landscape trade on request.

Horton Nurseries, Inc.

Route 20, One Mile East of Painesville PAINESVILLE, OHIO

PLEASE READ CAREFULLY

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities — We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery — We are in a position to arrange bulk deliveries of large orders by truck and the charges approximate railroad freight rates.

CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines	76
Herbaceous Materail (including Rock and Alpine Plants 177-2	11
Fruit Garden Material	12
Large Specimen Material	22
Plants for Special Purposes 223-22	24
Schedule of B&B Charges	25
PLANT CLASSIFICATIONS	
Coniferous Evergreens	14
Broad-leaved Evergreens	14
Deciduous Shade Trees	6
Deciduous Emall Trees	17
Deciduous Shrubs	22
Vines 22	2.2

Cross Index

Our list is arranged in aphabetical order of Botanical names. This cross index will help you to find the correct Botanical name when you know the common name. This list does not cover Perennial Plants.

Common

Common	Botanical
Nama	Nama
Abelia	Acanthopanax Actinida Forestida Acanthopanax
Acanthonanay	Acanthonanay
Actinidia	Actividia
Adolio	Actimata
Alrohio	Forestiera
Akedia	Akebia
Alder	Alnus
Andromeda	Pieris
Apricot	Prunus
Arborvitae	Thuja
Ash	Fraxinus
Azalea	Azalea
Bald Cypress	Taxodium
Barberry	Berberis
Bayberry	Myrica
Beech	Fagus
Bearberry	Arctostaphylos
Beautyberry	Callicarna
Beautybush	Kolkwitzia
Birch	Retula
Bishonwood	Rischofie
Rittersweet	Cologina
Black Gum	Celastrus
Bladdornut	Ctanbala
Pladdergenne	Staphylea
Dlaudersenna	Colutea
Bluebeard	Caryopteris
Blueberry	Vaccinium
Box Elder	Acer
Boxwood	Buxus
Broom, Scotch	Cytisus
Broom, Arrowh	ead Genista
Buckeye	Aesculus
Buckthorn	Rhamnus
Buffalo Berry	Shepherdia
Bush Clover .	Lespedeza
Bush Honeysue	Actinidia Forestiera Akebia Alnus Pieris Prunus Thuja Fraxinus Azalea Taxodium Berberis Myrica Fagus Arctostaphylos Callicarpa Kolkwitzia Betula Bischofia Celastrus Nyssa Staphylea Colutea Caryopteris Vaccinium Acer Buxus Cytisus Cytisus Rhamnus Shepherdia Lespedeza ckle Diervilla Buddleia Cephalanthus Kalopanax Catalpa
Butterfly Bush	Buddleia
Button Bush	Cephalanthus
Castor Aralia	Kalonanax
Catalpa	Catalna
Cedar	Cedrus
Cedrela	Cedrole
Chasta Tree	Witor
Charry	Druman
Chestrut	Costonia
Chekhaman	Castanea
Chokeberry	Aronia
Button Bush Castor Aralia Catalpa Cedar Cedrela Chaste Tree Cherry Chestnut Chokeberry Cinquefoil Clematis Coffeetree Common Gorse Coralberry	Potentilla
Clematis	Clematis
Collectree	Gymocladus
Common Gorse	Ulex
Coralberry S	Symphoricarpos
Corktree	Phellodendron
Coralberry S Corktree Cotoneaster Crab Apple Creeper	Contoneaster
Crab Apple	Malus
Creeper	Parthenocissus

Name Cryptomeria Cudrania Currant Daphne Decumaria Deutzia Devil's Walking Dewberry Dogwood Douglas Fir Dutchman's Pipe Elder	Name
Cryptomeria	Cryntomeria
Cudrania	Cudronia
Current	Pibos
Donbno	Donhno
Dapine	Dapnne
Decumaria	Decumaria
Deutzia	Deutzia
Devil's Walking	Stick Aralia
Dewberry	Rubus
Dogwood	Cornus
Douglas Fir	Pseudotsuga
Dutchman's Pipe	Aristolochia
Elder	Sambucus
Elm	Ulmus
Elsholtzia	Elsholtzia
Epaulette Tree	Pterostyrax
Eucommia	Eucommia
Funteles	Funtalog
Frodia	Evodia
Erlan Cumpaga C	barrage and
False Cypress C	namaecyparis
raise indigo	Amorpha
False Spirea	Sorbaria
Filbert	Corylus
Fir	Abies
Firethron	. Pyracantha
Fleece Flower	. Polygonum
Flowering Quinc	e
Dutchman's Pipe Elder Elm Elm Elsholtzia Epaulette Tree Eucommia Euptelea Evodia False Cypress C False Indigo False Spirca Filbert Fir Firethron Fleece Flower Flowering Quinc	Chaenomeles
Fontanesia	. Fontanesia
Fothergilla	Fothergilla
Fringe Tree	Chionanthus
Glorybower	Clerodendron
Golden Bells	Forsythia
Golden Chain	Lohurnum
Goldenrain Tree	Koelroutorio
Gordonia Tree	Enontrinia
Crops	Franklinia
Grape	Vitis
Greenbrier	Smilax
Groundel Bush	Baccharis
Hackberry	Celtis
Hawthorn	Crataegus
Hazelnut	Corylus
Heath	Erica
Heather	Calluna
He-Huckleberry	Lyonia
Helwingia	Helwingia
Hemlock	Tenga
Hickory	Carvo
Fleece Flower Flowering Quinc Flowering Quinc Fontanesia Fothergilla Fringe Tree Glorybower Golden Bells Golden Chain Goldenrain Tree Gordonia Grape Greenbrier Groundel Bush Hackberry Hawthorn Hazelnut Heathe He-Huckleberry Helwingla Hemlock Hickory Holly Honey Locust Honeysuckle Hophornbeam Hoptree Horsechestnut Huckleberry	Tlor
Honey Logist	Cledital
Honovanolale	Gleditsia
Honeysuckie	Lonicera
Hopnornbeam	Ostrya
Hoptree	Ptelea
Horsechestnut	Aesculus
Huckleherry	Continue
Truckie belly	Gayrussacia

Botanical

	PAINESV
Common Name	Botanical Name
Hydrangea	Hydrangea
Hydrangea Vine	
Idesia	chizophragma
Incense Cedar	Idesia Libocedrus
Indigo	Indigofera
Ironwood	Ostrya
Ivy	Hedera
Jasmine Jersey Tea	Jasminum
Jetbead	Ceanothus Rhodotypos
Juniper	Juninerus
TENODUIU TICC .	Cedrela
Kerria	Kerria
Kudzu Bean Larch	Pueraria
Lead Plant	Amorpha
Leatherleaf C	hamaedaphne
Leatherwood	Dirca
Leptodermis	Leptodermis
Leucothoe	Leucothoe
Linden	Syringa Tilia
Locust	Robinia
Maackia	Maackia
Magnolia	Magnolia
Maidenhair Tree Maple	
Mockorange	Philadelphus
Monkshood Vine	 Ampelopsis
MOUNTAIN ASI	SOFDUS
Mountain Holly Mountain Laure Mountain Maho	Nemopantnus Kalmia
Mountain Maho	gany
	Cercocarpus
Mulberry	Morus
Nandina	Nandina Neillia
Neillia Nightshade	Solanum
Ninebark	Physocarpus
Oak	Quercus
Oregon Grape .	Mahonia
Pachistima	Pachistima Sophora
Pagoda Tree	Asimina
Papaw	Broussonetia
Parrotia	Parrotia
Paulownia	Paulownia
Peashrub	Caragana Pyrus
Pearl Bush	Exochorda
Pepperidge	Nyssa
Persimmon	Diospyros
Photinia	Photinia
Planetree	Platanus
Planetree	Prunus
Poplar	Populus
Prickly Ash	Zanthoxylum
Prinsepia	Prinsepia
Privet	Ligustrum Rubus
Raspberry	Rubus

LE, OHIO	5
Common	Botanical
Name	Name
Redbud	Carcia
Rhododendron	Rhododendron
Rhodora	Rhodora
Rhodora Rose Rose Bay Rose of Sharo Russian Olive Russia Sage	Rosa
Rose Bay	Rhododendron
Rose of Sharo	n Hibiscus
Russian Olive	Elaeagnus
Russia Sage	Peroskia
Sarcococca	Sarcococca
St. Johnswort	Hypericum
Sassafras	Sassafras
Sea Buckthorn	Hippophae
Securingea	Securinega
Serviceberry	Amelanchier
Shrub Althea	Hibiscus
Silk Vine	Periploca
Silverbell	Halesia
Silverberry	Elaeagnus
Silvervine	Polygonum
Smoke Tree	Rhus Cotinus
Snow Bell	Styrax
Snowberry	Symphoricarus
Snow Wreath	Neviusia
Sour Gum	Nyssa
Sourwood	Oxydendron
Spicebush	Lindera
Spikeheath	Bruckenthalia
Spindle Tree .	Euonymus
Spirea	Spirea
Spruce	Picea
Rose of Sharo Russian Olive Russia Sage Sarcococca St. Johnswort Sassafras Sea Buckthorn Securingea Serviceberry Shrub Althea Silk Vine Silverbell Silverbell Silverberry Silvervine Smoke Tree Snow Bell Snowberry Snow Wreath Sour Gum Sourwood Spicebush Spikeheath Spindle Tree Spirea Spruce Stephanandra Stewartia Sumac	Stephanandra
Stewartia	Stewartia
Sumac	Rhus
Summersweet	Clethra
Supplejack	Berchemia
Sweet Fern	Comptonia
Sweet Gum	. Liquidambar
Sweet Lear	Symptocos
Sweet Shrub .	. Calycantnus
Stewartia Sumac Summersweet Supplejack Sweet Fern Sweet Gum Sweet Leaf Sweet Shrub Sweetspire Tamarisk Threewingnut Tree of Heaven Trumpet Creep Tulip Tree	Itea
Thronyingnut	Triptorygium
Troe of Hosyan	Ailenthus
Trumpet Crosn	Allalithus
Trumpet Creep Tulip Tree Tupelo Viburnum Virginia Bower Wahoo Walnut	Liriodendron
Tunelo	Nyrees
Vihurnum	Vihurnum
Virginia Rower	Clematic
Wahoo	Filonymus
Walnut	Juglans
Waxmyrtle	Myrica
Weigela Willow	Weigela
Willow	Salix
Winter Creeper	Fuonymus
Weigela Willow Winter Creeper Winterhazel Wistaria Witchhazel Woodwaxen Wolfborn	Corvlopsis
Wistaria	Wistaria
Witchhazel	Hamamelis
Woadwaxen	Genista
Wolfberry	Lycium
Wormwood	Artemesia
Yellowroot	Zanthorhiza
Woadwaxen Wolfberry Wormwood Yellowroot Yellowwood Yew	Cladrastis
Yew	Taxus
Zelkova	Taxus Zelkova

T HE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

DECIDUOUS AND EVERGREEN TREES. SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

1-4 Each	
Abelia grandiflora. Glossy Abelia. 3'	Each Each
12 to 15 in., 4 in. pots\$ 1.40	\$1.30 \$1.20
15 to 18 in., 4 in. pots 1.60	1.50 1.40
18 to 24 in B&B 2.20	2.00
Abies alba. Silver Fir. 50'	
3 ft B&B 9.00	
4 ft B&B 10.00	
alba pyramidalis. Sentinel Fir. 50'	
18 in	
2 ft	
balsamea. Balsam Fir. 50'	
2 ft	
3 ftB&B 9.00	
4 ftB&B 11.00	
5 ftB&B 14.00	
6 ft B&B 18.00	
cephalonica. Greek Fir. 60°	
2 ftB&B 7.00	

3 ft.B&B 9.00

25 & up Each

A

	4.4	F 0.4
bio	1-4 Each	5-24 Each
bies		
concolor. White Fir. 70'		
2 ftB&	B 6.00	4.50
3 ftB&I	B 7.00	6.00
4 ft B&l	B 10.00	
5 ft B&:	B 14.00	
6 ft B&:	B 18.00	
7 ftB&:	B 22.00	
8 ftB&:	B 28.00	
For larger sizes to 14 ft. add \$6	6.00 per	foot
consistent violence D. J. W.		nuit
concolor violacea. Purplecone W		·. 70'
5 ft		
8 ft B&:	B 35.00	
firma. Momi Fir. 50'		
	B 8.00	7.00
4 ft		9.00
5 ft		
6 ft		
7 ft		
	B 28.00	
homolepis. Nikko Fir. 60'	D 0.00	
3 ft B&:		
5 ft B&:		
6 ft		
7 ft	B 22.00	
8 ft B&	B 28.00	
lasiocarpa arizonica. Cork-bark	Fir. 50	,
4 ft B&	B 15.00	
5 ft B&	B 18.00	
nordmanniana. Nordmann Fir.	75'	
7 ftB&	B 24.00	
procera glauca. Blueleaf Noble	Fir. 50	= 7
2 ft B&		
2½ ft		
2/2 20 B&	_ 11.00	

1-4 5-24 25 & up

***	Each	Each	Each
Abies			
veitchi. Veitch Fir. 80'			
2 ftB&B	7.00		
3 ft	9.00		
4 ftB&B	11.00		
5 ftB&B	13.00		
6 ft	15.00		
Aganthonanay hammi 77			
Acanthopanax henryi. Henry Acantho		10'	
3 to 4 ft	1.60	1.40	
4 to 5 ft	2.00		
5 to 6 ft. ricinifolium (see Kalopanax pictu	2.80		
(See Izalopanax pieta	.5/6		
sieboldianus (pentaphyllum). $Five$	leaved	Aralia	. 10'
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.50	1.25	
Acer buergerianum. Trident Maple. 4	rot.		
2 to 3 ft		2.40	
3 to 4 ft	2.60		
4 to 5 ft.	3.00	2.80	
4 10 5 11,	4.00		
campestre. Hedge Maple. 25'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.10	1.80
5 to 6 ft	3.50	3.00	2.25
	3.33	0.00	2.20
dasycarpum, (see saccharinum)			
ginnala. Amur Maple, 12'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.00 1.25	1.00
5 to 6 ft	2.40	2.00	1.50
6 to 8 ft.	3.20	$\frac{2.00}{2.70}$	$\frac{1.30}{2.20}$
8 to 10 ft	4.00	3.50	3.00
0 to 10 1t	4.00	3.30	3.00
glabrum. Rocky Mountain Maple.	25'		
3 to 4 ft	3.80		
4 to 5 ft	4.50		
griseum. Paperbark Maple. 25'			
3 to 4 ft	3.00		
4 to 5 ft	3.80		

1-4	5-24	25 & up Each
Acer	Each	Each
japonicum aureum. Goldenmoon Maple. 2 to 3 ft. B&B 11.00 8 to 10 ft. B&B 25.00	15'	
japonicum filicifolium. Fernleaf Maple 10	1	
2 to 3 ft		
negundo. Box Elder. 60'		
6 to 8 ft 2.20	1.80	1.50
8 to 10 ft 2.40	2.00	1.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.50	3.00	2.50
1½ to 1¾ in 4.50	4.00 5.50	3.50 5.00
13/4 to 2 in 6.00 2 to 21/2 in 9.00	7.00	5.00
2 to 2½ in 9.00 2½ to 3 in 10.00	9.00	
2,2 00 0	3.00	
nigrum. Black Maple. 80'	4.50	
8 to 10 ft 5.50	4.50 5.50	
2,1 00 2,2 111111111111111111111111111111	7.00	
2/2 00 2/1 222 1/1 1/1 1/1 1/1 1/1 1/1 1/1 1/1		
134 to 2 in 10.00	9.00	
palmatum. Japanese Maple. 15'		
2 to 3 ft		
3 to 4 ftB&B 5.50		
4 to 5 ft		
5 to 6 ft		
palmatum atropurpureum.		
Bloodleaf Japanese Maple. 10'		
2 to 3 ftB&B 9.00	7.50	
3 to 4 ft B&B 12.50		
4 to 5 ft		
5 to 6 ft., heavyB&B 32.00		
6 to 8 ft., heavy B&B 40.00		
8 to 10 ft., heavy B&B 48.00		
palmatum atropurpureum dissectum.		
Purple Threadleaf Japanese Maple 6'		
18 to 24 inB&B 12.00		
palmatum elegans. 10"		
3 to 4 ftB&B 14.00		
pennsylvanicum. Striped Maple. 25'		
4 to 5 ft 4.00		
5 to 6 ft 4.80		



A block of Norway Maple (Acer platanoides) $1^{1/4}$ - $1^{1/2}$ " caliper. These trees are all well headed, with clean straight trunks.

cer	1-4 Each	5-24 Each	25 & up Each
platanoides. Norway Maple. 75'			
6 to 8 ft	4.00	3.75	3.50
8 to 10 ft	5.00	4.75	4.50
11/4 to 11/2 in	7.00	6.25	6.00
1½ to 1¾ in	9.50	8.00	7.50
13/4 to 2 in	11.00	10.00	9.25
2 to 2½ in	15.00	13.50	12.50
	22.00	20.00	18.00
3 to 3½ in	32.00	28.00	
01/ 1 1	40.00	35.00	
4 to 4½ in		48.00	
platanoides columnare. Columnar	Norway	Mapl	e. 75°
6 to 8 ft	7.75	7.00	
8 to 10 ft	9.75	9.25	
1¼ to 1½ in		0.20	
platanoides globosum. Globe Norae 4 year, 6 ft. standards		ple.	
1 Jear, o ro. Standards	44.00		

	1-4 Each	5-24 Each	25 & up Each
Acer	Еасп	Lacu	Lach
platanoides schwedleri. Schwedler	Maple	. 60'	
8 to 10 ft	6.50	5.75	
1½ to ½ in	8.50	7.50	
1½ to 1¾ in	12.00	11.00	
13/4 to 2 in	13.00	12.00	
2 to 2½ in.	18.50	17.00	
2½ to 3 in	20.00		
2/2 00 0 1111	_0.00		
pseudoplatanus. Planetree Maple.	60'		
8 to 10 ft	5.50	5.00	
1½ to 1½ in	6.80	6.00	
1½ to 1¾ in	10.00		
13/4 to 2 in	12.00		
2 to 2½ in	16.00		
2½ to 3 in	22.00		
2,2 00 0 000 000 000 000 000 000 000 000			
rubrum. Red Maple. 75'			
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.50	3.75	
1½ to 1½ in.	6.50	6.00	5.00
1½ to 1¾ in	⁴⁸ 8.50	7.50	7.00
13/4 to 2 in	10.50	9.50	9.00
2 to 2½ in	13.50	12.50	12.00
2½ to 3 in	20.00	18.75	17.50
3 to 3½ in.	28.00	26.00	
3½ to 4 in	40.00		
972 to 1 III	10.00		



4 to 5 in. 52.00

A block of Maples (Acer) up to 3" in caliper. Note what bushy heads these trees have. All of our shade trees are trimmed for individual specimens.



A beautiful block of Sugar Maples (Acer saccharum) 1½-2" caliper. They all have excellent top development, with clean straight trunks.

3				1-4 Each	5-24 Each	25 & up Each
Acer	colu	mnara	Column Red	Manla	75 '	
6	to				10	
· ·				,,,,,		
8	to 10					
11/4	-					
11/2	to 1	l³⁄4 in		13.50		
13/4	to	2 in.		18.00		
2	to 2	2½ in		20.00		
sacchari 6	num. to		•	2.00	1.60	1.40
8	to 10) ft		2.80	2.40	2.00
11/4	to 1			3.80	3.20	2.80
11/2	to 1	3/4 in.		4.80	4.40	3.80
13/4	to 2	in.		6.00	5.40	5.00
2	to 2	½ in		8.50	7.50	7.00
$2^{1/2}$	to 3	in.		12.00	10.00	9.00
3	to 3	½ in.		18.00	16.00	
4	to 4	½ in		27.00		

Acer

saccharinum pyramidale.	1-4 Each	5-24 Each	25 & up Each
Pyramidal Silver Maple, 75'			
6 to 8 ft	3.20	2.80	
8 to 10 ft	4.00	3.60	
1½ to 1½ in	4.80	4.40	
1½ to 1¾ in	6.00	5.60	
13/4 to 2 in	8.00		
8 to 2½ in	12.00		
2½ to 3 in	16.00		
3 to 3½ in	20.00		
4 to 4½ in	28.00		
saccharinum wieri. Wier Maple.	75'		
6 to 8 ft	3.60		
8 to 10 ft	4.40		
1½ to 1½ in	5.20		
1½ to 1¾ in	6.40		
13/4 to 2 in	10.00		
2 to 2½ in	14.00		
saccharum. Sugar Maple. 75'			
6 to 8 ft	4.00	3.80	3.40
8 to 10 ft	5.00	4.50	4.25
1 ¹ / ₄ to 1 ¹ / ₂ in	6.50	6.00	5.50
1½ to 1¾ in.	8.50	7.70	7.00
134 to 2 in	10.00	9.00	1.00
2 to 2½ in	15.00	13.00	
2½ to 3 in	20.00	17.50	
3 to 3½ in	28.00	25.00	
3½ to 4 in	38.00	34.00	
4 to 4½ in	50.00	45.00	
4½ to 5 in	65.00		
sieboldianum. Siebold Maple. 25	,		
4 to 5 ft		5.00	
5 to 6 ft		7.00	
6 to 8 ft			
spicatum. Mountain Maple. 20'			
2 to 3 ft	2.00		
3 to 4 ft	2.80		
tataricum. Tatarian Maple. 20'			
4 to 5 ft	2.00	1.70	1.50
5 to 6 ft	2.40	2.20	2.00
6 to 8 ft	3.20	2.60	2.40
8 to 10 ft	4.00	3.40	3.20

				0,5 0
		E	1-4 5-24 lach Each	25 & up Each
		ower Actinidia. 20'	00 70	CO
			.8070	.60
3 ye	ear		20 1.00	
			,	
Aesculus car	rnea. R	Red Horsechestnut. 40 ft	2.00	
0	-		.00	
glabra.	Ohio B			
6	to 8		1.00 3.50	
8	to 10		1.50 4.00	
11/4			3.00	
1½			0.00	
2	to 2½	in 14	1.00	
hippoca	stanum.	Horsechestnut. 70'		
6	to 8	ft	3.50 3.00	
8	to 10		4.50 4.00	
11/4			5.75 5.00	
11/2			6.75 6.00	
13/4			9.00 7.75	
2			2.50 11.00	
21/2	100		7.50 15.00	
3			0.00 17.50	
3½			0.00 25.00	
4	to 5	in 45	5.00	
		anum baumanni.		
		Horsechestnut. 50'	0.00	
6	to 8		0.00	
8	to 10		2.00 8.00	
$\frac{21/2}{3}$			6.00	
$3\frac{1}{2}$			4.00	
3 ½ 4			0.00	
Ť.			J.00	
octandr 6	a. <i>Yeuo</i> to 8	ow Buckeye. 60'	3.50 3.20	`
8	to 10		$\frac{3.30}{4.80}$ $\frac{3.20}{4.20}$	
11/4			5.50 5.00	
11/2			6.50 6.00	
13/4			7.50 7.00	
$\frac{174}{2}$			2.00 10.50	
21/2			6.00 14.50	
3			0.00 18.00	
31/2			0.00 25.00	
4	to 5		7.00	

Aesculus—Continued 1-4 Each	5-24 Each	25 & up Each
parviflora. Bottlebrush Buckeye. 12'	234011	234011
15 to 18 in		
18 to 24 in B&B 6.00		
Ailanthus altissima (glandulosa).		
Tree of Heaven. 50'		
6 to 8 ft 3.75	3.25	3.00
8 to 10 ft 4.75	4.25	3.80
10 to 12 ft 5.50	5.00	4.50
1½ to 1¾ in 6.75	6.00	
13/4 to 2 in 9.00	8.00	
2 to 2½ in	10.00	
2½ to 3 in 16.00	14.00	
vilmoriniana. Vilmorin Ailanthus. 50'		
1½ to 1¾ in 8.00		
134 to 2 in		
2 to 2½ in		
2 10 272 111,		
Akebia trifoliata. Threeleaf Akebia. 15'		
2 year	.70	.60
3 year 1.00	.90	.80
quinata. Fiveleaf Akebia. 15'	.00	.00
	.70	.60
2 3 0 0 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.80	.70
3 year 1.00	.00	.10
Albizzia julibrissin rosea. Silktree. 30'		
3 to 4 ft,		
4 to 5 ft		
5 to 6 ft		
5 to 5 ft		
Alnus cordata. Italian Alder. 40'		
6 to 8 ft 4.00		
8 to 10 ft 4.80		
1½ to 1¾ in 7.00	6.50	
134 to 2 in 8.00	7.50	
2 to 2½ in 12.00	11.00	
glutinosa. European Alder. 60'		
6 to 8 ft 3.60		
8 to 10 ft 4.50		
1½ to 1½ in 5.75	5.25	4.75
1½ to 1¾ in 7.00	6.50	6.00
1 ³ / ₄ to 2 in 8.00	7.60	7.20
2 to 2½ in	11.40	10.40
2 to 2 ½ m	15.00	23,23
3 to 3½ in	22.00	
3 (0 3% III	22.00	

Almus—Continued 1-4	5-24	25 & up
glutinosa laciniata. Cutleaf Alder. 40'	Each	Each
6 to 8 ft 10.00		
8 to 10 ft		
hirsuta. Manchurian Alder. 60' 6 to 8 ft. 800		
8 to 10 ft. 10.00 1 ¹ / ₄ to 1 ¹ / ₂ in. 12.00		
1½ to 1¾ in. 14.00		
incana. Speckled Alder. 50'		
8 to 10 ft 4.80	4.40	
1½ to 1½ in 6.00	5.20	
1½ to 1¾ in	6.00	
13/4 to 2 in 10.00		
incana pendula. Weeping Alder.		
5 ft. stem 10.00		
japonica. Japanese Alder. 50'		
2 to 3 ft 3.50		
3 to 4 ft 4.00		
4 to 5 ft 4.80		
rugosa. Hazel Alder. 10'		
8 to 10 ft 6.80		
0.00		
Amelanchier alnifolia. Saskatoon Serviceberry	. 77"	
5 to 6 ft 2.80	• •	
asiatica. Asian Serviceberry. 40'		
5 to 6 ft 3.20	2.40	
6 to 8 ft 4.00	3.20	
8 to 10 ft 6.00		
canadensis. Shadblow Serviceberry. 30'		
2 to 3 ft 1.20	1.00	
3 to 4 ft 1.40	1.20	
4 to 5 ft 2.00	1.60	
5 to 6 ft 2.80	2.40	
6 to 8 ft 4.00	3.60	
8 to 10 ft 6.00	4.80	
6 to 8 ft. standards 6.00	4.80	
8 to 10 ft. standards 8.00	6.00	
grandiflora rubescens.		
Ruddy Allegheny Serviceberry. \$5'		
8 to 10 ft. standards 8.00		

10 to 12 ft. standards 12.00

	1-4 Each	5-24 Each	25 & up Each
Amelanchier—Continued			
laevis. Allegheny Serviceberry. 35'			
2 to 3 ft	1.50		
8 to 10 ft	6.00		
6 to 8 ft. standards	6.00		
8 to 10 ft. standards	8.00		
10 to 12 ft. standards	12.00		
oblongifolia. Thicket Serviceberry.	25'		
3 to 4 ft	1.40	1.20	
4 to 5 ft	2.00	1.60	1.40
5 to 6 ft	2.80	2.40	2.00
6 to 8 ft	4.00	3.60	
8 to 10 ft	6.00	4.80	
8 to 10 ft. clumpsB&B	20.00		
10 to 12 ft. clumpsB&B	24.00		
ovalis (vulgaris). Garden Servicebe	erru.	25 '	
2 to 3 ft	1.20	1.00	
3 to 4 ft	1.40	1.20	
4 to 5 ft	2.00	1.60	
5 to 6 ft	2.80	2.40	
6 to 8 ft	4.00	3.60	
8 to 10 ft	6.00	4.80	
6 to 8 ft. standards	6.00	4.80	
8 to 10 ft. standards	8.00	6.00	
	20.00	0.00	
10 to 12 ft. clumpsB&B			
·			
sanguinea. Roundleaf Serviceberry.			
3 to 4 ft	1.75	4.00	
6 to 8 ft	4.80	4.00	
8 to 10 ft	6.00		
stolonifera. Running Serviceberry.			
18 to 24 in	1.00	.85	
2 to 3 ft	1.25	1.00	.90
Amorpha brachycarpa. 3'			
18 to 24 in	.80	.70	
2 to 3 ft	1.00	.90	
canescens. Leadplant Amorpha. 4	,		
15 to 18 in	.80	.60)
18 to 24 in	1.00	.80)
10 10 21 111			

Amorpha — Continued	1·4 Each	5-24	25 & up Each
fruticosa. Indigobush Amorpha. 20		Eacn	Each
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.70	.60
4 to 5 ft	1.15	.95	.80
5 to 6 ft	1.60	1.40	
6 to 8 ft	2.00	1.60	
0 to 0 1t.			
Ampelopsis aconitifolia. Monkshood Vin			
2 year	.75	.55	.45
3 year	.90	.65	.55
4 year	1.10	.85	.75
brevipedunculata. Amur Ampelops	is. 25'		
	.80	.65	.55
2 year	1.00	.85	.75
5 year	1.00	.00	.,,
Ampelopsis brevipedunculata elegans. Basket	Amnal	anoie	15 '
	1.30	1.00	10
2 year	1.60	1.00	
3 year	1.00		
brevipedunculata maximowiczi. Porcelain Ampelopsis. 25'			
2 year	.70	.55	.45
3 year	.85	.65	.55
4 year	1.00	.85	.75
4 year	1.00	.00	****
quinquefolia. (see Parthenocissus)			
Amygdalus (see Prunus)			
Aralia elata. Japanese Aralia. 50'			
4 to 5 ft	4.80		
5 to 6 ft	6.00		
6 to 8 ft	8.00		
japonica. 20'	4.00	4.40	
4 to 5 ft	4.80	4.40	
pentaphyllum (see Acanthopanax)			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	1.10	.90	.75
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.40	1.20	1.10
6 to 8 ft	2.00	1.70	1.50
8 to 10 ft. clumps	9.00	7.00	
10 to 12 ft. clumps	11.00	9.00	

Arctostaphylos uva-ursi. Bearberry.	1-4 Each	5-2 4 Each	25 & up Each
3½ in. pots	1.20	1.10	
Aristolochia durior. Dutchman's Pipe.	30'		
2 year, pot grown	1.40	1.20	1 00
2 year, field grown	2.00	1.60	
	2.00	1.00	
tomentosa. 30'			
2 year	1.20	1.00	
Aronia arbutifolia. Red Chokeberry. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.65
4 to 5 ft	1.10	1.00	,,,,
1 00 0 10.	1.10	1.00	
melanocarpa. Black Chokeberry. 6'	,		
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.65
0 00 1 10	.00	.,,	.00
melanocarpa elata. Glossy Chokeb	erry.	10'	
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.65
4 to 5 ft	1.10	1.00	
5 to 6 ft	1.60	1.20	
prunifolia. Purplefruit Chokeberry.	10'	1.20	
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.65
4 to 5 ft	1.10	1.00	.00
4 to 5 ft	1.10	1.00	
Artemesia abrotanum. Oldman Wormwe	ood.	5 '	
3 to 4 ft	1.00	.90	.80
4 to 5 ft	1.40	1.20	1.00
5 to 6 ft	1.60	1.40	1.20
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.60		
Azalea calendulacea. Flame Azalea. 6	,		
18 to 24 in		4.40	4.00
2 to 3 ft	5.75	5.40	5.00
2 to 0 It	0.10	0.10	0.00
canescens. Piedmont Azalea. 6'			
2 to 3 ft B&B	6.00	5.80	5.60

	1.4	5-24	25 & up
Azalea	Each	Each	Each
gandavense. Hybrid Ghent Azalea.	10 '		
18 to 24 in B&B	4.50	4.00	3.50
2 to 3 ft B&B	5.50	5.00	4.50
ledifolia (see rosmarinifolia).			
lutea. 10'			
18 to 24 in B&B	4.00	3.50	3.00
2 to 3 ft B&B	5.00	4.50	4.00
	6.50	5.50	5.00
	10.00	8.00	7.50
5 to 6 ft B&B	15.00	13.00	12.00
mollis. Chinese Azalea. 6'			
15 to 18 in B&B	3.00	2.50	2.00
18 to 24 in B&B	3.50	3.00	2.50
24 to 30 in B&B	4.50	4.00	3.50
mucronulata. Korean Azalea. 6'			
18 to 24 in B&B	4.00	3.50	3.00
2 to 3 ft	4.50	4.00	3,50
3 to 4 ft	6.00	5.50	0.00
	10.00	0.00	
nudiflora. Pinxterbloom. 4'			
2 to 3 ft B&B	6.00	5.50	5.00
3 to 4 ft	7.00	6.00	0.00
5 to 4 tt	1.00	0.00	
obtusa amoena. Amoena Azalea. 4			
10 to 12 in B&B	2.00		
12 to 15 in B&B	2.40		
o. japonica hinodegiri.			
Hinodegiri Kurume Azalea. 3'			
10 to 12 in B&B	2.20		
o. kaempferi. Torch Azalea. 5'			
15 to 18 in	3.75	3.25	2.75
18 to 24 in B&B	4.00	3.50	3.00
24 to 30 in B&B	6.00	5.00	4.00
30 to 36 in B&B	8.00	7.00	
rosmarinifolia. Snow Azalea. 6'			
15 to 18 in B&B	4.50	3.50	
18 to 24 in	6.00	5.00	
24 to 30 in	8.00	0.00	
21 to 00 III	0.00		

22			нон	RTON	NURSERIES	. INC.		
3 1						, INC. 1-4 Each	5-24 Each	25 & up Each
Azalea			~		~	al.		
					a Snow Azal		2 50	200
					В&			
					B&			4.00
					B&			5.00
30	to	36	ın.		B&	B 7.00	6.50	6.00
schlip	pe	nba	chi.	Roye	al Azalea. 10) '		
15	to	18	in.		B&	B 5.20	4.80	
18	to	24	in.		B&	B 6.00	5.60	
vasey	i. j	Pini	kshei	ll Azo	alea. 10'			
18	to	24	in.		B&	B 5.00	4.50	4.00
24	to	30	in.		B&	B 6.50	6.00	5.50
					В&			
viscos	a.	Sto	amn	Azai	lea. 6'			
					B&	B 4.50	4.00	3.50
					B&		5.00	4.50
					B&		6.00	5.50
					B&		7.00	6.50
wedoe	nci	e	Vod	o a away	a 1zalea. 4'			
				-	u 12aiea. 4 B&		4.00	
					B&		1.00	
					B&			
					orean Yodog		,	0.50
					B&		4.00	3.50
					B&		5.00	4.50
30	to	36	in.		B&	B 7.00	6.00	
Baccharis	ha	lim	ifol	ia. E	astern Bacci	haris. 1	? '	
	to						.60	.48
3	to						.80	.64
	to						1.10	.90
	to						1.20	
	to	_					1.60	
Benzoin a	esti	ival	le. (see I	Lindera)			
Berberis l	oea	nia	na.	Bean	s Barberry.	5 '		
					B&		2.20	
					B&		2.60	
candio	dul	a.	Pala	eleaf	Barberry. 5	,		
					B&		2.20	2.00
					B&		2.60	2.40
10	10	47	111.			2.00	2.00	2.70

Berberis—Continued	1-4 Each		25 & up Each
circumserrata. Cutleaf Barberry.		Each	Each
18 to 24 in B&B	2.80	2.60	
24 to 30 in B&B	3.20	3.00	
horvathi. 4'			
12 to 15 in	.60	.50	.45
15 to 18 in	.80	.60	.50
18 to 24 in	1.00	.70	.60
gagnepaini. Black Barberry. 6'			
15 to 18 in	2.40	2.20	
julianae. Wintergreen Barberry. 5	,		
18 to 24 inB&B	3.60	3.20	3.00
24 to 30 inB&B	4.40	4.00	3.60
koreana. Korean Barberry. 6'			
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.20	.90	.80
sargentiana. Sargent Barberry. 5'			
15 to 18 inB&B	2.80	2.40	2.00
18 to 24 inB&B	3.20	2.80	2.60



A heavy block of green barberry (Berberis thunbergi)

Note the bushiness of these plants.

	1-4 Each	5-24 Each	
Berberis	Each	Each	Liucii
thunbergi. Japanese Barberry. 4'			
15 to 18 in	.35	.30	.22
18 to 24 in	.50	.35	.27
24 to 30 in	.60	.40	.34
30 to 36 in	.70	.60	.50
2 to 2½ ft. spec	1.80	1.50	
2½ to 3 ft. spec	2.30	1.90	
3 to 3½ ft. spec	2.70	2.30	
thunbergi atropurpurea.			
Redleaf Japanese Barberry. 5'			
18 to 24 in	.75	.60	.50
24 to 30 in	.90	.65	.55
30 to 36 in	1.10	.90	.70
36 to 42 in	1.20	1.00	.80
thunbergi minor. Box Barberry.	2'		
12 to 15 in	.65	.60	.55
15 to 18 in	.80	.70	.65
18 to 24 in	1.00	.85	.80
24 to 30 in	1.20	1.00	
thunbergi pluriflora. Flame Japan	ese Bar	berru.	5 '
18 to 24 in	.50	.35	.27
24 to 30 in	.60	.40	.34
30 to 36 in	.70	.60	.50
thunbergi erecta. Truehedge Colu	mnherry	. 5'	
12 to 15 in	.55	.50	.45
15 to 18 in	.70	.60	.55
18 to 24 in	.85	.75	.65
24 to 30 in	1.00	.85	.75
triacanthophora. Threespine Barb	erry. 5	,	
15 to 18 in B&B		2.40	
18 to 24 in B&B	3.20	2.80	
verruculosa. Warty Barberry. 3'			
10 to 12 in B&B	2.80	2.40	
12 to 15 in B&B		2 80	
virgatorum.	3.20	3.00	
2 to 3 ft E&B	3.40	3.00	
Berchemia racemosa. Japanese Suppl	ejack.	3'	
2 to 3 ft		1.00	
3 to 4 ft		1.20	

Betula alba. (see rendula)	1-4 Each	5-24 Each	25 & up Each
*fontinalis. Water Birch. 40'			
5 to 6 ft	6.00		
0 4 40 4	8.00		
8 to 10 ft	10.00		
*lenta. Sweet Birch. 40'			
6 to 8 ft	3.60	3.40	3.20
8 to 10 ft	4.40	4.20	4.00
1½ to 1½ in	6.00	5.40	5.00
1½ to 1¾ in	8.00	7.20	6.80
1 ³ / ₄ to 2 in	10.00	8.80	8.00
2 to 2½ in,	12.00	10.80	10.06
2½ to 3 in	16.00	12.00	
*lutea. Yellow Birch. 50'			
6 to 8 ft	3.60	3.40	
8 to 10 ft	4.40	4.20	
1½ to 1½ in	6.00	5.40	
1½ to 1¾ in	8.00	7.20	
2 to 2½ in	16.00		
*maximowicziana. Monarch Birch.	60 '		
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.50	5.00	4.50
1¼ to 1½ in	6.50	5.50	5.00
1½ to 1¾ in	7.50	6.50	6.00
134 to 2 in	10.00	8.50	8.00
2 to 2½ in	15.00		
*nigra. River Birch. 50'			
6 to 8 ft	3.80	3.40	3.20
8 to 10 ft	4.60	4.20	3.80
10 to 12 ft	7.80	7.00	
*papyrifera. Paper Birch. 40'			
6 to 8 ft	3.80	3.40	3.20
8 to 10 ft	4.60	4.20	3.80
1¼ to 1½ in	5.80	5.40	
1½ to 1¾ in	7.80	7.00	
13/4 to 2 in	9.00	8.60	
2 to 2½ in	11.50		
2½ to 3 in	15.00		
*papyrifera cordifolia. 40'			
8 to 10 ft	4.60	4.20	
11/4 to 11/2 in	5.80	5.00	
1½ to 1¾ in	9.00	7.80	

	1-4 Each	5-24 Each	25 & up Each
Betula			
*pendula (alba). European White B	Birch.	<i>50</i> ′	
6 to 8 ft	4.00	3.60	3.40
8 to 10 ft	4.80	4.40	4 00
11/4 to 11/2 in	6.00	5.20	5.00
13/4 to 2 in	10.CO	00.3	
*p. fastigiata.			
Pyramidal European White Bire		·	
6 to 8 ft	10.00		
*p. laciniata. Cutleaf Weeping Birc	h. 35'	,	
8 to 10 ft			
*populifolia. Gray Birch. 40'			
6 to 8 ft	3.40	3.20	3.00
8 to 10 ft	4.20	4.00	3.80
1½ to 1½ in	5.50	5.20	4.80
1½ to 1¾ in	7.60	7.00	6.60
134 to 2 in	9.50	8.50	7.80
	11.00	10.00	9.00
	15.00	11.00	
6 to 8 ft. clumps, B&B	9.00	7.00	
8 to 10 ft. clumps, B&B		9.00	
10 to 12 ft. clumps, B&B	22.00		
10 00 12 100 010001700			
Bignonia. (see Campsis)			
Bischofia javanica. Java Bishopwood.	12'		
3 to 4 ft	4.80		
0 10 1 10 1 10 1			
Broussonetia papyrifera. Paper Mulbe	rry. 4	<i>u'</i>	
4 to 5 ft.	4.80	4.00	
5 to 6 ft	6.40		
0 10 0 20 1100			
Bruckenthalia spiculifolia. Spikeheath.	1'		
6 in., 3 inch pots			
o mi, o march para			
Buddleia alternifolia. Fountain Butter	fly B	ush. 1	0'
2 to 3 ft	.80		
3 to 4 ft	1.00	.80)
Charming. Pink Butterfly Bush.	5 '		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.55	.48
0 00 1 200			

В

Buddleia	1-4	5-24	25 & up
davidi. Orange-eye Butterfly Bush.	Each 5'	Each	Each
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.55	.48
davidi Ile de France. 4'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.55	.48
davidi superba. 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.55	.48
davidi veitchi. Veitch Butterfly But	oh 5'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.55	.43
4 to 5 ft	.90	.75	.60
Dubonnet, 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.55	.48
farquhari. 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.55	.48
4 to 5 ft	.90	.75	.60
intermedia. Wisteria Butterfly Bush			
2 to 3 ft	ı. ə .55	.45	.40
3 to 4 ft	.75	.55	.48
		.00	.10
lindleyana. Lindley Butterfly Bush. 2 to 3 ft.	5 '	4.5	4.0
3 to 4 ft.	.55 .75	.45 .55	.40 .45
			.45
microphylla. Littleleaf Butterfly Bu			
3 to 4 ft	.80 1. 0 0	.60	.55
4 to 5 ft	1.00	.70	.65
Orchid Beauty. 5'			
2 to 3 ft	.80	.65	.55
3 to 4 ft	1.00	.80	.70
paniculata. Panicle Butterfly Bush.	15 '		
3 to 4 ft	.80	.60	.50
Royal Purple. 5'			
2 to 3 ft	.80	.60	.50
White Cloud. White Butterfly Bush.	5'		
2 to 3 ft	.80	.65	.55
	1.00	.70	.65

		1-4 Each	5-2 4 Each	25 & up Each
Buxus microphylla	koreana. Korean	Littlele	eaf Box	. 2'
	B&B	2.40	2.20	2.00
12 to 15 in.	B&B	2.80	2.40	2.20
15 to 18 in.	B&B		3.00	2.80
Buxus				
sempervirens	glauca. ¼'			
	B&B	2.60	2.20	2.00
	В&В	3.00	2.60	2.40
	B&B	3.80	3.40	
sempervirens l	handsworthi. $Hands$	month	Box.	R*
		2.20	1.80	,
	B&B	2.60	2.20	
	B&B	3.00	2.60	
	B&B	3.80	3.40	
	B&B	4.60	3.80	
	suffruticosa. Trueda			
	B&B	1.60	1.40	
		1.80	1.60	
	B&B	2.00	1.80	
		2.20	2.00	
	B&B	2.60	2.40	
18 to 24 in.		3.40	3.20	
Callicarna hodinies	ri giraldiana. Giral	d Roge	utuborro	ı. 6'
		1.00	utyverry .80	/. 0
	ubincanescens. 6'	1.00	,00	
5		1.00	0.0	
			.80	
	rpurea). Purple Bee		-	
		.80	.60	.50
2 to 3 ft.		1.00	.70	.60
	nese Beautyberry.	,		
		.80	.60	.50
2 to 3 ft.		1.00	.70	.60
Calluna vulgaris.	Scotch Heather. 2'			
6 to 8 in.,	4 inch pots	1.40	1.20	1.00
vulgaris alba.	White Scotch Heath	er. 2'		
_	4 inch pots		1.20	1.00
· · · · · · · · · · · · · · · · · · ·	-		0'	
	ti. Alport Scotch He		1.20	
4 men po	ts	1.40	1.20	

	1-4	5-24	25 & up
Calluna—Continued	Each		Dach
vulgaris aurea. Goldleaf Scotch He	ather	2'	
6 to 8 in., 4 inch pots	1.40	1.20	1.00
vulgaris carnea. Flesh Scotch Heat	her. 2	P	
6 to 8 in., 4 inch pots	1.40	1.20	1.00
vulgaris compacta. 2'			
6 to 8 in., 4 inch pots	1.40	1.20	1.00
vulgaris rubra. 2'			
6 to 8 in., 4 inch pots	1.40	1.20	1.00
vulgaris searlei. 2'			
12 to 15 in., 4 inch pots	1.40	1.20	1.00
			1,00
Calveanthus florida-			
Calycanthus floridus. Sweet Shrub. 5'	0.0		
18 to 24 in	.60	.55	.45
0 1	.80	.65	.60
* * * * * * * * * * * * * * * * * * * *	1.20	1.00	.80
4 to 5 ft	1.40	1.10	
occidentalis. California Sweetshrub.	12'		
2 to 3 ft	1.40	1.20	
3 to 4 ft	1.60	1.40	
Campsis grandiflora. Chinese Trumpetca	reener	20'	
2 year	.90	.70	
3 year	1.10	.90	
4 year	1.30	1.10	
madiana a			
	30'		
2 year	.55	.45	.35
3 year	.65	.50	.45
radicans speciosa.			
Showy Common Trumpet: reeper.	<i>30</i> ′		
2 year	.80	.70	
3 year	1.20	1.00	
tagliabuana Mme. Galen.			
Mme. Galen Trumpetcreeper. 20'			
	1.20		
	1.20		

	1-4 Each	5-24 Each	25 & up Each	
Caragana arborescens. Siberian Peashr				
2 to 3 ft	.65	.50	.45	
3 to 4 ft	1.00	.70	.65	
4 to 5 ft	1.20	1.00	.95	
5 to 6 ft	1.€0	1.40	1.20	
6 to 8 ft	1.80	1.60	1.40	
a. lorbergi. Lorberg Siberian Peash	rub. 1	0'		
2 to 3 ft	1.40			
3 to 4 ft	1.60			
4 to 5 ft	2.40			
boisi. Bois Peashrub. 10'				
2 to 3 ft	1.60			
3 to 4 ft	2.00			
decorticans. Afghanistan Peashrub.	10 '			
2 to 3 ft	1.40	1.10		
3 to 4 ft	1.60	1.20		
4 to 5 ft	2.40	2.00		
Carpinus betulus. European Hornbeam.	60"			
3 to 4 ft	9.00			
4 to 5 ft	11.00	9.40		
5 to 6 ft	17.00	15.00		
6 to 8 ft	19.00	17.80	17.00	
8 to 10 ft	23.00	21.00	19.00	
10 to 12 ft B&B		25.00		
Sheared plants, 4 to 10 ft. quot	ed on	reques	t.	
betulus compactus. 25'				
5 to 6 ft B&B	20.00			
6 to 8 ft				
betulus fastigiata. Pyramid European Hornbeam.	40 '			
	18.00	16.00		
		18.00		
		22.00		
	30.00	26.00		
10 to 12 ftB&B		20.00		
	40'	4.00	0.50	
3 to '4 ft	4.50	4.00	3.50	
4 to 5 ft B&B	7.00	6.00	5.50	
5 to 6 ft B&B	11.00	10.00	8.50	
6 to 8 ft B&B	15.00	14.00	13.00	
8 to 10 ft B&B	20.00	18.00	16.00	

	1-4	5-24	25 & up
Carpinus—Continued	Each	Each	Each
cordata. Heartleaf Hornbeam. 50'			
	18.00		
8 to 10 ft	22.00		
tschonoski. Yeddo Hornbeam. 25'			
3 to 4 ft B&B	4.50	4.00	3.50
4 to 5 ft	7.00	6.00	5.50
5 to 6 ft	11.00	10.00	8.50
	15.00	14.00	
8 to 10 ft B&B 2	20.00		
Carya ovata. Shagbark Hickory. 75'			
3 to 4 ft	2.40		
4 to 5 ft	3.20		
5 to 6 ft	4.40		
Carpopteris incana. Bluebeard. 4'			
15 to 18 in	.60	.55	.50
18 to 24 in	.80	.70	.60
Blue Mist. 3'			
15 to 18 in	.80	.70	.60
18 to 24 in	1.00	.80	•••
Castanea crenata. Japanese Chestnut. 30	0'		
6 to 8 ft	8.00		
mollissima. Chinese Chestnut. 60'			
4 to 5 ft	4.00		
5 to 6ft	5.00		
6 to 8 ft	7.50		
Catalpa ovata. Chinese Catalpa. 30'			
	3.20		
	4.00	3.60	
8 to 10 ft	4.80	4.40	
speciosa. Northern Catalpa. 100'			
	2.00	1.40	
	2.40	1.80	
	3.20	2.80	
	4.80	4.00	
	8.00	6.00	
2½ to 3 in	2.00	10.00	

Ea	ch E		25 & up Each
Ceanothus americanus. Jerseytea Ceanoth			
	90	.70	.60
2 to 3 ft 1.	10	.90	
Cedrela sinensis. Chinese Cedrela. 50'			
0 00 0 200 1111111111111111111111111111	80		
6 to 8 ft 6.	00		
Cedrus deodara. Deodar Cedar. 50'			
2 ft B&B 6.	00		
	.00		
libani. Cedar of Lebanon. 50'			
	.00		
3 ft	.00		
Celastrus gemmata. Chinese Bittersweet.	20 '		
2 year 1.	60 1	1.20	
orbiculatus. Oriental Bittersweet. 20'			
	.50	.40	.35
2 year	.65	.55	.45
o year	.90	.70	.55
4 year	.50	.,,	.00
Celastrus scandens. American Bittersweet.	25'		
	.50	.45	.40
	.65	.55	.50
	.00		
_ v			
Celtis occidentalis. Hackberry. 50'			
	.20 2	2.80	2.40
6 to 8 ft 4	.00	3.60	3.20
8 to 10 ft 6	.00 4	4.80	
1½ to 1½ in 8	.00	6.00	
1½ to 1¾ in 10	.00	8.00	
13/4 to 2 in 12	.00 10	0.00	
2 to 2½ in	.40 13	2.00	
2½ to 3 in 20	.00 1	6.00	
Cephalanthus occidentalis. Button Bush.	6'		
2 to 3 ft	.70	.50	.40
3 to 4 ft	.90	.65	.55
4 to 5 ft 1	.10	.90	

	-4 5-24 ach Each	25 & up Each
Cercidiphyllum japonicum. Katsura Tree.		2344072
4 to 5 ft B&B 10.	00.8 00	
5 to 6 ft B&B 13.		
6 to 8 ft	00 14.50	13.50
8 to 10 ft	.00 18.00	16.00
10 to 12 ft	00 26.00	24.00
8 to 10 ft. spec	.00	
10 to 12 ft. spec	.00	
12 to 14 ft. spec B&B 45.	.00	
14 to 16 ft. spec B&B 55.	.00	
Cercis canadensis. Eastern Redbud. 40'		
3 to 4 ft	60 1.20	1.00
	60 2.20	2.00
5 to 6 ft 5.	00 4.00	3.75
6 to 8 ft 8.	00 - 7.00	
8 to 10 ft 11.	00 10.00	
canadensis alba. White Eastern Redb	oud. 40'	
	00 7.00	
	00	
*chinensis. Chinese Redbud. 30'	00 9 90	2.60
	20 2.80 .00 3.60	2.00
3 to 4 ft 4.	.00 3.00	
Cerococarpus montanus. Mountain Mahog		
3 to 4 ft	.00	
Chaenomeles japonica (maulei).		
Japanese Flowering Quince. 4'		
18 to 24 in	55 .48	.40
2 to 3 ft	75 .68	.60
japonica alpina.		
Salmon Japanese Flowering Quince	2. 4'	
	40 1.20	
2 to 3 ft 1.	60 1.40	
lagenaria (japonica). Common Flower	ing Quinc	e. 5'
18 to 24 in	55 .48	.40
20 00 22	70 .60	.50
	90 .75	.70

	1-4	5-24	25 & up
Chaenomeles	Each	Each	Each
I. alba. White Flowering Quince. 5'			
15 to 18 in	1.20		
18 to 24 in	1.40		
l. Apple Blossom. Pink Flowering Qu	uince	6'	
	2.00		
	2.40		
1. Baltzi. Rosy Pink Flowering Quine	· 6'		
	2.00		
	2.40		
1. cardinalis. Red Flowering Quince.			
3 to 4 ft	2.40		
l. cathayensis. Deep Rose Flowering	Quinc	e. 8'	
3 to 4 ft	1.60		
l. Columbia. Salmon Flowering Quin	00 5'		
18 to 24 in		1.20	
	1.60	1.40	
	2.00	1.80	
l. Falconet Charlot. White Flowering	ig Qui	nce. E	,
	1.60	1.40	
3 to 4 ft	2.00	1.80	
l. Kermesina Semiplena.			
Rose Pink Flowering Quince. 5'			
2 to 3 ft	1.60	1.40	
l. moerloosi. Soft Pink Flowering Q	uince	<i>5</i> ′	
2 to 3 ft		1.80	
1. Nivalis. White Flowering Quince.			
2 to 3 ft	2.00	1.80	
l. Pygmaea. Dwarf Common Flower	ing Qu	ince.	3'
18 to 24 in	.95	.70	
	1.10	.90	
l. Rosea Grandiflora.			
Light Pink Flowering Quince. 6	3*		
· ·	1.40	1.20	
	1.60	1.40	
	0 .		
l. Roseaplena. Dbl. Rose Flowering			1.0
2 to 3 ft	1.40	1.20	1.0

Change of the state of the stat	1-4 Each	5-24 2 Each	5 & up Each
Chaenoneles—Continued			
1. Rubra. Dark Red Flowering Quin	nce. 6'		
18 to 24 in	1.60		
2 to 3 ft	2.00		
l. Semperflorens. Soft Rose Flower	ina Cu	ince. 6	
2 to 3 ft	2.00	1.80	1.60
3 to 4 ft	2.40	2.00	1.80
l. superba. Light Red Flowering Q	uince.	5 '	
18 to 24 in	1.60	1.40	1.20
2 to 3 ft	1.80	1.60	1.40
l. Umbilicata. Rose Pink Flowering	Quinc	e. 8'	
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.30	1.10	1.00
1. Vermilion. Red Flowering Quince	e. 6'		
18 to 24 in	1.40	1.20	
2 to 3 ft	1.60	1.40	
l. Versicolor. White, striped red Flo	_	-	. 6'
2 to 3 ft	2.00	1.80	
3 to 4 ft	2.40	2.00	
sinensis. Chinese Flowering Quince.	20'		
	2.00	1.80	
3 to 4 ft	2.40	2.00	
Champagnagia lauraniana I			
Chamaecyparis lawsoniana. Lawson F 3 ft		ress. 10	00'
5 It	8.00		
lawsoniana allumi.			
Scarab Lawson Falsecypress. 40	9 '		
	6.00		
3 ftB&B	8.00		
4 ft B&B	10.00		
Chamaecyparis			
lawsoniana Triomphe de Boskoop			
3 ftB&B	8.00		
nootkatensis. Nootka Falsecypress.			
3 ftB&B	6.00	4.80	
4 ftB&B	8.00		
5 ftB&B	12.00		

	1-4 Each	5-2 4 Each	25 & up
Chamaecyparis	Each	Bacii) acii
nootkatensis pendula.			
Weeping Nootka Falsecypress.	20'		
	7.50	5.50	
4 ft	9.00	7.00	
	12.50	10.00	
	15.00		
For larger sizes to 10 ft., add	\$4.00	per foo	ot.
chtuse semmeste Grand Hinchi	Ealoca		10"
obtusa compacta. Compact Hinoki 2 ft		press.	10
3 ft	6.00		
0 10	10.00		
<i>5</i> 1t	10.00		
obtusa nana. Dwarf Hinoki Falsec	ypress.	3'	
	5.00	4.00	
18 inB&B	7.00	6.00	
24 inB&B	8.00	7.00	
30 inB&B	11.00		
pisifera. Sawara Falsecupress. 30'			
2 ft	3.50	3.00	2.50
3 ftB&B	4.50	4.00	3.50
4 ft	7.00	5.50	4.50
5 ft	11.00	8.00	
6 ft. spec B&B	15.00		
7 ft. specB&B	18.00		
p. aurea. Golden Sawara Falsecyp		30 '	
5 10	5.00		
4 ft	7.50		
5 ft			
0 100	12.50		
	15.00		
8 ft	20.00		
p. filifera. Thread Sawara Falsecy	m*a e e	<i>15</i> '	
2 ftB&B		4.00	3.50
3 ft	6.00	5.50	5.00
4 ftB&B		8.00	0.00
4 ft. spec	12.00	10.00	
5 ft. spec		14.00	
For larger sizes to 10 ft., add			ot
For larger sizes to 10 It., add	\$4.00	her roc) E

Chamaecyparis	1-4 Each	5-24 Each	25 & up Each
p. filifera aurea.			
Yellowthread Sawara Falsecypro		0'	
18 in. spd	4.80		
24 in. spd	6.40	5.60	
30 in. spd		8.00	
26 in. spd B&B	13.20		
p. filifera aurea-variegata.			
Variegated Thread Sawara Fals	secumr.	ess. 10	,
2½ ft. spd		. 10	
p. plumosa. Plume Sawara Falsecyy	nross	<i>30</i> ′	
2 ft. sheared B&B	3.50	3.00	2.50
3 ft. sheared	5.00	4.00	3.50
4 ft. sheared		5.50	4.75
5 ft. sheared	10.00	8.00	7.00
6 ft. shearedB&B		10.00	*****
7 ft. sheared B&B		16.00	
8 ft. sheared B&B		20.00	
For larger sizes to 12 ft., add \$	6.00 p	er foot	:
p. plumosa aurea.			
Goldplume Sawara Falsecypress.	. 30'		
2 ft. shearedB&B	3.50	3.00	2.50
3 ft. sheared B&B	5.00	4.00	3.50
4 ft. shearedB&B	8.00	7.50	7.00
5 ft. shearedB&B	10.00	8.00	
6 ft. shearedB&B		10.00	
7 ft. sheared B&B		16.00	
8 ft. sheared	22.00	20.00	
p. plumosa argentea. Globe Form.	<i>5</i> ′		
18 in	3.50	3.00	2.50
24 in B&B	5.00	4.00	3.50
30 in B&B	8.00	5.50	0.00
	10.00	8.00	
48 in B&B		10.00	
	12.00	10.00	
p. plumosa sulphurea.			
Sulphurplume Falsecypress. 25'			
3 ftB&B	4.00		
4 ftB&B	6.00		
5 ftB&B	8.00		
6 ftB&B	10.00		

1- Ea	4 5-24	25 & up Each
Chamaecyparis—Continued	cn Each	120011
p. squarrosa. Moss Sawara Falsecypre	ss. 30'	
2 ft. sheared B&B 3.5	50 3.00	2.50
3 ft. sheared B&B 5.	00 4.00	
4 ft. sheared B&B 8.0		
5 ft. sheared B&B 10.0		
6 ft. sheared	00 10.00)
Chamaedaphne calyculata. Leatherleaf. 3	,	
	50 3.00	2.50
	00 4.50	
21 10 00 111 11111111111111111111111111		
Chionanthus retusus. Chinese Fringetree.	20'	
	00	
2 to 3 it		
virginicus. White Fringetree. 30'		
2 10 0 10	30 1.1	
5 10 110 111111111111111111111111111111	10 1.9	
1 00 0 10,	00 2.6	
0 00 0 10.	.80 3.5	
0 00 0 10.	60 4.2	
0 00 10 10.	.00 5.5	U
5 to 6 ft. spec	.00	
6 to 8 ft. spec B&B 12.	.00	
8 to 10 ft. spec	.00	
Cladrastis lutea. American Yellowwood. &	50'	
5 to 6 ft	.00	
2½ to 3 in	.00	
Clematis apiifolia. October Clematis. 25'		
2 year 1	.00 .00.	0 .70
Clematis		
coccinea. (See texensis)		
crispa. Curly Clematis.	00	
2 year 1	.20	
flammula. Plume Clematis. 15'		
	20 1.0	.80
•		

	1-4 Each	5-24 Each	25 & up Each
lematis			
hybrids. Large Flowering Clematis. 2 year, 3" pots		1.00	
Jackmanni, Mad. Ed Andre,			
Henryi, Ramona.			
ligusticifolia. Western Virgins-bowe	r. 15'		
2 year	1.20		
montana rubens. Pink Anemone Cl		<i>15</i> ′	
3 inch pots	1.20		
montana undulata.	4.00		
3½ inch pots			
montana wilsoni. Wilson Anemone		tis. 15	7
3 inch pots	1.20		
paniculata. Sweet Autumn Clemati.	s. 25'		
2 year	.60	.50	.40
3 year	.80	.65	.55
tangutica. Golden Clematis. 25'			
3 inch pots	1.20	1.00	
texensis syn. coccinea. Scarlet Cle	matis.	10 '	
2 year	1.00	.80	
viorna. Leatherflower.			
2 year	1.20		
virginiana. Virgins-bower. 25'			
2 year			
3 year	.80	.60	.45
vitalba. Travelers-joy. 25'			
2 year	1.20	1.00	
viticella. Italian Clematis. 10'			
2 year	1.20	1.00	
lerodendron trichotomum. Harlequin	Gloruh	070101	6'
3 to 4 ft			
4 to 5 ft		2.00	
1 00 0 100	0.20		

	1-4 Each	5-24 Each	25 & up Each
Clethra alnifolia. Summersweet Clethra			
18 to 24 in	.65	.50	.45
24 to 30 in	.75	.65	.60
2½ to 3 ft	.90	.85	.75
a. paniculata. 5'			
18 to 24 in	1.00	.80	
2 to 3 ft	1.20	1.00	
barbinervis. Tree Clethra. 5'			
2 to 3 ft	1.20	1.10	
3 to 4 ft	1.40	1.30	
4 to 5 ft	2.00	1.60	
		2.00	
tomentosa. Wooly Clethra. 8'	1.40	1.20	
2 to 3 ft	1.40	1.40	
3 to 4 ft	1.60	1.40	
Colutea arborescens. Bladder Senna. 10		00	70
3 to 4 ft	1.10	.90	.70
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	2.20	1.80	
6 to 8 ft	2.60		
Colutea			
cilicica. Cilician Bladder Senna. 10	,		
3 to 4 ft	1.80	1.40	1.20
4 to 5 ft	2.20	1.80	1.60
5 to 6 ft	2.60	2.20	
media. Hybrid Bladder Senna. 10'	1.40	1.00	
3 to 4 ft	1.40	1.00	
4 to 5 ft	$\frac{1.80}{2.00}$	1.40	
5 to 6 ft	2.00	1.40	
Comptonia peregrina asplenifolia. Swe			
18 to 24 in	1.40	1.20	
2 to 3 ft	1.60	1.40	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.70	.50	.45
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.85
5 to 6 ft.	1.60	1.25	1.05
0 00 0 201 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.00		2.00

	1-4 Each	5-24 Each	25 & up Each
Cornus	. 7) .		40°
alba argenteo-marginata. Creamed			10 '
2 to 3 ft	1.20	1.00	
3 to 4 ft	1.40	1.10	
4 to 5 ft	1.60	1.40	
5 to 6 ft	2.40		
alba sibirica. Siberian Dogwood. 10) '		
2 to 3 ft	.65	.50	.45
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.85
5 to 6 ft	1.60	1.25	1.05
6 to 8 ft	1.80	1.60	1.40
alba spaethi. Yellowedge Dogwood	. 8'		
2 to 3 ft	1.20		
3 to 4 ft	1.60		
4 to 5 ft	2.00		
alternifolia. Pagoda Dogwood. 20'			
2 to 3 ft	.70	.60	
3 to 4 ft	1.10	1.00	.90
4 to 5 ft.	1.40	1.30	1.25
5 to 6 ft	1.80	1.50	
amomum. Silky Dogwood. 10'			
2 to 3 ft	.65	.48	.45
3 to 4 ft	.95	.64	.60
4 to 5 ft	1.10	.95	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.70	1.50	1.30
8 to 10 ft	1.90	1.70	1.50
baileyi. Bailey Dogwood, 10'			
3 to 4 ft	1.00	.80	
4 to 5 ft	1.20	1.00	
florida. Flowering Dogwood. 25'			
3 to 4 ft B&B	4.00	3.50	3.00
4 to 5 ft	5.75	5.25	4.75
5 to 6 ft	8.50	7.00	6.50
	11.00	10.00	0.00
	16.00	15.00	
5 to 14 ft. heavy spec. B&B	10.00	10.00	
at \$4.00 per foot.			
αι φτ.ου per 100ι.			

C

1-4 Each	5-24 25 & up Each Each
Cornus	23000
florida plena. Dbl. White Flg. Dogwood.	25 '
3 to 4 ft B&B 12.00	
4 to 5 ft	
5 to 6 ft	
florida rubra. Red Flowering Dogwood.	
2 to 3 ft	4.80
3 to 4 ft B&B 8.00	6.00
4 to 5 ft B&B 10.00	8.00
5 to 6 ft B&B 14.00	12.00
6 to 8 ft B&B 18.00	16.00
8 to 10 ft B&B 22.00	
5 ft., heavy spec B&B 20.00	
6 ft., heavy spec B&B 24.00	
For large sizes to 12 ft., add \$6.00 p	er foot.
florida welchi. Varileaf Dogwood. 25'	
2 to 3 ft	
kousa. Kousa Dogwood. 20'	
3 to 4 ft B&B 5.50	5.00
4 to 5 ft B&B 9.00	7.00
4 to 5 ft. heavy B&B 12.00	9.00
5 to 6 ft. heavyB&B 13.00	12.00
6 to 8 ft. heavy B&B 22.00	18.00
8 to 10 ft. heavyB&B 35.00	22.00
kousa chinensis. Chinese Kousa Dogwood	d. 20'
4 ft	
5 ft	
6 ft	
Constitution Description 1 201	
mas. Corneliancherry Dogwood. 20' 2 to 3 ft	1.00
	1.40
	2.20
	3.80
	5.80
6 to 8 ft 6.60 8 to 10 ft 9.00	7.00
	7.00
10 to 12 ft 13.00	
officinalis. Japanesecornel Dogwood. 15	1
2 to 3 ft 6.00	
3 to 4 ft 6.80	

	1-4 Each	5-24 Each	25 & up Each
Cornus			
paniculata. (see racemosa)			
paucinervis. Littleleaf Dogwood. 6			
3 to 4 ft	3.20		
4 to 5 ft	4.00		
pubescens. 15'			
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.60		
5 to 6 ft	2.00		
racemosa. (paniculata). Gray Dog		15'	4.0
2 to 3 ft	.65	.50	.40
3 to 4 ft	.90	.65	.60
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.20	1.10
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.20		
4 to 5 ft	1.60		
5 to 6 ft	2.00		
sanguinea. Bloodtwig Dogwood. 10	o '		
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.70	.60
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.60	1.30	1.05
sanguinea viridissima. Greentwig	Dogwo	od. 10'	,
2 to 3 ft	.80	.70	
3 to 4 ft	1.20		
4 to 5 ft	1.60		
stolonifera. Redosier Dogwood. 10'	,		
2 to3 ft	.65	.50	.45
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	.95	.85
5 to 6 ft	1.50	1.20	1.00
6 to 8 ft	1.70	1.50	1.30
s. flaviramea. Yellowtwig Redosier	Dogra	wood. 8	3 *
2 to 3 ft	.95	.65	.60
3 to 4 ft	1.10	.95	.85
4 to 5 ft	1.50	1.20	1.00
5 to 6 ft	1.70	1.50	

	1-4 Each	5-24 Each	25 & up Each
Corylopsis sinensis. Chinese Winterhaz	el. 8'		
2 to 3 ftB&B	7.50		
Corylus americana. American Filbert.	10'		
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.10	1.00	.90
4 to 5 ft	1.50	1.30	1.20
5 to 6 ft	1.90	1.50	1.40
6 to 8 ft	2.30	2.10	1.90
avellana. European Filbert. 15'			
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.10	1.00	.90
4 to 5 ft	1.50	1.30	1.20
5 to 6 ft	1.90	1.50	1.40
6 to 8 ft	2.30	2.10	1.90
8 to 10 ft	2.80	2.50	2.25
avellana atropurpurea. $Purple\ Ei$	iropean	Filber	·t. 15'
2 to 3 ft	4.00	3.20	
3 to 4 ft	4.80	4.00	
4 to 5 ft	6.00	5.20	
5 to 6 ft	8.00	6.00	
6 to 8 ft	10.00	8.00	
avellana aurea. Golden European	Filbert.	15 '	
3 to 4 ft	4.80	4.40	
4 to 5 ft	6.00	5.60	
5 to 6 ft	8.00	6.40	
6 to 8 ft	10.00	8.00	
colurna. Turkish Filbert. 25'			
3 to 4 ftB&B	8.00		
3 to 4 tt	0.00		
Corylus			
heterophylla setchuenensis. Szechr	wan Fil	bert.	12'
3 to 4 ft	2.40	2.20	2.00
4 to 5 ft	3.20	2.80	
5 to 6 ft	4.00	3.60	
6 to 8 ft	4.80	4.40	
rostrata. Beaked Filbert. 6'			
2 to 3 ft	1.10	.90	.70
3 to 4 ft	1.30	1.10	1.00
4 to 5 ft	1.50	1.40	

	1-4 Each	5·24 Each	25 & up Each
Cotinus coggygria. Common Smoketree.			
3 to 4 ft	1.80	1.40	
4 to 5 ft	2.00	1.60	
5 to 6 ft	2.60		
Cotoneaster acutifolia. Peking Cotonea	ster 1	2'	
2 to 3 ft	.80	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.40	1.05	
		2,00	
*acutifolia villosula. 12'		0.5	
2 to 3 ft	.80	.65	
3 to 4 ft	1.00	.85	
4 to 5 ft	1.40	1.20	
5 to 6 ft	1.80	1.60	
acuminata. Sharpleaf Cotoneaster.	12'		
3 to 4 ft. spd	4.80		
o to Titl span			
adpressa. Creeping Cotoneaster. 2'			
6 to 8 in. from pots	2.00	1.90	1.80
ambigua. $6'$			
2 to 3 ft	3.60		
3 to 4 ft	4.80		
apiculata. Cranberry Cotoneaster.	<i>6'</i>		4.00
9 to 12 in. from pots	2.00	1.90	1.80
12 to 15 in. from pots	2.40	2.20	
2 to 3 ft	4.00	3.20	
dammeri. Bearberry Cotoneaster. 2	?*		
10 to 12 in. from pots		2.20	
dammeri radicans. 2'			
2 to 3 ft. spd	4.80		
2 to 3 ft. spa	1.00		
Colorada			
Cotoneaster			
dielsiana. Diels Cotoneaster. 6'	3.60	3.20	
2 to 3 ft		4.20	
3 to 4 ft	4.80 6.00	5.20	
4 to 5 ftB&B		5.20	
divaricata. Spreading Cotoneaster.	6'		
2 to 3 ftB&B	3.40	3.00	2.75
3 to 4 ftB&B	4.50	4.00	3.75
4 to 5 ftB&B	5.75	5.00	4.50

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
foveolata. Glossy Cotoneaster. 10'			
2 to 3 ftB&B	3.60	3.20	3.00
3 to 4 ftB&B	4.80	4.40	
4 to 5 ft B&B	6.00		
himalaicus. Littleleaf Cotoneaster.	6'		
8 to 10 in., 4 in. pots	2.40	2.00	1.80
horizontalis. Rock Cotoneaster. 3'			
12 to 15 in. spd. from pots	2.40	2.20	2.00
15 to 18 in. spd. from pots	3.00	2.60	2.40
15 to 18 in. spd	3.20	2.80	
horizontalis perpusilla. Ground Con	to neast	er. 3'	
10 to 12 in., from pots	2.00	1.80	1.60
12 to 15 in., from pots	2.40	2.20	2.00
15 to 18 in., from pots	3.00	2.60	
horizontalis wilsoni. Wilson Cotone		5 '	
2 to 3 ft	3.40	3.00	2.75
3 to 4 ft	4.50	4.00	3.75
4 to 5 ft	5.75	5.00	0.10
+ to 5 It	0.10	0.00	
integerrima. European Cotoneaster.	6 '		
2 to 3 ft	3.60	3.20	3.00
3 to 4 ft	4.80	4.40	4.00
*lucida. Hedge Cotoneaster. 10'			
2 to 3 ft	.80	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.40	1.05	
melanocarpa. 6' 3 to 4 ft	4.00	4.40	
4 to 5 ft	4.80 6.00	4.40	
4 to 3 ft	0.00		
microphylla. Rockspray Cotoneaste	r. 3'		
10 to 12 in., 4 in. pots	2.00	1.75	1.60
microphylla thymifolia.			
Thyme Rockspray Cotoneaster.	<i>10</i> ′		
15 to 18 in. from pots	2.40	2.20	
15 to 18 inB&B	3.00	2.60	

	1-4 Each	5-24	25 & up Each
Cotoneaster — Continued	Басп	Facil	Treen
moupinensis. Mupin Cotoneaster. 1	0'		
15 to 18 in., 4 in. pots	2.40	2.20	
2 to 3 ft B&B	3.60	3.20	
3 to 4 ft B&B	4.80	4.20	
multiflora. 6'			
	3.60	3.20	3.00
	4.80	4.20	4.00
	6.00	5.20	4.80
charing Divillance Cut constant	1/18		
obscura. Bloodberry Cotoneaster. I	3.60	3.20	
2 to 3 ft B&B 3 to 4 ft B&B		4.20	
	6.00	5.20	
racemiflora soongarica. Sungari C			
2 to 3 ft B&B		3.20	3.00
3 to 4 ft		4.40	4.00
4 to 5 ft B&B	6.00	5.20	4.40
rotundifolia. Redbox Cotoneaster.	2"		
10 to 12 in. from pots	2.00	1.80	
12 to 15 in. from pots	2.60	2.20	
rosea. Redcurrant Cotoneaster. 10'			
2 to 3 ft	3.40	3.00	2.75
	4.50	4.00	3.75
4 to 5 ft	5.75	5.00	4.50
5 to 6 ft	6.50	5.75	5.50
11 16 11 - 61 - 50 - 50			
salicifolia floccosa. Hardy Willowleaf Cotoneaster.	6'		
15 to 18 in, from pots			
•	2100		
simonsi. Simons Cotoneaster. 8'	0.00		
12 to 18 in., 4 in. pots	2.80		
	3.60 4.80		
3 to 4 ft	4.80		
tenuipes. Slender Cotoneaster. 6'			
2 to 3 ftB&B	4.00		
zabeli. Cherryberry Cotoneaster. 6'			
2 to 3 ftB&B			
3 to 4 ftB&B	4.80	4.40	

1-4 Each	5.24 Each	25 & up Each
*Crataegus aprica. Beadle Hawthorn. 20'		
3 to 4 ft 3.60	3.40	
4 to 5 ft 4.80	4.60	
5 to 6 ft 7.60		
6 to 8 ft		
*arkansana. Arkunsas Hawthorn. 30'		
5 to 6 ft 7.60	7.40	
6 to 8 ft	10.80	
10.00	10.50	
0 10 10 10 10 10 10 10 10 10 10 10 10 10		
*arnoldiana. Arnold Hawthorn. 20'		
3 to 4 ft 3.60	3.40	
4 to 5 ft 4.80	4.60	
5 to 6 ft 7.60	7.40	
6 to 8 ft	10.80	
8 to 10 ft 13.20	12.40	
*calpodendron. Pear Hawthorn, 15'		
3 to 4 ft 3.60	3.40	
4 to 5 ft 4.80	4.60	
	7.40	7.20
		10.00
6 to 8 ft	10.80	10.00
8 to 10 ft 13.20	12.40	
coccinea (see intricata)		
coccinea (see initicata)		
*coccinioides. Kansas Hawthorn. 20'		
6 to 8 ft	10.80	
8 to 10 ft	12.40	
*cordata (see phaenopyrum).		
*crusgalli. Cockspur Thorn. 30'		
3 to 4 ft 3.40	3.20	3.00
	4.40	4.20
5 to 6 ft 7.40	7.20	7.00
6 to 8 ft	10.00	9.00
8 to 10 ft	12.00	11.00
10 ft. spec B&B 27.50		
"cuneata. Nippon Hawthorn. 20"		
4 to 5 ft 4.80		
5 to 6 ft 7.60		
6 to 8 ft		

1-4	5-24	25 & up
Each	Each	Each
*Crataegus		
*hupehensis. 20'	10.00	
6 to 8 ft	10.80	
8 to 10 ft		
*intricata (coccinea). Thicket Hawthorn.	20'	
3 to 4 ft 3.40	3.20	3.00
4 to 5 ft 4.60	4.40	4.20
5 to 6 ft 7.40	7.20	7.00
6 to 8 ft	10.00	9.00
8 to 10 ft	12.00	11.00
*lavallei. Lavalle Hawthorn. 20'		
3 to 4 ft 3.40	3.20	3.00
4 to 5 ft 4.60	4.40	4.20
5 to 6 ft 7.40	7.20	7.00
6 to 8 ft	10.00	9.00
	12.00	11.00
8 to 10 ft	12.00	11.00
*macracantha. Spike Hawthorn. 20'		
3 to 4 ft 3.60		
4 to 5 ft 4.80		
*mollis. Downy Hawthorn. 20'		
3 to 4 ft 3.40	3.20	3.00
4 to 5 ft 4.60	4.40	4.20
5 to 6 ft 7.40	7.20	7.00
6 to 8 ft	10.00	9.00
8 to 10 ft	12.00	11.00
*monogyna. Singleseed Hawthorn. 20' 4 to 5 ft 4.80	4.60	4.40
	7.40	7.20
5 to 6 ft	10.80	10.00
8 to 10 ft	10.80 12.40	10.00
0 to 10 ft	12.40	
*monogyna stricta.		
Pyramidal Singleseed Hawthorn. 20'		
5 to 6 ft 7.60		
6 to 8 ft		
*nitida. Glossy Hawthorn. 15'		
5 to 6 ft 7.60	7.40	
6 to 8 ft	10.80	
8 to 10 ft 13.20	12.40	

Crataegus 1.4 Each	5-24 Each	25 & up Each
*oxyacantha. English Hawthorn. 20'		
4 to 5 ft 4.60	4.40	4.20
5 to 6 ft 7.40	7.20	7.00
6 to 8 ft 11.00	10.00	9.00
8 to 10 ft 13.00	12.00	
8 to 10 ft. spec B&B 24.00		
*o. plena. Doublewhite English Hawthorn	. 15'	
4 to 5 ft 6.00	4.80	
5 to 6 ft 8.00	7.60	
6 to 8 ft 12.00	11.20	
8 to 10 ft 14.80		
*o. pauli. Paul's Scarlet English Hawthe	rn. 15'	
4 to 5 ft 5.00		
5 to 6 ft 7.00	6.50	
6 to 8 ft	10.00	
8 to 10 ft 14.00	13.00	
*o. punicea. Singlered English Hawthorn	. 15'	
4 to 5 ft 6.00		
5 to 6 ft 8.00		
6 to 8 ft 12.00		
8 to 10 ft 14.80		
*o. rosea plena. Doublepink English Ha	wthorn.	15"
4 to 5 ft 6.00		
5 to 6 ft 8.00	7.60	
6 to 8 ft 12.00	11.20	
8 to 10 ft 13.20		
*peregrina. Peregrina Hawthorn. 15'		
5 to 6 ft 7.60	7.40	
6 to 8 ft	10.80	
8 to 10 ft 13.20	12.40	
*persistens. 15'		
5 to 6 ft 7.60	7.40	
6 to 8 ft	10.80	
8 to 10 ft 13.20	12.40	
*phaenopyrum. (cordata)		
Washington Hawthorn, 20'		
3 to 4 ft	3.20	3.00
4 to 5 ft 4.60	4.40	4.20
5 to 6 ft 7.40	7.20	7.00
6 to 8 ft	10.00	9.00
8 to 10 ft	12.00	11.00

	1-4	5-24	25 & up
Crataegus	Each	Each	Each
*pinnatifida major. Large Chinese	. Hare	thorn.	20'
4 to '5 ft	4.80		
5 to 6 ft	7.60		
6 to 8 ft	11.60		
*pruinosa. Frosted Hawthorn. 18'			
3 to 4 ft	3.60		
4 to 5 ft	4.80		
5 to 6 ft	7.60		
*prunifolia. Plumleaf Цаwthorn. 22	5 '		
3 to 4 ft	3.40	3.20	3.00
4 to 5 ft	4.60	4.40	4.20
5 to 6 ft	7.40	7.20	7.00
	11.00	10.00	9.00
8 to 10 ft.	13.00	12.00	11.00
*punctata. Dotted Hawthorn. 25'			
3 to 4 ft.	3.40	3.20	
4 to 5 ft	4.60	4.40	
5 to 6 ft	7.40	7.20	
	11.00	10.00	
0 00 0 10,	11.00	10.00	
pyracantha (see Pyracantha coccin	nea).		
*succulenta. Fleshy Hawthorn. 20'			
4 to 5 ft	4.80	4.60	
5 to 6 ft	7.60	7.40	
	1.60	10.80	
0 to 0 1t	1.00	10.00	
*viridis. Green Hawthorn. 25'			
5 to 6 ft	7.60	7.40	
6 to 8 ft 1	1.60	10.80	
8 to 10 ft	3.20	12.40	
Cryptomeria japonica lobbi. $Lobb\ Crypton$		a. 20'	
	4.50	3.50	
	5.50	4.75	
	9.50	7.50	
5 ftB&B 1		10.00	
	3.00	11.00	
7 ftB&B 2	0.00		
0 01	4 0 0		

0 00 1 200 1717	1-4 Each 3.20 4.00		25 & up Each
Cydonia. (see Chaenomeles)			
Cytisus elongatus. 5' 12 to 15 in., 4 in. pots	1.40		
nigricans. Spike Broom. 4'	1.40		
scoparius. Scotch Broom. 10' 18 to 24 in	1.40	1.20	1.00
scoparius andreanus. Paradise Bro			1.00
Daphne cneorum. Rose Daphne. 1' 8 to 10 in. spd. B&B 10 to 12 in. spd. B&B	1.40	1.30 1.75	1.20 1.65
12 to 15 in. spd. B&B 15 to 18 in. spd. B&B	2.40 2.80	2.20 2.60	1.00
houtteana. Hybrid Daphne. 4 18 to 24 in B&B	4.00	3.60	
Decumaria barbara. Southeast Decuma 3 yr. from pots		.60	.45
Deutzia gracilis. Slender Deutzia. 3' 15 to 18 in	.65 .80	.55 .70	
24 to 30 in	.95	.85	.75
hypoglauca. 6' 2 to 3 ft	1.20 1.40	1.00 1.20	
lemoinei. Lemoine Deutzia. 5' 18 to 24 in.	.60 .75 .90	.50 .60 .75	.55

	1-4 Each	5-24 Each	25 & up Each
Deutzia	230011	Hacii	Luci
lemoine compacta. 5'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.75	.60	.55
myriantha Boule Rose. Pink Deutz	ia. 4'		
18 to 24 in	.80		
2 to 3 ft	1.00		
ningpoense. 5'			
3 to 4 ft	1.40	1.20	
4 to 5 ft	2.00	1.80	
parviflora. Mongolian Deutzia. 5'			
18 to 24 in	.60	.50	.45
2 to 3 ft	.80	.60	.55
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	.75	.60	.55
24 to 30 in	.90	.75	.70
2½ to 3 ft	1.10	.90	.85
rosea campanulata. Bellflower Rose	enanicl.	B Deut:	zia. 5'
18 to 24 in	.80	.65	.60
2 to 3 ft	1.00	.80	.75
rosea carminea. Carmine Rosepanie	ole Des	itzia)	,,
18 to 24 in	.75	.60	.55
2 to 3 ft	.95	.75	.70
3 to 4 ft	1.10	1.00	.90
rosea venusta. White Rosepanicle 1	Doutsia	. <i>5</i> ′	
18 to 24 in	.80	60	.50
2 to 3 ft	1.00	.80	.75
		100	.10
scabra. Fuzzy Deutzia. 12' 2 to 3 ft	es	=0	4.5
3 to 4 ft	.65	.50	.45
4 to 5 ft	$\frac{.95}{1.20}$.75 .95	.60
	1.20	.93	.84
scabra Pride of Rochester. 12'	0.5		
2 to 3 ft	.65	.50	.45
3 to 4 ft	1.00	.65	.60
4 to 5 ft	1.10	1.00	.85
5 to 6 ft	1.50	1.40	

Deutzia	1-4 Each	Each	5 & up Each
scabra florepleno rosea. Doublero			
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.85
scrabra watereri. Waterer's Deutzia	. 12'		
2 to 3 ft	.70	.50	.45
3 to 4 ft	1.00	.70	.60
4 to 5 ft	1.20	1.00	
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft	1.00	.70	.60
4 to 5 ft	1.10	1.00	.85
schneideriana laxiflora. θ'			
3 to 4 ft	1.40	1.20	
4 to 5 ft	1.60	1.40	
vilmorinae. Vilmorin Deutzia. 8'			
2 to 3 ft	1.20	1.00	
2 10 0 10 10 10 10 10 10 10 10 10 10 10 1			
Distriction (trifide) Doug Book	h Hono	nonalda	4'
Diervilla lonicera. (trifida). Dwf. Busi	.80	.60	.50
2 to 3 ft	1.00	.70	.60
			.00
sessilifolia. Southern Bush Honeysu			= 0
2½ to 3 ft	.80	.60	.50
3 to 4 ft	1.00	.70	.60
4 to 5 ft	1.10		
Diospyros virginiana. Common Persimn			
5 to 6 ft	4.80	4.00	
6 to 8 ft	6.00	4.80	
8 to 10 ft	8.00	6.00	
10 to 12 ft	10.00	8.00	
Dirca palustris. Leatherwood. 6'			
18 to 24 inB&B	4.00		
Elaeagnus angustifolia. Russian Olive.	20'	F.0	00
3 to 4 ft	1.00	.70	.60
4 to 5 ft	1.40	1.10	.90
5 to 6 ft	1.80	1.40	
6 to 8 ft	2.80	2.20	
8 to 10 ft	4.00	3.60	

Elaeagnus	1-4 Each	5-24 Each	25 & up Each
commutata. Silverberry. 12'			
2 to 3 ft	1.60	1.40	
3 to 4 ft	2.00	1.60	
4 to 5 ft	2.40	2.00	
1 10 0 11	2.40	2.00	
multiflora. (longipes). Cherry Elae	agnus.	<i>6</i> ′	
2 to 3 ft	1.60		
umbellata. Autumn Elaeagnus. 12'			
2 to 3 ft	.80	.55	.45
3 to 4 ft	.95	.85	.70
4 to 5 ft	1.10	1.00	.90
5 to 6 ft	1.50	1.30	1.10
6 to 8 ft	2.00	1.70	1.60
u. parvifolia. Chinese Elaeagnus. 18		1.00	
3 to 4 ft	1.40	1.20	
4 to 5 ft	1.60	1.40	
5 to 6 ft	2.20	2.00	
Elsholtzia stauntoni. 4' 18 to 24 in. 2 to 3 ft.	1.20 1.40	1.10 1.20	1.00
2 00 0 100	1.10	1.20	
7			
Erica carnea. Spring Heath. 1'	1.40	1.90	1.00
6 to 8 in., 4 in. pots	1.40	1.20	1.00
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.40	1.20	1.00
Eucommia ulmoides. 60'			
6 to 8 ft	8.00		
8 to 10 ft	10.00		
Euonymus alatus. Winged Euonymus. 1	0'		
2 to 3 ft	1.40	1.20	
3 to 4 ft	2.25	1.75	
4 to 5 ft	3.40	3.00	
5 to 6 ft	6.40	0.00	
	10.00		
	20.00		
	24.00		
o to to it., neavy	21.00		

Euonymus	1-4	5-24	
alatus compactus. Dwarf Winged I	Each Euonu	Each	Each
2 to 3 ft	2.00	1.50	
3 to 4 ft	3.00	2.50	
americanus. Brook Euonymus, 8'			
2 to 3 ft	1.10	1.00	.90
3 to 4 ft	1.30	1.10	1.00
4 to 5 ft	2.00	1.40	1,00
		1,10	
atropurpureus. Eastern Wahoo. 15'	.65	.50	.45
2 to 3 ft	.95	.65	.60
3 to 4 ft	1.10	1.05	.90
	1.55	1.35	1.30
5 to 6 ft		1.00	1.50
bungeanus. Winterberry Euonymus.		= 0	4.5
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	1.05	.90
5 to 6 ft	1.55	1.35	1.30
6 to 8 ft	2.30	1.90	1.70
europaeus. European Euonymus. 18	5 '		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	1.05	.90
5 to 6 ft	1.55	1.35	1.30
6 to 8 ft	2.30	1.90	1.70
fortunei. (acutus). Wintercreeper	Euony	mus. 2	,
12 to 15 in	.80	.65	.60
15 to 18 in	1.00	.80	.75
18 to 24 in	1.20	1.10	1.00
f. argenteo-marginatus.			
Silveredge Wintercreeper Euony	mus.	2'	
12 to 15 in	.80	.65	.60
f. carrierei. Glossy Wintercreeper I	Luonus	mus. 3'	
12 to 15 in	.80	.65	.60
15 to 18 in	1.00	.80	.75
18 to 24 in	1.20	1.10	1.00
10 to 21 iii	1,20		
f. coloratus.		o)	
Purpleleaf Wintercreeper Euony		.50	.45
12 to 15 in	.60		
15 to 18 in	.80	.70	.60
18 to 24 in	1.00	.85	.80

71 .	1.4 Each	5-2 4 Each	25 & up Each
Euonymus			
f. coloratus (Upright form)			
15 to 18 in	1.00	.90	.80
f. kewensis. Kew Wintercreeper Ev	ionumu	18. 1'	
8 to 12 in. from pots	.90	.80	.65
o to 12 m, 11 m poter i i i i i i i i i i i i i i i i i i i			
f. minimus. Baby Wintercreeper E	luonum	118 1	
8 to 12 in. from pots	.80	.70	.60
12 to 15 in. from pots	1.10	.90	.80
12 to 10 mi from pour.	2120		
f. radicans. Common Wintercreeper	Euon	ymus.	
8 to 12 in. from pots	.55	.50	.45
12 to 15 in	.75	.60	.55
15 to 18 in	.90	.70	.65
f. vegetus. Bigleaf Wintercreeper I	Euonyr	nus. 4'	
12 to 15 in	1.20	1.00	.80
15 to 18 in	1.60	1.20	1.00
18 to 24 in	2.10	1.70	1.50
24 to 30 in	2.50	2.10	
hamiltonianus. Hamilton Euonymu	s. 15'		
3 to 4 ft	1.00	.85	
4 to 5 ft	1.40	1.20	1.00
5 to 6 ft	2.00	1.60	1.40
kiautschovicus (patens). Spreading	Euong	ymus.	5 '
18 to 24 in B&B	3.00	2.60	2.40
2 to 3 ftB&B	3.80	3.60	3.40
3 to 4 ftB&B	4.60	4.20	
latifolius. Broadleaf Euonymus. 10			
3 to 4 ft	1.00	.80	
4 to 5 ft	1.20	1.00	
5 to 6 ft	1.60	1.40	
maacki. Maack Euonymus. 10'			
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.25	.00
J 10 0 11	1.00	1.20	

Euonymus	1-4 Each	5-24 Each	25 & up Each
nanus. Dwarf Euonymus. 3'	Each	Басп	macii
12 to 15 in	1.60	1.40	1.20
15 to 18 in	1.80	1.60	
obovatus. Running Euonymus. 1'			
8 to 10 in. from pots	1.05	.90	.80
oxyphyllus. 15'			
3 to 4 ft	1.40	1.20	1.00
4 to 5 ft	1.60	1.40	1.20
5 to 6 ft	1.80	1.60	1.40
patens. (see kiautschovicus).			
radicans. (see fortunei).			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	.95	.75	.65
4 to 5 ft	1.10	1.00	.90
5 to 6 ft	1.50	1.30	
Euptelea polyandra. Japanese Euptele	a. 20'		
	10.00		
8 to 10 ft	12.00		
Evodia danieli. Korean Evodia. 25'			
4 to 5 ft	6.00		
5 to 6 ft	8.00		
hupehensis. Hupeh Evodia. 25'			
4 to 5 ft	6.00		
5 to 6 ft	8.00		
Exochorda giraldi wilsoni. Wilson Rea		earlbus	h. 15'
4 to 5 ft	3.20		
5 to 6 ft	4.00		
6 to 8 ft	4.80		
racemosa. (grandiflora). Pearlbush			
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.80
5 to 6 ft	1.60	1.40	1.20
6 to 8 ft	2.40	2.00	
8 to 10 ft	3.20	2.80	
6 to 8 ft. spec B&B	12.00		
8 to 10 ft. spec B&B	14.40		

										1-4 Each	5-24	
Fagus	gra	ndi	flo	ra.	(am	erio	cana	a).	Amer	ican l	Beech.	Each 60'
	4	to	5	ft.					В&В	10.00		
	5	to	6	ft.					B&B	14.00		
	6	to	8	ft.					B&B	18.00		
	8	to	10	ft.					B&B	26.00		
	10	to	12	ft.					B&B	40.00		
sy	lvat	ica	. <i>E</i>	Euro	pear	n B	eech	. '	75 '			
	10	to	12	ft.					В&В	30.00	28.00	
	12	to	14	ft.					В&В	55.00	45.00	
	14	to	16	ft.					B&B	70.00		
-												
Fagus	lvat	ica	fa	stic	ists	D	212000	måd	lal Ra	ech. 2) 5 ⁸	
sy									ai Be		<i>.</i> 0	
									B&B			
									B&B			
		to							B&B			
									B&B			
sv	lvat	ica	he	ter	ophy	zlla.	. C	utl	eaf B	eech.	25'	
		to							B&B			
	3	to							в&в			
	4	to							В&В			
	10	to	12	ft.					B&B	50.00		
sy	lvat	ica	pe	ndı	ıla.	We	epir	ig	Beech	. 50'		
	2	to	3	ft.					В&В	10.00	9.00	
	3	to	4	ft.					В&В	14.00		
	4	to	5	ft.					В&В	18.00		
	5	to	6	ft.					В&В	20.00	•	
	14	to	16	ft.				. :	B&B	100.00		
	La	rge	r s	izes	qu	oted	d or	ır	eques	t.		
sy	lvat	ica	pι	ırpı	ırea	. P	urpl	e 1	Beech.	75'		
	8	to	10	ft.					B&B	28.00		
	10	to	12	ft.					B&B	36.00		
sy									ech. 7			
	2	to							В&В			
	3	to	4	ft.					B&B	14.00		
	4	to							B&B			
	_	to							B&B			
	L	arg	e s	pec	ime	ns (quo	tec	on	reques	st.	
sy	lvat	ica	iri	icol	or.	Tric	olor	· B	eech.	25'		

	1-4 Each	5-24 Each	25 & up Each
Fontanesia fortunei. Fortune Fontanesia		наси	Jacan
3 to 4 ft	.90	.70	
4 to 5 ft	1.30	1.10	
5 to 6 ft	1.50	1.30	
7			
Forestiera neomexicana. 10' 3 to 4 ftB&B	8.00	7.20	
	10.00	8.00	
4 to 5 It	10.00	0.00	
Forsythia europea. Albanian Forsythia.	6'		
2 to 3 ft	.65	.50	
3 to 4 ft	1.00	.70	
4 to 5 ft	1.20	1.00	
Forsythia			
intermedia. Border Forsythia. 8'	.65	.45	.40
2 to 3 ft	.05	.65	.60
3 to 4 ft	1.10	.95	.85
4 to 5 ft	1.50	1.20	1.00
5 to 6 ft	1.70	1.50	1.30
6 to 8 ft	1.70	1.50	1.50
intermedia primulina.			
Primrose Border Forsythia. 10'			
2 to 3 ft	.70	.60	.50
3 to 4 ft	.90	.70	.60
4 to 5 ft	1.30	1.10	1.00
5 to 6 ft	1.50	1.30	1.20
6 to 8 ft	1.80		
intermedia spectabilis. Showy Bord	ler Fo	rsuthia	. 8'
2 to 3 ft	.65	.45	.40
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	.95	.85
5 to 6 ft	1.50	1.20	1.00
6 to 8 ft	1.70	1.50	1.30
8 to 10 ft	1.80	1.70	1.50
ovata. Early Forsythia. 8'			
2 to 3 ft	.80	.60	.50
3 to 4 ft	1.10	.95	.75
0 to 1 to	1.10	.00	

Forsythia

Fo

Fr

	1-4 Each	5-24 Each	25 & up Each
suspensa. Weeping Forsythia. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.95	.75	.68
4 to 5 ft	1.10	1.00	
5 to 6 ft	1.50	1.20	
suspensa atrocaulis. Purplestem W	eeping	Forsy	thia. 6
2 to 3 ft	.70	.55	
3 to 4 ft	1.00	.65	
4 to 5 ft	1.20	1.00	
suspensa fortunei. Fortune Weepin			
2 to 3 ft	.65	.45	.40
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	.95	.85
5 to 6 ft	1.50	1.20	1.00
6 to 8 ft	1.70	1.50	1.30
	***	47.1	01
suspensa sieboldi. Siebold Weeping			
2 to 3 ft	.65	.45	.40
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	.95	.85
5 to 6 ft	1.50	1.20	1.00
6 to 8 ft	1.70	1.50	1.30
viridissima. Greenstem Forsythia.	8'		
2 to 3 ft	.65	.45	.40
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	.95	.85
5 to 6 ft	1.50	1.20	1.00
3 to 0 1t.	1.00	1.20	1.00
thergilla gardeni. Dwarf Fothergilla	. 3'		
18 to 24 in B&B		4.80	
24 to 30 inB&B	8.00		
anklinia alatamaha. 20'			
4 to 5 ftB&B	20.00		
5 to 6 ftB&B	24.00		
6 to 8 ftB&B	28.00		

.					1-4 Each	5-24 Each	25 & up Each
Fraxinus a					2.20	1 00	1.60
6	to	_	ft.		2.20	$\frac{1.80}{2.20}$	2.00
8	to		ft.			3.20	3.00
	to		in.		3.80	5.00	4.60
	to	13/4			5.40		5.80
	to	2	in.		7.00	6.20	
2	to	$2\frac{1}{2}$			9.00	8.00 13.00	7.00
21/2		3	ft.		15.00	13.00	11.00
excelsio			•	n Ash. 100'	0.00	1.00	1 60
6	to	8	ft.		2.20	1.80	1.60
8	to		ft.		2.80	2.20	2.00
	to	11/2			3.80	3.20	3.00
=	to	13/4			5.40	5.00	4.60
	to	2	in.		7.00	6.20	5.80
2	to	$2\frac{1}{2}$			9.00	8.00	7.00
	to	3	ft.		15.00	13.00	11.00
3	to	$3\frac{1}{2}$			16.00	14.00	
mandsh				hurian Ash. 80'			
6	to	8	ft.		2.80	2.40	2.20
8	to		ft.		3.80	3.20	3.00
	to	$1\frac{1}{2}$			4.60	4.00	3.80
11/2	to	$1\frac{3}{4}$			6.00	5.00	
	to	2	in.		7.50	5.50	
2	to	$2\frac{1}{2}$	in.		11.00	9.00	
nigra.	Blae	ck As	h. 8	30 '			
8	to	10	ft.		4.00	3.50	
11/4	to	$1\frac{1}{2}$	in.		4.60	4.20	
11/2	to	$1\frac{3}{4}$	in.		6.50	5.80	
pennsyl	var	nica.	Red	l Ash. 60'			
6	to	8	ft.		2.80	2.40	
8	to	10	ft.		3.80	3.20	
11/4	to	$1\frac{1}{2}$	in.		4.60	4.00	
11/2		$1\frac{3}{4}$	in.		6.00	5.00	
13/4	to	2			7.50	5.50	
. 2	to	$2\frac{1}{2}$	in.		11.00	9.00	
p. lance	eola	ta. G	ree	n Ash. 60'			
6	to	8	ft.		2.20	1.80	1.60
8	to	10	ft.		2.80	2.20	2.00
11/4	to	$1\frac{1}{2}$	in.		3.80	3.20	3.00
11/2	to	$1\frac{3}{4}$	in.		5.40	5.00	4.60
13/4	to	2	in.		7.00	6.20	5.80
2	to	$2\frac{1}{2}$	in.		9.00	8.00	7.00
$2\frac{1}{2}$	to	3	in.		15.00	13.00	11.00

	1-4	5-24	25 & up
Fraxinus	Each	Each	Each
quadrangulata. Blue Ash. 80'			
6 to 8 ft	4.80		
8 to 10 ft	6.00		
1½ to 1¾ in	10.00		
Gaylussacia baccata. Black Huckleberr 18 to 24 inB&B			
Genista juncea. 2'			
15 to 18 in. from pots	1.40	1.20	
pilosa. Silky Leaf Woadwaxen. 1'			
4 to 6 in. from pots	1.20	1.00	
sagittalis. Arrowhead Broom. 9"			
4 to 6 in. from pots	1.20	1.00	
scoparia (see Cytisus) tinctoria. Woadwaxen. 3'			
18 to 24 in	.60	.45	
2 to 3 ft	.80	.60	
3 to 4 ft	1.00	.80	
Ginkgo biloba. Maidenhair Tree. 60'			
	4.20	3.40	
8 to 10 ft	5.80	4.80	
1½ to 1½ in	7.80	6.50	
1½ to 1¾ in	9.75	7.75	
13/4 to 2 in	11.00	9.00	
	15.00	13.00	
	22.00	18.00	15.00
	30.00	26.00	22.00
	38.00	34.00	
	50.00		
biloba fastigiata. Sentry Ginkgo. 6			
5 to 6 ft	8.00		
Gleditsia japonica. Japanese Honeylocu	et 10	,	
	6.00	4.80	
	8.00	6.00	
1½ to 1¾ in.		0.00	

Gleditsia	1-4 Each	5-24 Each	25 & up Each
triacanthos. Honeylocust. 60'	Eacn	Each	Pacif
5 to 6 ft	2.00	1.80	1.60
6 to 8 ft	2.80	2.20	2.00
8 to 10 ft	4.00	3.20	3.00
1½ to 1½ in	4.80	4.40	4.00
1½ to 1¾ in	6.40	6.00	
13/4 to 2 in	10.00	8.00	
2 to 2½ in	12.00	10.00	
2½ to 3 in	16.00	14.40	
triacanthos elegantissima. Bushy I	Ioney	locust.	20'
4 to 5 ft	2.80	2.40	2.00
5 to 6 ft	3.20	2.80	
6 to 8 ft	4.00	3.20	
triacanthos inermis. Thornless Hon	eyloci	ist. 50'	
6 to 8 ft	3.10	2.70	2.50
8 to 10 ft	4.60	4.20	3.80
1½ to 1½ in	6.60	5.80	5.00
1½ to 1¾ in	8.60	7.80	7.40
13/4 to 2 in	11.00	9.00	
2 to 2½ in	14.00		
Gordonia alatamaha. (see Franklinia)		,	
Gymnocladus dioca. Kentucky Coffeetre			
5 to 6 ft			
6 to 8 ft	0.00		
Halesia carolina. (tetraptera). Carolina	Silmo	rhell	15'
4 to 5 ft	2.00	1.50	1.10
5 to 6 ft	2.60	2.00	1.75
6 to 8 ft	4.80	3.40	
8 to 10 ft.	6.00	4.60	
	11.00	9.00	
	15.00		
	18.00		
diptera. Twowing Silverbell, 30'			
2 to 3 ft	3.20		
Halesia			
monticola. Mountain Silverbell. 50'			
5 to 6 ft	6.00		
0.4 0.64	0.00		

6 to 8 ft. 8.00 8 to 10 ft. 10.00

	1-4	5-24	25 & սր
Hamamelis japonica. Japanese Witchha	Thoch	Tooh	Each
2 to 3 ft	2.40	2.20	
3 to 4 ft	2.80	2.20	
4 to 5 ft.	4.00		
japonica rubra. 20'			
2 to 3 ft	2.40		
3 to 4 ft	2.80		
mollis. Chinese Witchhazel, 20'			
2 to 3 ft	3.20		
vernalis. Vernal Witchhazel. 8'			
2 to 3 ft	.95	.75	.65
3 to 4 ft	1.30	1.10	.90
4 to 5 ft	1.50	1.30	1.10
5 to 6 ft	1.90	1.70	1.50
6 to 8 ft	2.80	2.20	
vernalis carnea. Redpetal Vernal V	Vitchha:	el. 8'	
2 to 3 ft	2.40		
3 to 4 ft	2.80		
vernalis purpurea. 8'			
3 to 4 ft	2.80		
vernalis tomentella. $6'$			
2 to 3 ft	.95	.75	.65
3 to 4 ft	1.30	1.10	.90
4 to 5 ft	1.50	1.30	1.10
5 to 6 ft	1.90	1.70	1.50
6 to 8 ft	2.80	2.20	
virginiana. Common Witchhazel. 18	5'		
2 to 3 ft	.95	.75	.65
3 to 4 ft	1.30	1.10	.90
4 to 5 ft	1.50	1.30	1.10
5 to 6 ft	1.90	1.70	1.50
6 to 8 ft	2.80	2.20	2.00
8 to 10 ft	3.20	2.80	2.40
Hedera helix. English Ivy. 20'			
2 year, 2 in. pots	.40	.30	.25
2 year, 3 in. pots	.45	.35	.30
3 year, 4 in. pots	.50	.45	.40
helix baltica. Baltic English Ivy. I	!5 '		
2 year, 3 in. pots	.50	.45	.40
helix gracilis. Miniature English In			
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35

Hedera	1-4 Each	5-24 Each	25 & up Each
helix Hahn's. 3'	Each	Each	Frach
2 year, 3 in. pots	.45	.35	.30
3 year, 4 in. pots	.50	.45	.40
helix lobata. 15'			
2 year, 3 in. pots	.60	.45	.40
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	2.00	1.80	
,			
Hibiscus syriacus. Shrub Althea. 12'			
double varieties			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.80	.60	.55
4 to 5 ft	1.10	.90	.75
5 to 6 ft	1.50	1.30	1.10
6 to 8 ft	2.10	1.70	1.50
8 to 10 ft. heavy B&B 10	.00		
Ardens — Purple.			
Banner — Blush.			
Jeanne d Arc — White.			
Lady Stanley - White, shade	ed rose	_	
		e.	
Rubra Plena — Red.	.a 105	e,	
	.a 105	e.	
Rubra Plena — Red. Speciosa Plena — Pink.		е,	
Rubra Plena — Red. Speciosa Plena — Pink. single varieties			40
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft.	.60	.50	.40 55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft.	.60 .80	.50 .60	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.60 .80 1.10	.50 .60 .90	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.60 .80	.50 .60	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue.	.60 .80 1.10	.50 .60 .90	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye.	.60 .80 1.10	.50 .60 .90	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red.	.60 .80 1.10	.50 .60 .90	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye.	.60 .80 1.10	.50 .60 .90	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red. Totus albus — White.	.60 .80 1.10	.50 .60 .90	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red. Totus albus — White.	.60 .80 1.10 1.50	.50 .60 .90	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red. Totus albus — White.	.60 .80 1.10 1.50	.50 .60 .90	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red. Totus albus — White. Hibiscus variegatus. Leopardleaf Shrub Alth 2 to 3 ft.	.60 .80 1.10 1.50	.50 .60 .90 1.30	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red. Totus albus — White. Hibiscus variegatus. Leopardleaf Shrub Alth	.60 .80 1.10 1.50	.50 .60 .90 1.30	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red. Totus albus — White. Hibiscus variegatus. Leopardleaf Shrub Alth 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.60 .80 1.10 1.50	.50 .60 .90 1.30	.55
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red. Totus albus — White. Hibiscus variegatus. Leoparaleaf Shrub Alth 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.60 .80 1.10 1.50 1.50 1.20 1.40 2.00	.50 .60 .90 1.30	.55 .75 1.10
Rubra Plena — Red. Speciosa Plena — Pink. single varieties 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Coelestis — Blue. Rosea — White, crimson eye. Rubis — Red. Totus albus — White. Hibiscus variegatus. Leopardleaf Shrub Alth 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.60 .80 1.10 1.50 1.20 1.40 2.00 egated	.50 .60 .90 1.30	.55 .75 1.10

	1-4 Each	5-24 Each	25 & up Each
Hippophae rhamnoides. Sea-buckthorn.	12'		
3 to 4 ft	2.40		
4 to 5 ft	3.20		
5 to 6 ft	4.00		
Hydrangea arborescens. Smooth Hydra	naea	<i>6</i> ′	
2 to 3 ft	.60	.45	.40
3 to 4 ft	.80	.65	.60
4 to 5 ft	1.20	.85	.75
arborescens grandiflora. Snowhill	Hudra	naea.	6 '
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
cineria sterilis. Sterile Ashy Hydro	ıngea.	6'	
2 to 3 ft	1.20		
3 to 4 ft	1.60		
macrophylla Nikko Blue. 3'			
2 year	1.10	1.00	.80
4 year	1.60	1.45	1.25
macrophylla Otaksa. 3'			
2 year	1.00	.80	.70
paniculata. Panicle Hydrangea, 10'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.80	.65	.55
4 to 5 ft	1.10	.85	.80
5 to 6 ft	1.40	1.20	1.00
paniculata grandiflora. $Peegee$ Hy	drang	ea. 10'	
2 to 3 ft	.75	.55	.50
3 to 4 ft	.95	.70	.60
4 to 5 ft	1.30	1.10	
3 to 4 ft., tree form	2.00		
paniculata praecox. Early Hydran		(O'	
2 to 3 ft	.80		
3 to 4 ft	1.00 1.20		
4 to 5 ft	1.40		
petiolaris. Climbing Hydrangea.	1.40		
3 inch pots	2.20	2.00	1.80
4 inch pots	2.40	2.20	2.00
5 inch pots	3.00	2.60	
quercifolia. Oakleaf Hydrangea. 4'			
18 to 24 in	1.80	1.40	1.20
2 to 3 ft	2.20	1.80	

	1.4	5-24	25 & up
Hydrangea	Each	Each	Each
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft	.80	.65	.55
3 to 4 ft	1.00	.80	.65
4 to 5 ft	1.20	1.00	.90
xanthoneura Thos. Hogg. 3'			
2 year	1.00	.80	.70
Hypericum arnoldianum. Arnold St. Jo	a L marcia	rt. 5'	
18 to 24 in	.60	.45	.40
2 to 3 ft	.80	.55	.50
densiflorum. Dense St. Johnswort.	6'	.00	.50
18 to 24 in	.60	.45	.40
2 to 3 ft	.80	.50	.45
3 to 4 ft	1.00	.65	.55
frondosum. (aureum). Golden St.	Johnste	ort. 4	
18 to 24 in	.60	.45	.40
2 to 3 ft	.80	.50	.45
3 to 4 ft	1.00	.65	.55
kalmianum. 4'			
18 to 24 in	.60	.45	.40
2 to 3 ft	.80	.50	.45
3 to 4 ft	1.00	.65	.55
lobocarpum. 6'			
2 to 3 ft	.80	.55	.45
3 to 4 ft	1.00	.75	.55
moserianum. Goldflower. 2'			
15 to 18 in	.65	.60	.45
18 to 24 in	.80	.70	.60
patulum. Goldencup St. Johnswort.	3'		
18 to 24 in	.80	.65	.60
patulum henryi. Henry St. Johnswe	ort. 4'		
18 to 24 in	.80	.65	.60
2 to 3 ft	1.00	.80	.65
Hypericum			
prolificum. Shrubby St. Johnswort.	<i>5</i> '		
18 to 24 in.*	.60	.45	.40
2 to 3 ft	.80	.50	.45
3 to 4 ft	1.00	.65	.55
vanfleeti. Van Fleet St. Johnswort.	4*		
2 to 3 ft	1.20	1.00	.80
3 to 4 ft	1.60	1.20	

Idesia polycarpa. 10'	1-4 Each	5.24 Each	25 & up Each
2 to 3 ft	2.80		
Ilex cornuta. Chinese Holly. 10'			
18 to 24 in	4.80	4.40	
24 to 30 in B&B	6.00	5.60	
30 to 36 in B&B	10.00	8.00	
36 to 42 inB&B	12.00	10.00	
cornuta burfordi. Burford Holly.	10'		
15 to 18 in. from pots	3.20	2.80	
crenata. Japanese Holly. 10'			
15 in B&B	3.10	2.70	2.50
18 inB&B	4.50	4.00	3.50
24 inB&B	5.50	5.00	4.50
30 in B&B	7.50	6.50	6.00
36 inB&B	10.00	8.50	7.50
42 inB&B	12.50	10.00	



Ilex crenata 2-3 feet. Here is a good hardy plant that should be used more in landscape plantings. One of the few real hardy broadleaf evergreens.

Ilex	1-4 Each	5-24 Each	25 & up Each
crenata bullata. Convexleaf Japane	ese Ho	lly. 10'	raca
15 to 18 inB&B	4.00	3.50	3.00
18 to 24 inB&B	5.50	5.00	4.50
24 to 30 in	7.75	7.00	
30 to 36 inB&B	11.00	9.00	
crenata latifolia. Bigleaf Japanese	Holly.	10'	
18 to 24 in	5.00	4.50	
24 to 30 in	6.25	5.75	
30 to 36 in	9.75	7.75	
	11.00	9.00	
crenata microphylla. Littleleaf Ja	nanese	Hollu.	10'
15 in	3.00	2.50	
18 in	4.60	4.20	
24 in	6.00	5.40	
	4.80	4.40	
18 to 24 in	6.00	4.40	
24 to 30 m	0.00		
geniculata. Droopbead Holly. 8'			
3 to 4 ft	2.40		
4 to 5 ft	3.20		
glabra. Inkberry. 8'			
15 to 18 inB&B	3.00	2.40	2.00
18 to 24 inB&B	3.50	2.80	2.50
24 to 30 inB&B	4.50	3.75	3.25
30 to 36 inB&B	6.50	5.50	4.75
36 to 42 inB&B	9.00	8.00	7.00
laevigata. Smooth Winterberry. 6'			
2 to 3 ft	1.20	1.00	.80
3 to 4 ft	1.40	1.20	1.00
4 to 5 ft	1.60	1.40	1.20
opaca. American Holly. 40'			
2 ft	6.00	5.20	4.40
3 ftB&B	7.50	6.00	5.20
4 ftB&B	10.00	8.80	
5 ftB&B	12.00		
6 ftB&B	16.00		
10 ft	40.00		
For larger sizes to 12 ft., add \$	88.00 p	er foot	

	1-4 Each	5 24 Each	25 & up I ach
Ilex	Each	Each	1 acn
serrata. Finetooth Holly. 12'			
2 to 3 ft	1.60	1.40	
3 to 4 ft	2.00	1.80	
4 to 5 ft	2.40		
verticillata. Common Winterberry.	10'		
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.20	1.00	.90
4 to 5 ft	1.50	1.30	1.10
5 to 6 ft	2.00	1.80	
verticillata chrysocarpa.			
Yellow-fruit Winterberry, 10'			
4 to 5 ft	3.20		
5 to 6 ft	4.00		
5 to 6 ft	4.00		
Indigofera amblyantha. Pink Indigo.	6 '		
2 to 3 ft	1.20	1.00	.80
3 to 4 ft	1.40	1.20	1.00
kirilowi. Kirilow Indigo. 4'	1.60	1.20	1.00
18 to 24 in	1.60	1.40	1.20
2 to 3 ft	2.00	1.40	1.20
potanini. Potanin Indigo. 5'			
2 to 3 ft	1.60	1.40	
3 to 4 ft	2.00	1.60	
Itea virginica. Virginia Sweetspire. 8'			
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.20	1.00	.80
4 to 5 ft	2.00		
Jasminum nudiflorum. Winter Jasmine	. 3'		
15 to 18 in	.60	.55	.45
18 to 24 in	.80	.65	.60
12 to 15 in., $2\frac{1}{2}$ in. pots	1.00	.80	.70
stephanense. Stephan Jasmine. 3'			
2 ft., 4 in. pots	1.60	1.20	
Juglans cinerea. Butternut. 75'			
6 to 8 ft	5.60		
8 to 10 ft	6.80		
1½ to 1¾ in	8.60		

Juglans	1-4	5-24 Each	25 & up Each
nigra. Black Walnut. 80'	Each	Lach	гаен
6 to 8 ft	5.40	5.00	
8 to 10 ft	6.60	6.20	
1½ to 1¾ in	8.60	7.80	
13/4 to 2 in	12.00	10.00	
2 to 2½ in	14.00	12.00	
2½ to 3 in	18.00	16.00	
regia. Persian Walnut. 50'			
4 to 5 ft	4.00		
5 to 6 ft	6.00		
6 to 8 ft	8.00		
sieboldiana. Siebold Walnut. 50'			
6 to 8 ft	6.00		
1½ to 1¾ in	8.00		
1 ³ / ₄ to 2 in	10.00		
2 to 2½ in	14.00		
2½ to 3 in	18.00		
3 to 3½ in	24.00		
Juniperus chinensis. Pyramid Chinese			
2 ft B&B	4.50	3.50	
3 ftB&B	6.00	4.80	
4 ft B&B	8.60	7.00	
5 ft B&B		9.00	
0 200	14.00	12 00	
7 ft B&B		16.00	
8 ft B&B			
For larger sizes to 12 ft., add	\$4.00	per foo	t.
chinensis albovarlegata.			
Whiteleaf Pyramid Chinese Jun			
3 ft B&B		6.00	
4 ft B&B	10.00	8.00	
chinensis columnaris.			
Columnar Pyramid Chinese Jun			
3 ft B&B	4.50	4.00	
4 ft B&B	8.00	6.00	
5 ft B&B		9 00	
	13.00	11.00	
7 ft D&B			
8 ft B&3		20.00	
For larger sizes to 14 ft., add	\$4.00	per foo	t.

Juniperus	1-4	5-24	25 & up Each
chinensis globosa.	Each	Lach	rach
Globe Pyramid Chinese Juniper.	5'		
18 in B&B	4.80	4.00	
24 in B&B	6.00	4.80	
chinensis hetzi. Hetz Blue Juniper.	6'		
18 to 24 in B&B			
chinensis japonica. Japanese Junip	01		
18 in B&B		3.20	
	4.80	4.00	
3 ft			
c. japonica aureovariegata.			
Yellow Variegated Japanese Juni		, ,	
18 in B&B	•		
	1.00		
chinensis mas. 10'	0.00		
3 ftB&B			
chinensis neaboriensis. Conical Chin	ese Ju	ıniper.	10'
3 ft B&B			
4 ft B&B			
5 ftB&B 1	2.00		
chinensis oblonga. Oblong Chinese .	Junipe	r. 20'	
3 ft B&B			
chinensis pfitzeriana. Pfitzer Junipe	C1		
18 to 24 in. spd B&B	4.00	3.20	2.75
2 to 2½ ft. spd. B&B		4.00	3.50
2½ to 3 ft. spd B&B		4.75	4.25
3 to 3½ ft. spd B&B	7.50	6.00	5.50
3½ to 4 ft. spd B&B 1	0.00	9.00	8.00
4 to 4½ ft. spd B&B 1		12.00	10.00
4½ to 5 ft. spd B&B 2	0.00	17.50	
5 to 6 ft. spd B&B 2	5.00	22.00	
6 to 7 ft. spd B&B 3	0.00	23.00	
(Upright form can be furnished	in siz	es 18"	to 6')
chinensis pfitzeriana compacta. 6'			
18 to 24 in. spd B&B	5.00	3.80	3.50
24 to 30 in. spd B&B		5.00	4.50
30 to 36 in. spd B&B		6.00	5.50
36 to 42 in. spd B&B 1		9.00	0.00
42 to 48 in. spd B&B 1		11.00	
48 to 54 in. spd B&B 1		15.00	

Juniperus	1-4	5-24	25 & ap
chinensis plumosa. Plume Chinese	Each Junin	Each er. 3'	Each
24 to 30 in. spd B&B			
30 to 36 in. spd B&B			
·		· o/	
chinensis sargenti. Sargent Chines	e Juni 5.00	-	
18 in B&B		4.00	3.50
24 in B&B	6.00	5.00	
30 in B&B	8.00	7.00	
chinensis smithi. Smith Chinese Ja	uniper.	8'	
4 ft B&B	8.00		
communis. Common Juniper. 25'			
4 ft B&B	6.00	4.80	
5 ft B&B	8.00	6.40	
	10.00	8.00	
			n!
communis depressa. Oldfield Comm			3'
15 to 18 in. spd B&B			3.00
18 to 24 in. spd B&B	4.60	4.00	
communis aureo-spica. Golden Pre	ostrate	Junipe	r. 3'
18 to 24 in. spd B&B	3.60	3.20	
24 to 30 in. spd B&B	4.40	4.00	
30 to 36 in. spd		4.80	
36 to 42 in. spd B&B	8.00	6.40	
gammannia dannagan nlumaga			
communis depressa plumosa. (see horizontalis plumosa)			
communis hibernica. Irish Juniper			
2 ftB&B		2.20	2.00
3 ft B&B	3.40	2.80	2.60
4 ftB&B	4.60	3.80	
5 ftB&B	7.00	5.00	
communis saxatilis. 2'			
18 to 24 in. spreadB&B	4.80		
communis suecica. Swedish Junipe	r. 25'		
2 ftB&B	2.60	2.20	2.00
3 ftB&B	3.40	2.80	2.60
	4.60	3.80	
5 ftB&B	7.00	5.00	
communis suecica nana. Dwarf Su	vedish	Juniver	. 6'
2 ft B&B		2.80	2.40
3 ft B&B	4.00	3.60	

Juniperus	1-4 Each	5-24 Each	25 & up Each
communis vase-shaped. 10'	Lacn	Lach	Lacn
2½ to 3 ft B&B	4.80		
3 to 3½ ft B&B	6.00		
4 to 4½ ftB&B	8.00		
f 1 02 2 2 4			
conferta. Shore Juniper. 5'	4.40	4.00	
2 ftB&B	4.40	4.00	
2½ ft B&B	5.60	4.80	
3 ft. B&B 3½ ft. B&B	6.80	6.00	
3½ ft B&B	8.00		
excelsa. Greek Juniper. 50'			
3 ftB&B	4.00	3.60	
excelsa stricta. Spiny Greek Junipe	er. 8'		
	3.00	2.50	2.25
2 ftB&B	4.00	3.40	3.00
2½ ftB&B	5.20	4.20	3.80
3 ftB&B	6.00	5.00	
3½ ftB&B	7.00	6.00	
4 ftB&B	9.00	8.00	
4½ ftB&B	12.00	10.00	
horizontalis. Creaping Juniper. 1'			
18 to 24 in. spd B&B	4.40	3.60	
24 to 30 in. spd B&B	6.00	4.80	
2½ to 3 ft. spd B&B	8.00	6.00	
3 to 3½ ft. spd B&B		8.00	
horizontalis alpina. Alpine Creeping	_	per. 1'	
18 to 24 in. spd B&B	4.00		
horizontalis Bar Harbor. 1'			
15 to 18 in. spd B&B	3.20	2.80	
18 to 24 in. spd B&B	4.00	3.20	
24 to 30 in. spd	4.80		
horizontalis glauca. Blue Creeping	Junip	er. 1'	
	4.00	3.20	
24 to 30 in. spd B&B	4.80	4.40	
2½ to 3 ft. spd B&B	6.00	5.20	
3 to 3½ ft. spd B&B	8.00	6.40	

Juniperus	1-4 Each	5-24 Each	25 & up Each
horizontalis plumosa. Andorra Cre	eping	Juniper	. 3'
18 to 24 inB&B	3.80	3.00	2.80
24 to 30 in	4.60	4.20	3.80
2½ to 3 ftB&B	5.60	4.80	4.40
3 to 3½ ftB&B	7.50	6.00	
3½ to 4 ft B&B	9.00	7.50	
horizontalis repens. 3'	0.00		
24 to 30 in. spd	6.00		
36 to 42 in. spd B&B	8.00		
procumbens. Japgarden Juniper. 2	,		
18 to 24 in. spd B&B	5.00	4.60	
24 to 30 in. spd B&B	5.80	5.40	
30 to 36 in. spd B&B	9.00	7.00	
rigida. Needle Juniper. 30'	19.00		
6 ft			
7 ft			
8 ft	20.00		
sabina. Savin Juniper. 6'			
18 to 24 in. spd B&B	3.60	3.00	2.80
2 to 2½ ft. sjd B&B	4.20	3.80	3.60
2½ to 3 ft. spd B&B	5.60	4.80	4.60
3 to 3½ ft. spd B&B	7.60	6.20	5.60
li taman'ny falia m		,	
sabina tamariscifolia. Tamarix Sar			3.80
18 to 24 in. spd B&B	4.60	4.20	3.60
24 to 30 in. spd B&B	5.40	4.60	
2½ to 3 ft. spd B&B	7.00		
sabina Von Ehron. 10'			
24 to 30 in. spd	4.40	4.00	
30 to 36 in. spd B&B	5.60	4.80	
36 to 42 in. spd	7.60	6.40	
42 to 48 in. spd	9.00		
scopulorum. Rocky Mountain Junij	ner 3	o'	
3 ftB&B	5.50	5.00	
4 ft	7.60	6.80	
sphaerica. Fortunes Juniper. 10'		0.00	
3 ftB&B	4.80		
4 ft	6.00		
5 ftB&B	8.00		
6 ft B&B			
υ τι	12.00		

Juniperus	1-4 Each	5-24 Each	25 & up Each
squamata. Singleseed Juniper. 3'	Each	Paci	Inch
2 to 2½ ft. spd B&B	6.00	4.80	
2½ to 3 ft. spd. B&B	8.00	6.00	
3 to 3½ ft. spd B&B	10.00	8.00	
squamata meyeri. Meyer Singlese	ed Jui	riper. 4	·
18 to 24 in B&B	4.50		
virginiana. Eastern Redcedar. 75	,		
2 ftB&B	3.50	3.00	2.50
3 ftB&B	4.50	4.00	3.50
4 ft B&B	5.50	5.00	4.50
5 ft B&B	8.00	7.00	6.50
6 ft B&B		9.00	
7 ftB&B	12.00		
For larger sizes to 12 ft., add	\$4.00	per foo	t.
virginiana canaerti. Canaert Redo		50 '	
3 ft B&B	5.20	4.40	3.80
4 ftB&B	6.80	5.80	5.00
5 ftB&B	9.50	8.50	7.50
6 ft B&B	12.00	10.00	
7 ftB&B	16.00	14.00	
8 ftB&B	20.00		
9 ft B&B			
10 ftB&B	30.00		
For larger sizes to 12 ft., add	\$4.00	per foo	t.
virginiana elegantissima. $Goldtip$			ō '
2 ft B&B			
3 ft B&B	5.60	5.00	
4 ft B&B	8.40	7.60	
5 ft B&B	11.60	10.40	
6 ft B&B			
7 ftB&B	17.00		
virginiana glauca. Silver Redceda	r. 25'		
2 ft B&B	4.00	3.40	3.00
3 ftB&B	5.00	4.40	4.00
4 ft B&B	6.40	5.60	5.00
5 ft B&B	9.50	8.00	7.00
6 ft B&B	12.00	10.00	
	16.00	14.00	
8 ft B&B			
For larger sizes to 12 ft., ad	d \$4.0	0 per f	oot.

	5-24 25 & up Each Each
	HOIL ENGLY
	6.40
0.00	3.00
	0.00
	,
	5.00
	7.50
	0.00
	3.00
	foot
	1001.
	4.20 3.80
	5.20 4.80
	6.40 - 6.00
	9.60
2.00	
ar. 15'	
1.00	
25'	
	4.40 4.00
	7.00 6.20
	9.80
3.00 11	00.1
	5.00
4.00 per	r foot.
edar. 5'	
	1.80
6.40 5	5.60
.00 6	3.40
.00	
	Ach F 4' 7.20 6 0.00 8 2.00 10 Aar. 15 5.00 6 5.00 6 0.00 per 4' 5.20 4 5.00 6 0.00 f 7.20 6 0.00

1-4 5-24 25 & up

Juniper	115						Each	Each	Each
_		ian	a 17	onueta	Casan	Pyramio	7 70 . 7 .	, ,	~!
7 4 4	2	ft.				B&B	4.40	eaar. z	3.60
	3	ft.				B&B		5.00	4.60
	4	ft.				B&B	8.40	7.60	6.80
	5	ft.				B&B		10.00	0.00
	6	ft.				B&B		11.00	
	7	ft.				B&B		11.00	
	8	ft.				B&B			
	U	10.				Б&Б	20.00		
TZ = 1!.	1-	416-	1	3.6					
Kaimia						urel. 6'	4.00	4.40	
						B&B	4.80	4.40	4.00
		to	_			B&B	6.80	6.40	6.00
	3	to	4	ft		B&B	8.00	7.60	7.20
Kalopa	nax	c p	ictu	is. Cast	tor Are	ılia. 25'			
							8.00	6.00	
	8						10.00	8.00	
	10						14.00	12.00	
pic	tus	m	axi	mowicz	i. 25'				
	6	to	8	ft			10.00	8.00	
	8	to	10	ft			12.00	10.00	
	10	to	12	ft			16.00	14.40	
Kerria	jaj	on	ica.	Japan	ese Ke	rria. 4'			
							.80	.65	.60
							1.00	.85	.80
iar	on	ica	ple	niflora	. Doub	le Japan			
Jur							1.00	.80	
	2						1.20	1.00	
	_		Ŭ	200			1.20	1.00	
Koolro	uto	ria	nai	niculat:	Dani	cled Gold		Tunn	051
Koene		to				ciea Goia 	4.00	ree.	25'
	5	to					4.80		
	6	to					6.00		
	8						8.00		
	O	to	10	10,			0.00		
Kolleys	itei	2 2	mal	hilie 1	Rogerte	Bush. 8'			
ILUIR W	11 2 16				v	Busn. 8	.95	.75	.60
	3	to					1.15	.75	.75
	4	to					2.00	1.55	1.35
	5	to					2.20	1.55 1.75	1.55
	J	w	U	10			4.20	1.70	1.55

				1-4 Each	5-24 Each	25 & up
Laburnum	al	pinı	am. Scotch Laburnum.	30'	Laci	писп
4	to	5	ftB&B	8.00		
5	to	6	ftB&B	10.00		
anagy	roic	les.	(vulgare). Goldenchar	in La	burnum.	20 '
4	to	5	ftB&B		6.00	
5	to	6	ftB&B			
	to		ft. heavyB&B			
water	eri.	We	aterer Laburnum. 20'			
5	to	6	·ftB&B	10.00		
Larix dec	idu	a. (europea). European L	arch.	60'	
21	0	3	ftB&B	5.50	4.50	
3	to		ftB&B			
4	to	5	ftB&B	9.00	7.00	
5	to	6	ftB&B	11.00	9.00	
6	to	8	ftB&B	12.00		
8	to	10	ftB&B	18.00		
gmelii	ni.	Dah	hurian Larch. 60'			
5	to	6	ftB&B	12.00		
6	to	8	ftB&B	14.40		
8	to	10	ftB&B	20.00		
laricir	ıa.	Eas	tern Larch. 50'			
4	to	5	ftB&B	10.00		
5	to	6	ftB&B	12.00		
6	to	8	ftB&B	16.00		
leptol	epis	. J	apanese Larch. 50'			
	to		ftB&B	8.00		
4	to	5	ftB&B	10.00		
Leptodern	nis	oble	onga. Chinese Leptoder	$\cdot mis.$	4'	
			ftB&B			
Lespedeza	bio	colo	r. Shrub Lespedeza. 6	,		
3	to		ft	1.00	.80	.65
4	to	5	ft	1.40		
japoni	ica.	Jaj	panese Lespedeza. 5'			
		-		1.00		
thunb	ergi	i (p	enduliflorum). Thunbe	erg Le	espedeza	. 4'

	1.4	5-24	25 & up
Lougothee gateshasi Dunni . I	Each	Each	Each
Leucothoe catesbaei. Drooping Leucotho		2.00	0.50
15 to 18 in	3.50	3.00	2.50
10 00 21 1111	4.50	4.00	3.50
24 to 30 inB&B	6.00	5.00	
Libocedrus decurrens. California Incens	secedar.	100	,
	8.00		
3 ftB&B	10.00		
Time-tone and the second			
Ligustrum acuminatum. Sharpleaf Prix		4.0	0.0
2 to 3 ft	.45	.40	.30
3 to 4 ft	.55	.45	.35
acuminatum macrocarpum. Bigber	ry Priv	et. 10	*
2 to 3 ft	.45	.40	.30
3 to 4 ft	.55	.45	.35
4 to 5 ft	.75		
amurense. Amur Privet. 15'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.55	.45	.40
5 to 6 ft. heavy	1.30	1.10	.90
6 to 8 ft. heavy	1.90	1.50	1.30
	2.00	1100	1.00
ibolium. Ibolium Privet. 8'	20	9.0	15
18 to 24 in	.30	.20	.15
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.75	.60	.55
obtusifolium (ibota). Border Prive			
2 to 3 ft	.45	.40	.35
3 to 4 ft	.65	.50	.45
4 to 5 ft	.95	.75	.65
o. nanum. Pygmy Border Privet. 6	,		
18 to 24 in	.55	.40	.35
2 to 3 ft	.70	.50	
3 to 4 ft	1.00	.65	
	6'		
o. regelianum. Regel Border Privet.	.55	.45	.35
18 to 24 in. spd	.55 .75	.55	.50
21 00 00 1111 12 1111 1111	.75 .95	.33 .75	.65
2½ to 3 ft. spd			.00
3 to 4 ft. spd	2.20	1.80	

Ligustrum ovalifolium. California Privet. 10' 18 to 24 in					1-4 Each	5-24 , 25 Each E	& up
18 to 24 in	Ligustrum				Басп	Each E	acn
24 to 30 in. .40 .25 .18 ovalifolium variegatum. Golden California Privet. 10' 18 to 24 in. .80 .65 24 to 30 in. 1.00 .80 30 to 36 in. 1.20 1.10 quihoui. Quihou Privet. 6' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.60 1.40 5 to 6 ft. 2.00 1.60 vulgare. European Privet. 12' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .95 .75 .65 5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Pri	ovalifo	oliu	m.	California Privet. 10'			
24 to 30 in. .40 .25 .18 ovalifolium variegatum. Golden California Privet. 10' 18 to 24 in. .80 .65 24 to 30 in. 1.00 .80 30 to 36 in. 1.20 1.10 quihoui. Quihou Privet. 6' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.60 1.40 5 to 6 ft. 2.00 1.60 vulgare. European Privet. 12' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .75 .60 .55 4 to 5 ft. .95 .75 .65 5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 4 to 5 ft. 1.20 1.0	18	to	24	in	.30	.20	.14
Golden California Privet. 10' 18 to 24 in					.40	.25	.18
18 to 24 in	ovalif	oliu	m	variegatum.			
24 to 30 in.							
30 to 36 in. 1.20 1.10 quihoui. Quihou Privet. 6' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.60 1.40 5 to 6 ft. 2.00 1.60 vulgare. European Privet. 12' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .75 .60 .55 4 to 5 ft. .95 .75 .65 5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3'					.80	.65	
quihoui. Quihou Privet. 6' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.60 1.40 5 to 6 ft. 2.00 1.60 vulgare. European Privet. 12' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .75 .60 .55 4 to 5 ft. .95 .75 .65 5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60					1.00	.80	
3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.60 1.40 5 to 6 ft. 2.00 1.60 vulgare. European Privet. 12' 2 to 3 ft	30	to	36	in. :	1.20	1.10	
4 to 5 ft. 1.60 1.40 5 to 6 ft. 2.00 1.60 vulgare. European Privet. 12' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .75 .60 .55 4 to 5 ft. .95 .75 .65 5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .	quiho	ui.	Qui	hou Privet. 6'			
5 to 6 ft. 2.00 1.60 vulgare. European Privet. 12' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .75 .60 .55 4 to 5 ft. .95 .75 .65 5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 1.20 1.00 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 12 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3'	3	to	4	ft	1.40	1.20	
vulgare. European Privet. 12' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .75 .60 .55 4 to 5 ft. .95 .75 .65 5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70	4	to	5	ft	1.60	1.40	
2 to 3 ft	5	to	6	ft	2.00	1.60	
2 to 3 ft	vulgar	re.	Eu	ropean Privet. 12'			
4 to 5 ft					.50	.40	.35
5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 4 4 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 .45 .45 .60 .50 .45 .40 .40 .80 .65 .60 .60 .50 .45 .45 .40 .80 .70 .60 .45 .3 .4 .4 .80 .70 .60 .45 .3 .4 .5 .5 .45 .3 .4 .4 .5 .4 .30 .70 .60 .4 .4 .5 .1 .10 .85 .80 .80 .5 .60 .4 .80 .70 .60 .4 .4 .80 .70 .60 .4 .4 .80 .70 .60 .4 .80 .70 .60 .4 .80 .70 .60 .60 .50 .45 .45 .5<	3	to	4	ft	.75	.60	.55
5 to 6 ft. 1.30 1.10 .90 vulgare buxifolium. Boxleaf Privet. 6' 2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 4 4 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 .45 .45 .60 .50 .45 .40 .40 .80 .65 .60 .60 .50 .45 .45 .40 .80 .70 .60 .45 .3 .4 .4 .80 .70 .60 .45 .3 .4 .5 .5 .45 .3 .4 .4 .5 .4 .30 .70 .60 .4 .4 .5 .1 .10 .85 .80 .80 .5 .60 .4 .80 .70 .60 .4 .4 .80 .70 .60 .4 .4 .80 .70 .60 .4 .80 .70 .60 .4 .80 .70 .60 .60 .50 .45 .45 .5<	4	to	5	ft	.95	.75	.65
2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. 60 .50 .45 3 to 4 ft. 80 .65 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft60 .50 .45 3 to 4 ft. 80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in .60 .50 .45 15 to 18 in .80 .70 .60 18 to 24 in .100 .80 .70	5	to	6		1.30	1.10	.90
2 to 3 ft. 1.60 1.20 1.00 3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft. 60 .50 .45 3 to 4 ft. 80 .65 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft60 .50 .45 3 to 4 ft. 80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in .60 .50 .45 15 to 18 in .80 .70 .60 18 to 24 in .100 .80 .70	vulga	re :	bux	cifolium. Boxleaf Prive	t. 6'		
3 to 4 ft. 2.00 1.60 4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 2 to 3 ft				· · · · · · · · · · · · · · · · · · ·		1.20	1.00
4 to 5 ft. 2.20 1.80 vulgare foliosum. 10' 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 .60 .50 .80 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 .60 4 to 5 ft. 1.10 .85 .80 .80 5 to 6 ft. 1.20 1.10 1.00 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70	3	to			2.00	1.60	
vulgare foliosum. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .65 .60 4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70	4				2.20	1.80	
2 to 3 ft	vulga	Te.					
3 to 4 ft	_				60	50	45
4 to 5 ft. 1.20 1.00 .80 vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70	_						
vulgare leucocarpum. Whiteberry Privet. 12' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70							
2 to 3 ft	พมโดล	TO					
3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70				-			45
4 to 5 ft. 1.10 .85 .80 5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70	_						
5 to 6 ft. 1.20 1.10 1.00 vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70							
vulgare nanum. (Lodense). European Privet. 3' 12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70			_				
12 to 15 in. .60 .50 .45 15 to 18 in. .80 .70 .60 18 to 24 in. 1.00 .80 .70							
15 to 18 in							45
18 to 24 in 1.00 .80 .70							
							.10
	21		30		2,20	2.00	
vulgare pyramidale. Pyramidal European Privet. 12'	vulga	re	pyr	amidale. Pyramidal E	uropean	Privet.	12'
2 to 3 ft 1.20 1.00 .80							.80
3 to 4 ft	3	to	4	ft	1.40	1.20	1.00
4 to 5 ft	4	to	5		1.60	1.40	

	1-4 Each	5-24 Each	25 & up Each
Lindera benzoin. Common Spicebush.	12'	Laci	Each
2 to 3 ft	.75	.55	.50
3 to 4 ft	.95	.75	.70
4 to 5 ft	1.30	1.00	.90
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft		2.00	1.80
8 to 10 ft. clumpsB&B			1.00
1	12.00		
*Liquidambar formosana. Formosa S		0.01	
	_	n. 60'	
	8.00		
0 00 072 1111	28.00		
*styraciflua. American Sweetgum.	60 '		
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.60	4.80	4.40
11/4 to 11/2 in	7.60	6.00	5.00
1½ to 1¾ in	10.00	8.60	0.00
13/4 to 2 in	12.00	10.60	
2½ to 3 in	24.00	22.00	
3 to 3½ in	32.00	28.00	
3½ to 4 in	40.00	36.00	
4 to 5 in	52.00	48.00	
5 to 6 in		40.00	
3 3 3 1111111111111111			
*styracifula aurea. Golden Sweetg	um. 60	*	
1½ to 1¾ in	10.00		
1 ³ / ₄ to 2 in	12.00		
2 to 2½ in	16.00		
2½ to 3 in	20.00		
3 to 3½ in	28.00		
*Liriodendron chinense. Chinese Tu	lintree	70 '	
6 to 8 ft	8.00	, ,	
	0.00	0.00	
	3.60	3.20	3.00
2 10 20 20	4.80	4.40	4.00
1¼ to 1½ in	6.00	5.40	5.00
1½ to 1¾ in	7.20	6.40	6.00
134 to 2 in	10.00	8.80	8.00
2 to 2½ in	12.00	10.80	10.00
	18.00	14.40	
3 to 3½ in	24.00		
3½ to 4 in	32.00		
4 to 4½ in	40.00		

Liriodendron	1-4 Each	5-24 Each	25 & up Each
*tulipifera fastigiatum. Pyramid	Tulipt	ree. 70'	
6 to 8 ft	8.00		
8 to 10 ft	10.00		
1½ to 1½ in	12.00		
1½ to 1¾ in			
2 to 2½ in			
2½ to 3 in	24.00		
3 to 3½ in	32.00		
	02.00		
Lonicera alseuosmoides			
2 year	.80	.60	.45
amoena. Gotha Honeysuckle. 10'			
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.60	1.20	
amoena arnoldiana. Arnold Honey	suckle.	6 '	
2 to 3 ft	1.00	.80	.60
3 to 4 ft	1.15	.95	.75
4 to 5 ft	1.55	1.15	.95
5 to 6 ft	1.90	1.30	1.10
bella albida. White Belle Honeysu	ickle, 1	0 '	
2 to 3 ft	.65	.50	.45
3 to 4 ft	.90	.60	.55
4 to 5 ft	1.10	.90	.75
5 to 6 ft	1.50	1.20	.95
6 to 8 ft	1.70	1.50	1.30
bella atorosea. Pink Belle Honey.	suckle.	10'	
2 to 3 ft	.65	.50	.45
3 to 4 ft	.90	.60	.55
4 to 5 ft	1.10	.90	.75
5 to 6 ft	1.50	1.20	.95
billardi.			
2 to 3 ft	.65	.50	.45
3 to 4 ft	.90	.60	.55
4 to 5 ft	1.10	.90	.75
5 to 6 ft	1.50	1.20	.95
browni plantierensis. Coral Brown			
2 year	.80	.65	.60
3 year	1.00	.80	.70
caprifolium. Sweet Honeysuckle. 1			
2 year	.80	.65	

Lonicera	1-4 Each	5-24 Each	25 & up Each					
2 to 3 ft	10'		4.5					
3 to 4 ft	$\frac{.70}{1.00}$.55 .70	.45					
4 to 5 ft	1.30	1.05	.65 .85					
5 to 6 ft	1.60	1.05	1.05					
		1.20	1.05					
conjugialis. Purpleflower Honeysuc.								
2 to 3 ft	.65	.50	.45					
2 200	1.00	.70	.60					
	1.20	1.00	.85					
2 20 2 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.60	1.25						
fragrantissima. Winter Honeysuckle								
2 to 3 ft	.70	.55	.50					
3 to 4 ft	.95	.75	.65					
4 to 5 ft	1.10	1.00						
fuchsiodes. Fuchsia Honeysuckle.	4'							
2 year	1.20							
gracilipes. Spangle Honeysuckle. 6	,							
2 to 3 ft	.80	.70	.60					
3 to 4 ft	1.20	1.00	.80					
heckrotti. Everblooming Honeysuck	la 15'							
2 year	.70	.60	.50					
		.00	.00					
henryi. Henry Honeysuckle. 15'	0.0	0.5	0.0					
2 year	.80	.65	.60					
hirsuta. Hairy Honeysuckle. 15'								
2 year	.80	.65						
involucrata. Bearberry Honeysuckle.	. 3'							
2 to 3 ft	1.60							
3 to 4 ft	2.00							
japonica chinensis. Purple Japanes	e Hon	eysuck	le. 15'					
2 year	.80	.60						
japonica halleana. Hall Japanese H	Honeysu	uckle.	20'					
2 year	.40	.30	.25					
3 year	.45	.40	.35					
japonica aureo-reticulata.								
Yellownet Japanese Honeysuckle								
2 year	.80	.60						
koehneana. Koehne Honeysuckle. 1	2'							
2 to 3 ft	.80	.60						
3 to 4 ft	1.00							

Lonicera Each	Each 5-24	Each 25 & up
korolkowi floribunda.	0 22	20 00 00
Broad Blueleaf Honeysuckle. 10'		
2 to 3 ft 1.00	.80	.60
3 to 4 ft 1.20	1.00	.80
korolkowi zabeli.		
2 to 3 ft		
3 to 4 ft 1.20		
ledebouri. Ledebour Honeysuckle. 10'		
2 to 3 ft	.60	
3 to 4 ft 1.00	.80	
maacki. Amur Honeysuckle. 10'		
2 to 3 ft	.50	
3 to 4 ft	.65	
4 to 5 ft 1.20	1.00	
5 to 6 ft	1.25	
maacki podocarpa.		
4 to 5 ft	1.00	
5 to 6 ft	1.25	
morrowi. Morrow Honeysuckle, 8'		
2 to 3 ft	.45	.40
3 to 4 ft90	.60	.50
4 to 5 ft	.90	.80
5 to 6 ft	1.20	
morrowi xanthocarpa.		
Yellowfruit Morrow Honeysuckle. 8'		
2 to 3 ft	.45	.40
3 to 4 ft	.60	.50
4 to 5 ft	.90	.80
5 to 6 ft	1.20	
muendensis. Muenden Honeysuckle. 8	,	
2 to 3 ft	.45	.40
3 to 4 ft	.60	.50
4 to 5 ft	.90	.80
5 to 6 ft	1.20	1.00
6 to 8 ft	1.50	1.30
nitida. Box Honeysuckle. 4'		
6 to 12 in	.65	.60
orientalis longifolia. (kesselringi).		
2 to 3 ft	.60	
3 to 4 ft 1.00	.80	

Description Description		1-4 Each	5-24 Each	25 & up Each
2 year			. ~!	
### 1.00				60
pileata. Privet Honeysuckle. 2' 6 to 12 in	· · · · · · · · · · · · · · · · · · ·			
## 10	3 year	1.00	.80	.70
prolifera. Grape Honeysuckle. 5' 3 year 1.00 .80 pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft. 1.20 4 to 5 ft. 1.60 quinquelocularis. Mistletoe Honeysuckle. 10' 5 to 6 ft. 1.60 1.40 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. 65 .50 .45 3 to 4 ft. 1.00 .65 .60 4 to 5 ft. 1.10 .90 saccata. 5' 2 to 3 ft. 80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft. 70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.20 1.00 .80	pileata. Privet Honeysuckle. 2'			
3 year 1.00 .80 pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft. 1.20 4 to 5 ft. 1.60 quinquelocularis. Mistletoe Honeysuckle. 10' 5 to 6 ft. 1.60 1.40 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft65 .50 .45 3 to 4 ft. 1.00 .65 .60 4 to 5 ft. 1.10 .90 saccata. 5' 2 to 3 ft80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 .40 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in .60 15 to 18 in .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.20 1.00 .80	6 to 12 in	.80	.70	.60
3 year 1.00 .80 pyrenaica. Pyrenees Honeysuckle. 5' 3 to 4 ft. 1.20 4 to 5 ft. 1.60 quinquelocularis. Mistletoe Honeysuckle. 10' 5 to 6 ft. 1.60 1.40 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft65 .50 .45 3 to 4 ft. 1.00 .65 .60 4 to 5 ft. 1.10 .90 saccata. 5' 2 to 3 ft80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 .40 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in .60 15 to 18 in .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.20 1.00 .80	prolifera. Grane Honeusuckle. 5'			
3 to 4 ft. 1.20 4 to 5 ft. 1.60 quinquelocularis. Mistletoe Honeysuckle. 10' 5 to 6 ft. 1.60 1.40 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft		1.00	.80	
3 to 4 ft. 1.20 4 to 5 ft. 1.60 quinquelocularis. Mistletoe Honeysuckle. 10' 5 to 6 ft. 1.60 1.40 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft	pyrenaica. Purenees Honeysuckle.	<i>5</i> ′		
quinquelocularis. Mistletoe Honeysuckle. 10' 5 to 6 ft. 1.60 1.40 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. .65 .50 .45 3 to 4 ft. 1.00 .65 .60 4 to 5 ft. 1.10 .90 saccata. 5' 2 to 3 ft. .80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 8' 2 to 3 ft. .70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20 <				
5 to 6 ft. 1.60 1.40 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. .65 .50 .45 3 to 4 ft. 1.00 .65 .60 4 to 5 ft. 1.10 .90 saccata. 5' 2 to 3 ft. .80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 3 year .60 .50 .45 .40 3 year .60 .50 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 2 to 3 ft. .70 .60 .50 3 to 4 ft. .1.00 .80 .70 4 to 5 ft. .1.20 1.10 </td <td>4 to 5 ft</td> <td>1.60</td> <td></td> <td></td>	4 to 5 ft	1.60		
5 to 6 ft. 1.60 1.40 ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. .65 .50 .45 3 to 4 ft. 1.00 .65 .60 4 to 5 ft. 1.10 .90 saccata. 5' 2 to 3 ft. .80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 3 year .60 .50 .45 .40 3 year .60 .50 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 2 to 3 ft. .70 .60 .50 3 to 4 ft. .1.00 .80 .70 4 to 5 ft. .1.20 1.10 </td <td>quinquelocularis. Mistletoe Honeus</td> <td>uckle.</td> <td>10'</td> <td></td>	quinquelocularis. Mistletoe Honeus	uckle.	10'	
2 to 3 ft			1.40	
2 to 3 ft	ruprechtiana. Manchurian Honeysu	ckle. 1	0'	
3 to 4 ft. 1.00 .65 .60 4 to 5 ft. 1.10 .90 saccata. 5' 2 to 3 ft80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 .40 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in .60 15 to 18 in .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20				.45
4 to 5 ft. 1.10 .90 saccata. 5' 2 to 3 ft. .80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 .40 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .60 .50 15 to 18 in. .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft. .70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20				.60
saccata. 5' 2 to 3 ft. .80 .60 .50 3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 .40 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .60 15 to 18 in. .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft. .70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20				
2 to 3 ft				
3 to 4 ft. 1.00 .70 .60 4 to 5 ft. 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 .40 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in .60 15 to 18 in .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20		.80	.60	.50
4 to 5 ft 1.20 1.00 sempervirens. Trumpet Honeysuckle. 15' 2 year				.60
sempervirens. Trumpet Honeysuckle. 15' 2 year .50 .45 .40 3 year .60 .50 .45 spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .60 .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft. .70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20				.00
2 year	2 00 0 00000000000000000000000000000000	1. 151		
3 year			45	40
spinosa alberti. Albert Thorn Honeysuckle. 3' 12 to 15 in. .60 15 to 18 in. .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft. .70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20	•			
12 to 15 in. .60 15 to 18 in. .80 standishi. Standish Honeysuckle. 8' 2 to 3 ft. .70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20	·			.10
15 to 18 in	-		le. 3'	
standishi. Standish Honeysuckle. 8' 2 to 3 ft. .70 .60 .50 3 to 4 ft. 1.00 .80 .70 4 to 5 ft. 1.20 1.10 syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20				
2 to 3 ft	15 to 18 in	.80		
3 to 4 ft	standishi. Standish Honeysuckle. 8	,		
4 to 5 ft	2 to 3 ft	.70	.60	.50
syringantha. Lilac Honeysuckle. 4' 18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20	3 to 4 ft	1.00	.80	.70
18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20	4 to 5 ft	1.20	1.10	
18 to 24 in., field grown 1.20 1.00 .80 2 to 3 ft., field grown 1.60 1.20	syringantha. Lilac Honeusuckle. 4'			
2 to 3 ft., field grown 1.60 1.20		1.20	1.00	.80
, –		1.60	1.20	
	3 to 4 ft., field grown	2.00	1.60	

Lonicera			1-4 Each	5-2 4 Each	25 & up Each
tatarica.	Tat	arian Honeysuskle. 1	o '		
2 to		ft	-	15	40
3 to	4	ft		.45	.40
4 to	5				.50
5 to	_	ft		.90	.75
0 00		ft		1.20	1.00
6 to	8	ft	1.75	1.50	1.30
tatarica a	alba	. White Tatarian Ho	neysuck	le. 10'	
2 to	3	ft	.60	.45	.40
3 to	4	ft	.90	.60	.50
4 to	5	ft	1.10	.90	.75
5 to	6	ft	1.60	1.20	1.00
6 to		ft		1.50	
tatarica 1	utea	a. Yellow Tatarian H	ัดกลุมรณฺต	kle 10)*
2 to		ft	.80	.65	
3 to		ft	1.00	.85	
4.4.					
		a. Rosy Tatarian Hor	-		
2 to		ft	.60	.45	.40
3 to		ft	.90	.60	.50
4 to		ft	1.10	.90	.75
5 to	6	ft	1.60	1.20	1.00
tatarica s	sibir	ica. Red Tatarian H	oney suc	kle. 10	,
2 to	3	ft	.60	.45	.40
3 to	4	ft	.90	.60	.50
4 to	5	ft	1.10	.90	.75
5 to	6	ft	1.60	1.20	1.00
tatarica	virg	inalis. Maiden Honey	suckle	10'	
2 to		ft	.60	.45	.40
3 to		ft	.90	.60	.50
4 to		ft	1.10	.90	.75
5 to		ft	1.60	1.20	1.00
tellmanni	ana	Tellmann Honeysuc	lala 10'		
2 yea		· · · · · · · · · · · · · · · · · · ·	1.00		
thibetica.	Tib	etan Honeysuckle. 4'			
2 yea		· · · · · · · · · · · · · · · · · · ·	1.20		
xylosteun	n. <i>E</i>	Suropean Fly Honeysu	ickle. 8	,	
2 to		ft	.60	.45	.40
3 to		ft	.90	.60	.50
4 to		ft	1.10	.90	.75
5 to		ft	1.60	1.20	1.00
			1.00	1.20	1.00

					1-4 Each	5-24 Each	25 & up Each
Lycium	ch	ine	nse.	Chinese Wolfberry.	<i>5</i> ′		
	2	to	3	ft	.50	.40	.35
	3	to	4	ft	.80	.60	.55
Lycium							
hali	mi	foli	um.	Matrimony Vine. 6'			
	2	to	3	ft	.50	.40	.35
	3	to	4	ft	.80	.60	
Lyonia	lig	usti	rina	. He-Huckleberry. 12	•		
	2	to	3	ftB&B	4.00	3.00	
	3	to	4	ftB&B	5.50	4.50	
mar	ia	na.	Sta	ggerbush Lyonia. 6'			
	18			inB&B	3.20	2.80	
	30	to	36	inB&B	4.40	4.00	
	36			inB&B	5.20	4.80	
Maackia	ล ส	mu	ren	sis. Amur Maackia. 4	o '		
		to		ft	3.20		
	3			ft	4.00		
	4	to		ft	4.80		
	5	to		ft	6.00		
Maclura	1 1	om	ife	a. Osage-orange. 30'			
		to		ft	1.40	1.20	1.00
	4	to	5	ft	1.80	1.40	1.20
	5	to	6	ft	2.40	2.00	1.80
	6	to	8	ft	4.00	3.20	2.80
	8	to	10	ft	5.20	4.40	4.00
Magnol	ia	acı	ımi	nata. Cucumber Tree.	70'		
	5				10.00		
	6	to	8		12.00		
	8	to	10	ftB&B	14.40		
	10	to	12	ftB&B	20.00		
dor	and.	lata	C	'ulan Magnolia. 50'			
uei.	2				.12.00		
	3	to	4		16.00		
	4						
	5	to					
	_						
ira				ser Magnolia. 50'	20 00		
	8	to	10	ftB&B	20.00		

Magnolia 1-4 Each	5-24 Each	25 & up Each
glauca (see virginiana).		
hypoleuca. (see obovata).		
kobus. Kobus Magnolia. 25'		
2 to 3 ftB&B 5.50	4.50	
3 to 4 ftB&B 7.50	5.50	
4 to 5 ftB&B 9.00	6.50	
5 to 6 ftB&B 10.00	8.00	
6 to 8 ftB&B 13.00	11.00	
8 to 10 ftB&B 18.00	16.00	
kobus borealis.		
4 to 5 ft	6.50	
5 to 6 ft	8.00	
6 to 8 ftB&B 12.00	11.00	10.00
8 to 10 ft	16.00	14.00
8 to 10 ft. spec		
Larger sizes quoted on request.		
kobus nana compacta. 8'		
18 to 24 in		
liliflora. Lily Magnolia. 10'		
2 to 3 ft		
3 to 4 ft		
4 to 5 ftB&B 20.00		
obovata. Whiteleaf Japanese Magnolia. 50	,	
8 to 10 ftB&B 24.00		
10 to 12 ftB&B 28.00		
salicifolia. Anise Magnolia. 30'		
2 to 3 ftB&B 12.00		
3 to 4 ftB&B 16.00		
sieboldi. Oyama Magnolia. 30'		
2 to 3 ftB&B 12.00		
3 to 4 ftB&B 16.00		
4 to 5 ftB&B 20.00		
soulangeana. Saucer Magnolia. 20'		
2 to 3 ftB&B 5.50	4.50	3.50
3 to 4 ftB&B 7.00	5.50	4.50
4 to 5 ftB&B 9.00	8.00	6.50
5 to 6 ft	9.00	
6 to 8 ft B&B 15.00		

N

	1 21	TATELY A TEREST	OIIIC	,		0.1
				1-4 Each	5-24 Each	25 & up Each
Magnolia				Басп	паси	Hacii
s. lennei.	Lenne S	aucer Magn	nolia.	20 '		
3 to	4 ft		B&B	7.00	5.50	
4 to				9.00	8.00	
. 5 to						
6 to				14.00		
			.B&B	18.00		
stellata. S	tar Mag	nolia. 8'				
2 to			B&B	9.00	7.00	6.00
3 to				11.00	9.00	
4 to				15.00	13.00	
5 to				18.00		
6 to				22.00		
stellata ro		inkstar Ma		15'	0.00	0.00
2 to				8.00	6.80	6.00
3 to				10.00	8.80	8.00 11.00
4 to				15.00 18.00	12.00 15.00	13.00
5 to				22.00	20.00	15.00
6 to 8 to				25.00	20.00	
				20.00		
tripetala.		a Magnolia		7.50	6.00	
5 to 6 to				10.00	8.00	7.00
8 to				15.00	12.00	11.00
10 to				19.00	17.00	15.00
,		ca). Sweetb		*	25'	10.00
virginiana 2 to	-	sweeto	-	3.80	3.40	3.00
3 to				5.60	4.80	4.00
4 to				7.00	6.00	5.00
5 to				10.00	8.50	7.50
6 to				12.00	11.00	10.00
8 to				16.00	14.00	13.00
10 to	12 ft		B&B	26.00	22.00	
Mahonia aqui	folium.	Oregongra	pe. 4'			
15 to	18 in		В&В	2.50	2.00	1.75
18 to				3.20	2.80	2.50
24 to	30 in		B&B	4.00	3.50	3.00
30 to	36 in		В&В	6.00	5.50	5.00
repens. Co	reeping .	Mahonia. 1	!'			
12 to 1	5 in. sp	read	В&В	3.20	2.60	2.40
	_	read		3.60	3.20	2.80
18 to 2	4 in. sp	read	B&B	4.40	4.00	

-			delicities,	1110.	
				1-4	5-24 25 & up
Malus ads	strii	nger	s.	Each	Each Each
4	to	5	ft	2.40	2.00
5	to	6	ft	2.80	2.40
6	to	8	ft	4.80	4.00
8	to	10	ft	6.80	6.00
angus	tifo	lia.	Southern Crabapple.	25'	
3	to	4	ft	1.60	1.20
4	to	5	ft	2.00	1.60
5	to		ft	2.80	2.40
6	to	8	ft	4.80	4.00
8	to		ft	6.80	6.00
arnold			Arnold Crabapple. 12	,	
			t	1.60	1.20
4	to		t	2.00	1.60
5			t	2.80	2.40
6	to		t	4.80	4.00
			a. Carmine Crabapple.	20'	
3			ft	1.60	1.20
4	to		ft	2.00	1.60
5	to		ft	4.00	3.20
6 8	to		ft	6.00	4.80
_	to		ft. specB&B	28.00	
			rian Crabapple. 30'		
3	to		ft	1.60	1.20
4 5	to to		ft	2.00	1.60
ა 6	to		ft	2.80	2.40
8		_	ft 6+	4.80 6.80	4.00
			ft		
	tar to		dshurica. Manchurian	Crabapy	
4	to		ft	2.00 2.40	1.60
5	to		ft	3.20	2.00
6	to		ft	4.80	4.00
8	to		ft	6.80	4.00
brevip		12'		0.00	
_	to	4	ft	1.80	1.40
4	to		ft	2.20	1.80
corona	aria			?0 '	
3	to		ft	1.50	1.10
4	to	5	ft	1.90	1.50
5	to	6	ft	2.70	2.30
6	to		ft	4.70	3.90
8	to	10	ft	6.70	5.90

Ma

1	1-4 Each	5-24 Each	25 & v.p Each
ılus	Laci	Laci	Each
coronaria Charlotte. 15'			
3 to 4 ft	2.00		
4 to 5 ft	2.40		
5 to 6 ft	3.20		
6 to 8 ft	4.80		
8 to 10 ft	6.80		
dolga. 15'			
4 to 5 ft	2.00	1.80	
5 to 6 ft	2.80	2.60	
6 to 8 ft	4.80	4.60	
8 to 10 ft	6.80	6.60	
Dorothea. Pale Crimson Crabapple.	20'		
3 to 4 ft	3.20		
4 to 5 ft	4.00		
Elisa Rathke. Weeping Flg. Apple.	8'		
3 to 4 ft. spread	3.20		
4 to 5 ft. spread	4.00		
5 to 6 ft. spread	6.80		
florenina. Florentine Crabapple. 2	o'		
4 to 5 ft	2.40		
5 to 6 ft	3.20		
6 to 8 ft	4.80		
floribunda. Japanese Flowering C.	uahans	1. 201	
3 to 4 ft	1.40	ole. 20' 1.00	
4 to 5 ft	1.80	1.40	
5 to 6 ft	3.80	3.00	
6 to 8 ft	5.80	4.60	
	25.00		
fusca. Oregon Crabapple. 20'			
4 to 5 ft	1.80	1.40	
5 to 6 ft	2.60	2.20	
6 to 8 ft	4.60	3.80	
8 to 10 ft	6.80	5.80	
	n#		
glaucesens. Dunbar Crabapple. 12	1.40	1.00	
4 to 5 ft	1.40	1.40	
5 to 6 ft	2.60	2.20	
6 to 8 ft	4.60	3.60	
8 to 10 ft	6.60	5.80	
0 00 10 100	0.00	0.00	

34		-	HORION NURSERIES, I	NO.		
				1-4 Each	5-24 Each	25 & up Each
Malus				Басп	Each	Lach
hallia	na.	$H\epsilon$	all's Crabapple. 15'			
4	to	5	ft	3.00		
5	to	6	ft	4.00		
6	to	8	ft	5.00		
8	to	10	ft	7.00		
hallia	na	pai	kmani. Hall's Parkma	n Cra	bapple.	1.5"
3	to	4	ft	1.80	1.60	
4	to	5	ft	2.20	2.00	
5	to	6	ft	3.00	2.60	
6	to	8	ft	5.00	4.20	
hopa.	$\cdot R$	ed	Flowering Crabapple. 1.	2'		
4	to		ft	2.20	1.80	
5	to		ft	3.00	2.60	
6	to		ft	4.60	4.20	
8	to		ft	6.60	5.80	
hunok	one	ie	(theifera). 20'			
•	to		ft	2.20	2.00	
5	to		ft	3.00	2.60	
6	•		ft	4.60	4.20	
			eirferi rosea). 20'	0.40	9.00	
4			ft	2.40	2.00	
5	to		ft	3.20	2.80	
6	to		ft	4.80	4.40	
8	to	10	ft	6.80	6.00	
ioensi	s.	Pra	irie Crabapple. 25'			
3	to	4	ft	2.00	1.60	
4	to	5	ft	2.40	2.00	
5	to	6	ft	2.80	2.40	
6	to	8	ft	4.80	4.00	
8	to	10	ft	6.80	6.00	
icensi	s p	len	a. Bechtel Crabapple.	1 <i>5</i> ′		
3	to	4	ft	1.80	1.60	1.40
4	to	5	ft	2.20	2.00	1.80
5	to	6	ft	3.00	2.60	
6	to	8	ft	5.00	4.20	
Kathe	rin	e.]	Deep Pink Crabapple. 2	20 '		
			ft	4.80		
5	to		ft	6.00		
6	to		ft	8.00		

			PAINESVILLE, OHIO			95
				1-4	5-24	25 & up
Malus				Each	Each	Each
micro	nal	us.	Midget Crabapple. 10) '		
4	to	5	ft	2.00	1.80	
5	to	6	ft	2.80	2.60	
6	to	8	ft	4.80	4.60	
8	to	10	ft	6.80	6.60	
niedzy	vetz	kv	ana. Redvein Crabapp	le. 20'		
	to		ft	1.80	1.40	
4	to	5	ft	2.20	1.80	
5	to	6	ft	2.60	2.20	
6	to	8	ft	4.00	2.80	
8	to	10	$ft.\dots\dots\dots\dots\dots$	6.60	5.80	
Oekor	iem	ura	t Echtermeyer. 15'			
3	to	4	ft	2.00		
4	to	5	ft	2.40		
5	to	6	ft	3.20		
platyc	arp	a.	Bigfruit Crabapple. 25	· ·		
	to		ft	2.80		
4	to	5	ft	4.00		
Dring	G	LACT	ges. Dhl. Pink Craham	le. 20'		
			ges. Dbl. Pink Crabapp	ole• 20' 4.80		
	to to		ft			
4 5	to to	5 6	ft ft	4.80		
4 5 purpu	to to	5 6	ft	4.80 6.00	1.40	
4 5 purpu 3	to to rea to	5 6 •	ft ft Purple Crabapple. 15' ft	4.80	1.40 1.80	
4 5 purpu 3 4	to to rea to to	5 6 • 4 5	ft	4.80 6.00		
4 5 purpu 3 4 5	to to rea to to to	5 6 • 4 5 6	ft	4.80 6.00 1.80 2.20	1.80	
4 5 purpu 3 4 5	to to rea to to	5 6 4 5 6 8	ft	4.80 6.00 1.80 2.20 3.00	1.80 2.60	
4 5 purpu 3 4 5 6	to to to to to to	5 6 4 5 6 8 10	ft	1.80 2.20 3.00 4.60	1.80 2.60 3.80	
4 5 purpu 3 4 5 6 8 purpu	to to to to to to	5 6 4 5 6 8 10	ft	1.80 2.20 3.00 4.60 6.60	1.80 2.60 3.80	
4 5 purpu 3 4 5 6 8 purpu	to to to to to to	5 6 4 5 6 8 10	ft	1.80 2.20 3.00 4.60 6.60	1.80 2.60 3.80	
4 5 purpu 3 4 5 6 8 purpu	to t	5 6 4 5 6 8 10 al	ft	4.80 6.00 1.80 2.20 3.00 4.60 6.60	1.80 2.60 3.80 5.80	
4 5 purpu 3 4 5 6 8 purpu	to t	5 6 6 8 10 al nha 5	ft	1.80 2.20 3.00 4.60 6.60	1.80 2.60 3.80 5.80	
4 5 purpu 3 4 5 6 8 purpu 4 4	to t	5 6 6 4 5 6 8 10 al nha 5 6	ft.	1.80 2.20 3.00 4.60 6.60	1.80 2.60 3.80 5.80 1.80 2.60	
4 5 purpu 3 4 5 6 8 9 purpu 4 5 6 8 8	to	5 6 8 10 al al al al 10	ft. ft. Purple Crabapple. 15' ft. ft. ft. ft. ft. denhamensis. m Purple Crabapple. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	1.80 2.20 3.00 4.60 6.60 2.20 3.00 4.60 6.60	1.80 2.60 3.80 5.80 1.80 2.60 3.80	
4 5 purpu 4 5 6 8 purpu 4 5 6 8 purpu	to	5 6 8 10 al al al al 10	ft.	1.80 2.20 3.00 4.60 6.60 2.20 3.00 4.60 6.60	1.80 2.60 3.80 5.80 1.80 2.60 3.80 5.80	
4 5 purpu 4 5 6 8 purpu 4 5 6 8 purpu	to t	5 6 6 8 10 al al nha 5 6 8 10 el	ft	4.80 6.00 1.80 2.20 3.00 4.60 6.60 4.60 4.60 6.60 bapple.	1.80 2.60 3.80 5.80 1.80 2.60 3.80 5.80	
4 5 purpu 3 4 5 6 8 purpu 4 5 6 8 purpu 3 3	to t	5 6 8 10 al al nha 5 6 8 10 el 4	ft.	4.80 6.00 1.80 2.20 3.00 4.60 6.60 2.20 3.00 4.60 6.60 bapple. 1.80	1.80 2.60 3.80 5.80 1.80 2.60 3.80 5.80 15' 1.40	
4 5 purpu 4 5 6 8 purpu 3 4 4 5 6 8 purpu 3 4 4 4 5 6 8 8 purpu 3 4 4	to t	5 6 8 10 al al nha 5 6 8 10 el 4 5	ft.	1.80 2.20 3.00 4.60 6.60 2.20 3.00 4.60 6.60 bapple. 1.80 2.20	1.80 2.60 3.80 5.80 1.80 2.60 3.80 5.80 1.5' 1.40 1.80	
4 5 purpu 4 5 6 8 purpu 3 4 4 5 6 8 purpu 3 4 4 5 5	to t	5 6 8 10 all nha 5 6 8 10 4 5 6 8 8	ft.	4.80 6.00 1.80 2.20 3.00 4.60 6.60 2.20 3.00 4.60 6.60 bapple. 1.80 2.20 3.00	1.80 2.60 3.80 5.80 1.80 2.60 3.80 5.80 1.40 1.80 2.60	

purpurea lemoinei. Lemoine Purple Crabapple. 15' 3 to 4 ft	Malus	1-4 Each	5-24 Each	25 & up Each
3 to 4 ft. 2.00 4 to 5 ft. 2.40 5 to 6 ft. 3.20 prunifolia rinki. Chinese Pearleaf Crabapple. 15' 4 to 5 ft. 2.20 1.80 5 to 6 ft. 3.00 2.60 6 to 8 ft. 4.60 3.80 8 to 10 ft. 6.60 5.80 robusta. Cherry Crabapple. 15' 3 to 4 ft. 1.80 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.00 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 4.60 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80		D	1 1	, . ,
## 4 to 5 ft			аоарріе.	1.7
5 to 6 ft. 3.20 prunifolia rinki. Chinese Pearleaf Crabapple. 15' 4 to 5 ft. 2.20 1.80 5 to 6 ft. 3.00 2.60 6 to 8 ft. 4.60 3.80 8 to 10 ft. 6.60 5.80 robusta. Cherry Crabapple. 15' 3 to 4 ft. 1.80 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.80 3.40 6 to 8 ft. 4.60 3.40 6 to 8 ft. 4.60 3.40 6 to 8 ft. 4.60 3.40 6 to 7 ft. 2.80				
prunifolia rinki. Chinese Pearleaf Crabapple. 15' 4 to 5 ft. 2.20 1.80 5 to 6 ft. 3.00 2.60 6 to 8 ft. 4.60 3.80 8 to 10 ft. 6.60 5.80 robusta. Cherry Crabapple. 15' 3 to 4 ft. 1.80 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 3.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 17' 4 to 5 ft. 3.80 3.40 6 to 8 ft. 4.60 3.80 3.40 6 to 8 ft. 4.60 4.00 4.00 4.00 4.00 4.00 <td></td> <td></td> <td></td> <td></td>				
4 to 5 ft.			, ,	-4
5 to 6 ft. 3.00 2.60 6 to 8 ft. 4.60 3.80 8 to 10 ft. 6.60 5.80 robusta. Cherry Crabapple. 15' 3 to 4 ft. 1.80 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 17' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 1.80 1.60 1.40				5'
6 to 8 ft. 4.60 3.80 8 to 10 ft. 6.60 5.80 robusta. Cherry Crabapple. 15' 3 to 4 ft. 1.80 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 1.80 1.60 5 to 6 ft. 1.80 1.60				
8 to 10 ft. 6.60 5.80 robusta. Cherry Crabapple. 15' 3 to 4 ft. 1.80 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 17' 4 to 5 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 4.60 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 Sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 1.80 1.60 8 to 10 ft. 1.80 1.60 8 to 6 ft. 1.80 1.60 8 to 10 ft. 1.80 1.60 8 to 6 ft. 1.80 1.60 8 to 6 ft. 1.80 1.60 8 to 10 ft. 1.80 1.60 8 to 6 ft. 1.80 1.60 8 to 7 ft. 1.80 8 to 7 ft. 1.80 8 to 6 ft. 1.80 8 to 7 ft. 1.80 8 to 7 ft. 1.80 8 to 8 ft. 1				
robusta. Cherry Crabapple. 15' 3 to 4 ft				
3 to 4 ft. 1.80 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 3.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.20 2.01 8 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.20 1.80 6 to 8 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.20 1.80 6 to 8 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.20 1.80 6 to 8 ft. 1.80 1.60 1.40			5.80	
4 to 5 ft				
5 to 6 ft. 3.00 6 to 8 ft. 4.60 robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 1.40 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
6 to 8 ft				
robusta erecta. Column Cherry Crabapple. 15' 4 to 5 ft. 2.20 5 to 6 ft. 3.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.20 1.80 6 to 8 ft. 4.60 3.80 <t< th=""><td></td><td></td><td></td><td></td></t<>				
4 to 5 ft				
5 to 6 ft. 3.00 6 to 8 ft. 4.60 8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60			le. 15'	
6 to 8 ft. 4.60 8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00				
8 to 10 ft. 6.60 robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 1.80 1.60 8 to 10 ft. 1.80 1.60 8 to 10 ft. 1.80 1.60 8 to 2.60 2.20 1.80 8 to 6 ft. 2.60 2.29 1.80 8 to 6 ft. 2.60 2.29 1.80 8 to 8 ft. 4.60 3.80 3.60				
robusta leucocarpa. Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
Yellow-fruited Cherry Crabapple. 15' 6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60		6.60		
6 to 8 ft. 4.00 8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 1.80 1.60 8 to 10 ft. 1.80 1.60 8 to 5 ft. 1.80 1.60 1.40 8 to 5 ft. 1.80 1.60 1.40 8 to 6 ft. 2.60 2.29 1.80 8 to 8 ft. 4.60 3.80 3.60				
8 to 10 ft. 6.00 robusta persicifolia. Peachleaf Cherry Crabapple. 15' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 8 to 10 ft. 1.80 1.60 1.40 1.2				
robusta persicifolia. Peachleaf Cherry Crabapple. 17' 4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 4.60 8 to 10 ft. 6.60 5.00 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 4.00 2.40 4 to 5 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
4 to 5 ft. 3.00 2.60 5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
5 to 6 ft. 3.80 3.40 6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 5.80				e. 15
6 to 8 ft. 4.60 8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 5.80				
8 to 10 ft. 6.60 sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60			3.40	
sargenti. Sargent Crabapple. 8' 3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
3 to 4 ft. 2.80 2.40 4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
4 to 5 ft. 4.00 scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60	January Proc		0.10	
scheideckeri. Scheidecker Crabapple. 20' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60			2.40	
3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
4 to 5 ft. 1.80 1.60 5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.50 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
5 to 6 ft. 2.60 2.20 2.00 6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
6 to 8 ft. 4.60 3.80 3.40 8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60	_ 00 0 10000000000000000000000000000000			
8 to 10 ft. 6.60 5.80 sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				
sieboldi. Toringo Crabapple. 15' 3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60				3.40
3 to 4 ft. 1.40 1.20 4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.20 1.80 6 to 8 ft. 4.60 3.80 3.60	0 00 10 100 100 100 100 100 100 100 100		5.80	
4 to 5 ft. 1.80 1.60 1.40 5 to 6 ft. 2.60 2.29 1.80 6 to 8 ft. 4.60 3.80 3.60	101mgo Cracappie			
5 to 6 ft. 2.60 2.20 1.80 6 to 8 ft. 4.60 3.80 3.60				
6 to 8 ft				
8 to 10 it				3.60
	8 to 10 ft	6.60	5.80	

Malus		1-1 Each	5-24 25 & up Each Each
spectabilis.	Chinese Crabapple. 15'	Each	Lach Lach
3 to 4		1.60	1.40
4 to 5	ft	2.00	1.80
5 to 6		2.80	2.40
6 to 8		4.80	4.00
8 to 10	ft	6.80	6.00
spectabilis			
	White Chinese Crabapp	le. 15'	
	ft	1.60	1.40
4 to 5		2.00	1.80
5 to 6		2.80	2.40
6 to 8		4.80	4.00
8 to 10	ft	6.80	6.00
sublobata.	Yellow Autumn Crabapp	ole. 15'	•
6 to 8	ft	4.80	4.00
8 to 10	ft	6.80	6.00
theirfera.	(see hupehensis)		
teringoides.	Cutleaf Crabapple. 15'		
4 to 5	ft	2.40	2.00
5 to 6	ft	2.80	2.40
6 to 8	ft	4.80	4.00
8 to 10	ft	6.80	6.00
tschonoski.	20'		
3 to 4	ft	2.00	
4 to 5	ft	2.40	
5 to 6	ft	2.80	
6 to 8	ft	4.80	4.00
8 to 10	ft	6.80	6.00
yunnanensi	s veitchi. Veitch Yunna	n Crab	apple. 25'
3 to 4	ft	2.00	
4 to 5	ft	2.40	
5 to 6	ft	2.80	
6 to 8	ft	4.80	
8 to 10	ft	6.80	
zumi. Zum	Crabapple. 15'		
5 to 6	ft	2.80	2.40
6 to 8	ft	4.80	4.00
8 to 10	ft	6.80	6.00
zumi caloca	rpa. 15'		
5 to 6	ft	3.20	2.80
6 to 8	ft	4.80	4.00
8 to 10	ft	6.80	6.00

98 HORTON NURSERIES, II	1C.		
	1-4 Each	5-24 Each	25 & up Each
Morus alba tatarica. Russian Mulberry.		Lacii	Each
6 to 8 ft	1.60	1.40	
8 to 10 ft	2.40	2.20	
1½ to 1¾ in	3.60	3.20	
1 ³ / ₄ to 2 in	6.00	4.80	
2 to 2½ in	8.00	6.00	
	0.00	0.00	
alba pendula. Weeping Mulberry.	4.80		
2 year heads	1.00		
Marian annalinansis (see nannauluani	42)		
Myrica carolinensis. (see pennsylvanicerifera. Southern Waxmyrtle. 5'	Ca)		
18 to 24 in	3.00	2.60	2.40
	3.80	3.60	3.40
2 to 3 ft	9.00	7.00	0.40
3 to 4 ft. heavy B&B		9.00	
4 to 5 ft. heavyB&B	11.00	9.00	
gale. Sweetgale. 4'			
18 to 24 inB&B	2.80	2.40	
2 to 3 ftB&B	4.00	3.20	
pennsylvanica. Northern Bayberry.	<i>5</i> ′		
18 to 24 in B&B	3.20	2.80	2.60
24 to 30 inB&B	4.00	3.80	3.60
Nanlina domestica. Nandina, 8'			
12 to 15 in, from pots	1.20		
Neillia longiracemosa. 10'			
2 to 3 ft	1.00	.85	.80
3 to 4 ft	1.40	1.20	1.00
4 to 5 ft	1.80	1.60	1.40
sinensis. Chinese Neillia. G'			
2 to 3 ft	1.00	.85	.80
3 to 4 ft	1.40	1.20	1.00
4 to 5 ft	1.80	1.60	1.40
1 10 0 11,	1.00	1.00	1.10
Nemopanthus mucronata. Mountain Ho		7'	
4 to 5 ft	4.00	,	
1 10 0 11	1.00		
Neviusia alabamensis. Snow-wreath. 6'			
2 to 3 ft	1.80	1.40	
3 to 4 ft	2.20	1.80	
0 10 1 10	2.20	1.00	
Nyssa aquatica. Water Tupelo. 40'			
8 to 10 ft	20.00		
	_ 0.00		

Nyssa	1-4 Each	5-24 Each	25 & up Each
sylvatica. Black Tupelo. 40'		2300	
4 to 5 ft B&B	8.00		
5 to 6 ft B&B			
8 to 10 ftB&B			
11/4 to 11/2 in B&B			
1½ to 1¾ inB&B			
13/4 to 2 in B&B		22.00	
2 to 2½ in B&B		23.00	
2½ to 3 in B&B		32.00	
3 to 3½ inB&B	50.00	46.00	
3½ to 4 inB&B		62.00	
sylvatica pendula. Weeping Black 12 to 14 ftB&B	22 00	0. 29	
12 to 14 it	32.00		
Ostrya virginica. American Hophornb	eam.	40'	
6 to 8 ft	4.80	4.00	
8 to 10 ft	6.00	4.80	
10 to 12 ft	8.00		
*Oxydendrum arboreum. Sourwood. 4	i0'		
2 to 3 ftB&B	3.20	2.80	2.40
3 (0 4 10	4.20	3.40	3.00
4 10 0 10	6.20	5.40	5.00
5 to 6 ftB&B	9.00	8.00	7.00
6 to 8 ftB&B	12.00	10.00	
8 to 10 ftB&B	15.00		
10 to 12 ft B&B	22.00		
Pachistima canbyi. Canby Pachistima.	1'		
3 inch pots	1.20	1.00	.80
Parrotia persica. Persian Parrotia. 15'	10.00		
6 to 8 ft			
Parthenocissus henryi. Silvervein Cree		<i>5</i> ′	
2 year	.80		
quinquefolia. Virginia Creeper. 35			
2 year	.40	.30	
3 year	.50	.40	
4 year	.60	.45	
q. engelmanni. Engelmann Virgin			
2 year	.40	.30	
3 year	.50 .60	.45	
4 year	.00	.410	, , , , ,

	1-4 Each	5-24 Each	25 & up Each
Parthenocissus			
q. saintpauli. St. Paul Virginia Cree			
2 year	.40	.30	.20
3 year	.50	.40	.30
tricuspidata veitchi. Veitch Japanes	e Cr	eeper.	35 '
2 year	.50	.45	.40
3 year	.65	.55	.50
tricuspidata lowi. Lows Japanese C	reen	er. 8'	
2 year from pots	1.00	.85	.80
Paulownia tomentosa. Royal Paulownia.	201		
4 to 5 ft	4.00		
5 to 6 ft	4.80		
6 to 8 ft	6.00		
8 to 10 ft	8.00		
0 00 10 10 10 10 10 10 10 10 10 10 10 10	0.00		
Devinted arroad Continue Cillustra 20'			
Periploca graeca. Grecian Silkvine. 30'	.80	.65	.60
3 year	1.00	.80	.75
o year	1.00	.00	.10
Perovskia atriplicifolia. 4'	0.40		
2 to 3 ft	2.40		
Phellodendron amurense. Amur Corktree			
6 to 8 ft	3.20	2.80	2.40
8 to 10 ft	4.00	3.60	3.20
1¼ to 1½ in	4.80	4.40	4.00
1½ to 1¾ in	6.00	5.20	4.80
13/4 to 2 in	8.00	6.80	6.00
	2.00	10.00	8.00
2½ to 3 in	6.00		
lavallei. Lavalle Corktree. 30'			
2 to 2½ in 1	2.00	11.20	
2½ to 3 in 1	6.00		
Philadelphus coronarius. Sweet Mockor	ange.	10'	
2 to 3 ft	.65	.50	.45
2 00 0 10	.05	.00	.10
3 to 4 ft	.05	.65	.60
3 to 4 ft	.95	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Philadelphus	Luci	Litton	Liwen
coronarius aureus. Golden Mockor	ange.	4'	
18 to 24 in	1.20	1.10	1.00
24 to 30 in	1.40	1.20	
coronarius nanus. Dwarf Sweet M	ockorai	nge. 4	•
12 to 15 in	.80	.65	
15 to 18 in	1.00	.80	
coronarius plenus. Double Sweet	Mockor	anae	6'
18 to 24 in	.85	.65	.60
2 to 3 ft	1.10	.85	.75
coronarius speciosissimus. Roundle	of Mo	houan	ie. 10'
3 to 4 ft	$\frac{a_f}{1.20}$	1.00	je. 10
4 to 5 ft	1.60	1.20	
5 to 6 ft	2.00	1.60	
		_,	
cymosus Atlas. Giant Mockorange.	8'	0.0	
2 to 3 ft	1.00	.80	
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.60	1.20	
c. Banniere. 8'			
2 to 3 ft	.65	.50	.45
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.85
c. Norma. 8'			
2 to 3 ft	.65	.50	.45
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.85
c. Voie Lactee. 6'			
2 to 3 ft	.80	.65	
3 to 4 ft	1.00	.80	
4 to 5 ft	1.20		
falconeri. Falconers Mockorange. 8 3 to 4 ft		e s	60
	.95 1.20	.65 1.00	.60 .80
	1.40	1.20	1.00
5 to 6 ft		1.20	1.00
gordonianus. Gordon Mockorange.			
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.60	.55
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.30

	1-4 Each	5-24 Each	25 & up Each
Philadelphus	Each	Elden	23444
grandiflerus. Big Scentless Mockor	ange.	<i>8</i> ′	
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.60	.55
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.30
incanus. Gray Mockorange. 10'			
3 to 4 ft	1.00	.80	
4 to 5 ft	1.20	1.00	
inodorus. Scentless Mockorange. 10'			
3 to 4 ft	1.60		
lemoinei Avalanche. 5'			
2 to 3 ft	1.00	.80	
lemoinei Dame Blanche. 6'			
2 to 3 ft	1.00	.80	
lemoinei erectus. Erect Lemoine I	Mocko	range.	5 '
2 to 3 ft	.75	.60	.55
3 to 4 ft	.95	.75	.65
lemoinei Pyramidale. 5'			
3 to 4 ft	1.00	.70	
4 to 5 ft	1.10	1.00	
lewisi. Lewis Mockorange. 10'			
2 to 3 ft	.70	.50	.45
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.80
5 to 6 ft	1.60	1.25	1.05
magdalenae. Magdalena Mockorang	e. 6'		
2 to 3 ft	.80	.65	.60
3 to 4 ft	1.00	.70	.65
nepalensis. Nepal Mockorange. 10'			
2 to 3 ft	.70	.50	.45
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.85
5 to 6 ft	1.60	1.25	1.05
6 to 8 ft	1.80	1.60	1.40
nivalis. Snowbank Mockorange. 10	,		
2 to 3 ft	.70	.50	.45
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.85
5 to 6 ft	1.60	1.25	1.00
6 to 8 ft	1.80	1.60	1.40

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
polyanthus Favorite. 10'			
2 to 3 ft	.80	.65	.60
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	
p. Gerbe de Neige. 6'			
2 to 3 ft	.80	.65	
3 to 4 ft	1.00	.80	
p. Pavillon Blanc. 8'			
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	.95	.80
5 to 6 ft	1.50	1.20	1.00
6 to 8 ft	1.70	1.50	1.30
purpureo-maculatus Etoile Rose.	6 '		
2 to 3 ft	1.20		
purpureo-maculatus Ouphelia. $6'$			
2 to 3 ft	.75	.60	.55
3 to 4 ft	.95	.75	.60
4 to 5 ft	1.10	.90	
p. Sybille. 5'			
2 to 3 ft	1.00	.80	
sericanthus. Silk Mockorange. 12'		,,,,	
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.40	1.20	
5 to 6 ft	1.60	1.40	
splendens. Splendens Mockorange.	10'	1.10	
2 to 3 ft	1.20	1.00	
3 to 4 ft	1.40	1.20	
4 to 5 ft	2.00	1.40	
5 to 6 ft	2.20	1.80	
virginalis Albatre. 6'		1100	
2 to 3 ft	.75	.60	.55
3 to 4 ft	.95	.65	.60
v. Argentine. 5'			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.20		
v. Bouquet Blanc. 5'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	.95	.75	.65
4 to 5 ft	1.10	.90	

	1-4 Each	5-24 Each	25 & up Each
Philadelphus	Lacu	Each	Hacii
v. Glacier. 6'			
2 to 3 ft	.80	.65	.60
3 to 4 ftt	1.00	.70	.65
4 to 5 ft	1.20	1.00	
v. virginal. 8'			
2 to 3 ft	.65	.55	.45
3 to 4 ft	.90	.80	.65
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.25	1.00
zeyheri. Zeyher Mockorange. 10'			
3 to 4 ft	1.20		
Photinia villosa. Oriental Photinia. 15'			
3 to 4 ft	.90	.80	.70
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	1.50	1.30	1.10
6 to 8 ft	2.30	2.10	1.80
8 to 10 ft	4.00	3.10	2.70
villosa laevis. Smooth Oriental Pho-		<i>15</i> ′	
4 to 5 ft	2.00	1.60	1.40
5 to 6 ft	2.40	2.00	1.60
6 to 8 ft	3.20	2.80	2.40
Physocarpus intermedium parvifolius	•		
Dwarf Illinois Ninebark. 4'	.90	.70	.58
2 to 3 ft	1.10	.90	.78
		.00	.10
opulifolius. Common Ninebark. 10		5 0	4.5
2 to 3 ft	.65 .90	.50 .60	.45
3 to 4 ft	1.10	.90	.80
1 00 0 2000	1.50	1.20	
5 to 6 ft	1.80	1.50	
			1.50
opulifolius luteus. Goldleaf Nineb	ark. 1.65	υ .50	.45
2 to 3 ft	.90	.60	
3 to 4 ft	1.10	.90	
5 to 6 ft	1.80	1.50	
opulifolius nanus. Dwarf Commor 2 to 3 ft	.75	ark , β	
	.75	.85	
3 to 4 ft	1.10	1.00	
T 10 0 It	1,10	1.00	.00



A view of some of the different varieties of spruces (Picea) we have for sale. Our nursery proudly has available one of the most complete selections of nursery stock in the U.S.A.

lections of nursery stock in	ine C	J.S.A.	
	1-4 Each	5-24 Each	
Picea abies (excelsa). Norway Spruce.	75'		
2 ftB&B	3.50	3.00	2.75
3 ft	4.50	4.00	3.50
4 tf	7.50	6.50	6.00
5 tf	10.00	9.00	8.00
6 ft	12.00	11.00	10.00
7 ft	15.00	13.00	
8 ft	18.00		
For larger sizes to 25 ft., add	\$4.00	per foo	t.
abies aurea. Golden Norway Spru	ce. 75	,	
4 ft	10.00		
5 ft	12.00		
6 ft	14.40		
For larger sizes to 25 ft., add	\$4.00	per foo	t.
abies clanbrasiliana. Barry Norwe	uy Spr	uce. 7'	
2 ft B&B	8.00		
3 ft	10.00		

4 ft. B&B 12.00

1-4 Each	5-24 25 & up Each Each
Picea	
abies ellwangeriana. Ellwanger Norway	Spruce. 10'
3 ftB&B 10.00	
4 ft	
5 ft	
6 ft B&B 16.00	
abies maxwelli. Maxwell Norway Spruce.	6'
18 to 24 inB&B 6.80	6.00
24 to 30 inB&B 10.00	8.00
30 to 36 in B&B 12.00	
abies nana. Dwarf Norway Spruce. 4'	
18 to 24 inB_B 6.80	
24 to 30 inB&B 10.00	
30 to 36 in B&B 12.00	
36 to 42 inB&B 14.40	
abies parviformis.	
Dwarf Pyramid Norway Spruce. 4'	
4 ft	
abies pendula. Weeping Norway Spruce.	20'
3 ft	
4 ft	
5 ft B&B 14.40	
6 ft	
For larger sizes to 12 ft., add \$4.00 g	per foot.
abies procumbens. Prostrate Norway Sp	ruce. 3'
2½ ft. spreadB&B 10.00	
3 ft. spread	
abies pygmea. Pygmy Norway Spruce. 2	·α'
2 ft	
abies remonti.	
24 to 30 in B&B 10.00	
30 to 36 in	
36 to 42 in	
42 to 48 in	
48 to 54 in	
alba (see glauca)	
asperata. Dragon Spruce. 60'	
2 ftB&B 8.00	
3 ft	
bicolor. (alcockiana). Alcock Spruce. 75	·
4 ft B&B 12.00	
5 ft B&B 16.00	
6 ft	

I	1-4 Each	5-24 Each	25 & up Each
engelmanni. Engelmann Spruce. 75'	3001	234011	230011
	6.00	5.50	5.00
	7.00	6.50	6.00
	8.00	7.50	7.00
	2.00		
6 ftB&B 1	5.00		
e. microphylla. Dwarf Engelmann Sy	oruce.	5 '	
4 ft	6.00		
5 ft	0.00		
glauca. (alba). White Spruce. 50'			
	3.60	3.20	3.00
3 ft	6.00	5.00	4.60
4 ft	8.50	7.00	6.50
5 ft	1.00	9.00	8.50
6 ft	2.00	11.00	10.00
7 ft	4.00		
g. aurea. Golden White Spruce. 30'			
_	8.00		
	4.00		
g. conica. Dwarf Alberta Spruce. 6'	,		
3 ft			
g. densata. (canadensis). Black Hill			
	3.60	3.20	3.00
	6.00	5.00	4.60
	8.50	7.00 9.00	6.50
		9.00	
	4.00		
	8.00		
	0.00		
koyamai. Koyama Spruce. 30'	0.00	0.00	
	8.00	6.00	
	0.00	8.00	
mariana doumeti. Doumet Black Sp		25'	
3 ftB&B 1	0.00		
omorika. Serbian Spruce. 50'			
3 ft	8.00	6.00	
4 ftB&B 1	0.00	8.00	
	2.00		
6 ft	8.00		
For larger sizes to 9 ft., add \$6	6.00 p	er foo	t

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

P

08	HORTON NURSERIES, INC.		
	1-4 Each	5-24 Each	25 & up Each
Pice			
	orientalis. Oriental Spruce. 75'		
	2 ftB&B 6.00	5.00	
	3 ftB&B 8.00	6.00	
	4 ftB&B 10.00	8.00	
	5 ftB&B 12.00		
	6 ft		
	For larger sizes to 10 ft., add \$6.00	per foo	t.
	pungens. Colorado Spruce. 60'		
	2 ft	3.20	3.00
	3 ft	4.40	4.00
	4 ft	6.00	5.50
	5 ft	8.50	8.00
	6 ft	12.00	
	For larger sizes to 9 ft., add \$6.00 g		t.
	, , ,	701 100	•
	pungens glauca. Blue Colorado Spruce.	<i>60</i> ′	
	2 ftB&B 6.00	5.40	5.00
	3 ftB&B 7.50	6.50	6.00
	4 ftB&B 14.00	12.00	11.00
	5 ft	16.00	15.00
	6 ft	21.00	20.00
	7 ft	25.00	
	pungens kosteriana. Koster Blue Spruce	. 50'	
	2 ft B&B 8.00	7.20	
	2½ ft. B&B 12.00	10.00	
	3 ft	14.40	
	3½ ft	18.00	
	4 ft	20.00	
	4½ ft B&B 24.00	24.00	
	5 ft B&B 32.00	28.00	
	5½ ft	32.00	
	6 ft B&B 40.00	36.00	
	7 ft B&B 44.00	40.00	
	8 ft	44.00	
	For larger sizes to 25 ft., add \$6.00 g		ŀ
	1 of larger sizes to 25 ft., and \$0.00 p	JC1 100	v •
	pungens moerheimi. Moerheim Blue Spri	ice. 40'	
	2½ ftB&B 12.00		
	3 ftB&B 16.00		
	3½ ft		
	4 ft		
	5 ft B&B 32.00		
	6 ft		

FAINESVILLE, UNIO			109
	1-4 Each	5-24 Each	25 & up Each
Picea	Laci	Laten	Euch
sitchensis. Sitka Spruce. 40'			
3 ft	8.00	6.40	
4 ft	10.00		
5 ftB&B	12.00		
wilsoni. Wilson Spruce. 50'			
2 ft	6.00		
3 ft	8.00		
Pieris floribunda. Mountain Pieris. 4'			
18 to 24 inB&B	6.80		
ianonica Languago Dionio 10'			
japonica. Japanese Pieris. 10'	4.00	3.75	
15 to 18 inB&B 18 to 24 inB&B	5.00		
24 to 30 in			
24 to 30 m	0.50	0.20	
Pinus banksiana. Jack Pine. 60'			
2 ft	4.40	3.40	3.00
3 ft			4.80
			6.00
4 ft		8.50	8.00
5 ft			0.00
6 ft		10.00	
7 ft			1
For larger sizes to 18 ft., add	\$8.00	per 100	τ.
bungeana. Lacebark Pine. 60'			
2 ftB&B			
3 ftB&B			
9 ft			
For larger sizes to 14 ft., add	\$8.00	per foo	t.
cembra. Swiss Stone Pine. 70'			
3 ftB&B			
4 ft	16.00		
densiflora. Japanese Red Pine. 60			
3 ft B&B			
4 ft B&B	9.00		
5 ft B&B			
6 ftB&B			
7 ftB&B	20.00		

8 ft. B&B 24.00

110 HORTON NURSERIES, INC.		
1-4 Teach	5-24	25 & up Each
Pinus	Each	Hacii
densiflora umbraculifera. Tanyosho Pine		
2 ft B&B 12.00	•	
Z 1t		
flexilis. Limber Pine. 30'		
2 ft B&B 8.00	6.00	
3 ft B&B 10.00		
4 ft B&B 12.00		
For larger sizes to 16 ft., add \$8.00	ner for	nt
For larger sizes to 10 ft., and \$0.00	per roc	
jeffreyi. Jeffrey Pine. 50'		
3 ftB&B 12.00	11.20	
4 ftB&B 16.00		
korainensis. Korean Pine. 35'		
3 ftB&B 12.00		
4 ftB&B 14.40		
(mandana) and an are	W 47 F	
mugo. (montana). Swiss Mountain Pine.		5.00
18 in	5.40	3.00
	8.00	
2½ ft	10.00	
3 1t. B&B 12.00 3½ ft. B&B 18.00	10.00	
4 ft. B&B 25.00		
4 II		
mugo mughus. Mugho Swiss Mountain F	ine. 4'	
15 to 18 in. spd B&B 4.40	3.60	
18 to 24 in. spd B&B 5.60		
2 to 2½ ft. spd B&B 7.20	5.60	
= /2 to 0 = 1tt 2pt - 1tt = 1tt	9.00	
3 to 3½ ft. spd B&B 13.50	11.00	
3½ to 4 ft. spd B&B 18.00		
4 to 5 ft. spd B&B 25.00		
nigra. Austrian Pine. 50'		
2 ftB&B 6.80	6.00	5.60
3 ft	8.80	
4 ft B&B 14.40	12.00	0.00
5 ft B&B 18.00	16.00	
6 ft B&B 24.00	23,00	
For larger sizes to 15 ft., add \$8.00	per fo	ot.
parviflora. Japanese White Pine. 50'		
3 ftB&B 12.00		

Pin

5-24 25 & up

1-4 Each

us			Басн	Lach	Each
peu	ce.	Ba	dkan Pine. 20'		
_	3	ft.	B&B 12.00		
	4	ft.	B&B 14.40		
	5	ft.			
	6	ft.			
	7	ft.	B&B 24.00		
	F	or la	arger sizes to 12 ft., add \$8.00 pe	r foot	
			vo - <u></u> p-o	1000	•
pon	de	rosa	• Ponderosa Pine. 60'		
	3	ft.	B&B 6.00	5.00	
	4	ft.	B&B 7.50	6.00	
	5	ft.	B&B 11.00	9.00	
	6	ft.	B&B 13.00	11.00	
	F	or la	arger sizes to 10 ft., add \$8.00 p	er foo	t.
pon	dei	rosa	scopulorum. Rocky Mt. Pondero	sa Pin	e. 50'
	3	ft.	B&B 12.00	10.00	
	4	ft.	B&B 14.40 1	12.00	

5 ft. B&B 18.00 16.00



One of our blocks of Pinus strobus. We have for sale over 1000 of these beautiful specimen plants, and they are priced right for immediate sale.

Pinus

Pinus			0 = 0
	1-4 Each	5-24 Each	25 & up Each
resinosa. Red Pine. 50'			
2 ft B&B	6.20	5.40	5.00
3 ftB&B	9.20	8.00	7.00
	13.00	11.00	
5 ftB&B	17.50	15.00	
6 ft B&B	22.00		
For larger sizes to 12 ft., add		per fo	ot.
rigida. Pitch Pine. 25'	φοισσ	P C Z	
6 ftB&B	18.00		
7 ftB&B			
strobus. Eastern White Pine. 75'			
2 ftB&B	5.00	4.50	4.00
3 ft B&B	7.50	6.50	6.00
	11.00	9.00	8.00
	15.00	13.00	12.00
sylvestris. Scotch Pine. 50'	10100	10.00	
	4.60	4.00	3.50
	6.00	5.40	5.00
4 ftB&B		8.00	0.00
5 ft		10.00	
6 ft		14.00	
6 It	10.00	14.00	
		non fo	o#
For larger sizes to 10 ft., add	\$8.00	per fo	oť.
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60	\$8.00	per fo	oť.
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 0' 12.00	per fo	ot.
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60 4 ft	\$8.00 0' 12.00 16.00		
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 0' 12.00 16.00		
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 9' 12.00 16.00 \$8.00	per fo	
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60 4 ft	\$8.00 9' 12.00 16.00 \$8.00	per fo	
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 9' 12.00 16.00 \$8.00	per fo	ot. 2.40
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60 4 ft	\$8.00 7' 12.00 16.00 \$8.00	per fo	ot.
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60 4 ft	\$8.00 7' 12.00 16.00 \$8.00 *ree. 7	per fo	ot. 2.40
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 7' 12.00 16.00 \$8.00 **ree. 7 3.20 4.20	per for 2.60 3.80	ot. 2.40 3.60
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft. B&B 5 ft. B&B For larger sizes to 12 ft., add Platanus occidentalis. American Planet 6 to 8 ft. 8 to 10 ft. 11/4 to 11/2 in.	\$8.00 0' 12.00 16.00 \$8.00 *ree. 7 3.20 4.20 6.00	per for 2.60 3.80 5.40	2.40 3.60 5.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 0' 12.00 16.00 \$8.00 *ree. 7 3.20 4.20 6.00 8.80	per for 2.60 3.80 5.40 7.60	2.40 3.60 5.20 7.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 7' 12.00 16.00 \$8.00 **ree. 7 3.20 4.20 6.00 8.80 12.00	per fo 2.60 3.80 5.40 7.60 10.00	2.40 3.60 5.20 7.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 7' 12.00 16.00 \$8.00 ***********************************	per fo 2.60 3.80 5.40 7.60 10.00 12.00	2.40 3.60 5.20 7.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 7' 12.00 16.00 \$8.00 ***********************************	per fo 2.60 3.80 5.40 7.60 10.00 12.00	2.40 3.60 5.20 7.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 7' 12.00 16.00 \$8.00 **ree. 7 3.20 4.20 6.00 8.80 12.00 14.40 20.00	per fo 2.60 3.80 5.40 7.60 10.00 12.00 16.00	2.40 3.60 5.20 7.20 9.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 66 4 ft	\$8.00 2' 12.00 16.00 \$8.00 **ree. 7 3.20 4.20 6.00 8.80 12.00 14.40 20.00	per fo 2.60 3.80 5.40 7.60 10.00 12.00 16.00	2.40 3.60 5.20 7.20 9.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60 4 ft	\$8.00 2' 12.00 16.00 \$8.00 **ree. 7 3.20 4.20 6.00 8.80 12.00 14.40 20.00 4.20	per fo 2.60 3.80 5.40 7.60 10.00 12.00 16.00 2.60 3.80	2.40 3.60 5.20 7.20 9.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60 4 ft	\$8.00 2' 12.00 16.00 \$8.00 4.20 6.00 8.80 12.00 14.40 20.00 3.20 4.20 6.00	2.60 3.80 5.40 7.60 10.00 12.00 16.00 2.60 3.80 5.40	2.40 3.60 5.20 7.20 9.20 2.40 3.60 5.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60 4 ft	\$8.00 2' 12.00 16.00 \$8.00 3.20 4.20 6.00 8.80 12.00 14.40 20.00 3.20 4.20 6.00 8.80	2.60 3.80 5.40 7.60 10.00 12.00 16.00 2.60 3.80 5.40 7.60 10.00	2.40 3.60 5.20 7.20 9.20 2.40 3.60 5.20
For larger sizes to 10 ft., add thunbergi. Japanese Black Pine. 60 4 ft	\$8.00 2' 12.00 16.00 \$8.00 3.20 4.20 6.00 8.80 12.00 14.40 20.00 3.20 4.20 6.00 8.80 12.00	per fo 2.60 3.80 5.40 7.60 10.00 12.00 16.00 2.60 3.80 5.40 7.60	2.40 3.60 5.20 7.20 9.20 2.40 3.60 5.20

Polygonum :	aul	oerti.	Si	lvervine Fleecefl	1-4 Each	5-24 Each 25'	25 & up Each
2 ye	ar				.70	.55	.50
Populus alba	a.	Whit		oplar. 60'			
6	to	8	ft.		2.80	2.40	2.20
		12	ft.		4.40	3.60	3.40
13/4	to	2			5.20	4.40	
2	to	$2\frac{1}{2}$	in.		8.00		
alba bol	llea	ına.	Bol	leana Poplar. 50) '		
6	to	8			1.80	1.60	1.40
6	to	10	ft.		2.60	2.20	1.80
11/4	to				3.40	3.00	2.60
11/2					4.60	3.80	
13/4	to	2	in.		6.60	5.80	
2	to	$2\frac{1}{2}$	in.		7.80		
Populus							
				Poplar. 90'			
6	to	8			3.00	2.40	
8	to	10			3.60	3.20	
10	• •	12			4.40	4.00	
2	to	$2^{1/2}$	in.		8.00		
beroline	nsi	s. Be	rlin	Poplar. 40'			
6	to	8	ft.		2.20	2.00	1.80
8	to	10	ft.		2.60	2.40	2.20
11/4	to	$1\frac{1}{2}$			3.40	3.00	2.60
11/2	to	$1\frac{3}{4}$	in.		4.20	3.80	
13/4	to	2	in.		5.00	4.60	
2	to	$2\frac{1}{2}$	in.		7.80	6.60	
candicar	ıs.	Balı	n o_j	f Gilead. 90'			
6	to	8	ft.		2.40	2.20	2.00
8	to	10	ft.		2.80	2.60	2.40
11/4	to	$1\frac{1}{2}$	in.		3.60	3.20	2.80
11/2	to	$1\frac{3}{4}$	in.		4.40	4.00	3.20
				oplar. 60'			
					6.00		
2	to	$2\frac{1}{2}$	in.		10.00		
maximo	wi	czi.	Jap	anese Poplar. 40			
8		10			3.20	2.80	
10		12			4.00		
					6.00		
2	to	$2\frac{1}{2}$	in.		10.00		

P

	1-4	5-24	25 & up
opulus	Each	Each	Each
nigra betulifolia. Birchleaf Black	D 1	60'	
6 to 8 ft	2.60	$\frac{60}{2.20}$	2.00
8 to 10 ft	3.00	2.80	2.60
1 ³ / ₄ to 2 in	5.80	4.60	4.20
2 to 2½ in	7.80	7.00	6.60
2½ to 3 in	12.00	10.00	0.00
		10.00	
nigra italica. Lombardy Poplar. 6			
6 to 8 ft	1.00	.80	.60
8 to 10 ft	1.20	1.00	.90
10 to 12 ft	1.60	1.40	1.20
1½ to 1¾ in	2.20	1.80	1.60
1 ³ / ₄ to 2 in	3.40	2.80	2.40
2 to 2½ in	5.00	4.20	3.80
2½ to 3 in	9.40	7.80	6.60
3 to 3½ in	12.00	10.00	
simoni. Simon Poplar. 35'			
6 to 8 ft	2.60	2.20	
8 to 10 ft	3.00	2.60	
1½ to 1½ in	3.80	3.00	
1½ to 1¾ in	4.60		
13/4 to 2 in	5.00		
suaveolens. Mongolian Poplar. 40'			
8 to 10 ft	3.00	2.60	
1½ to 1½ in	3.80	3.40	
1½ to 1¾ in	5.00	4.60	
1¾ to 2 in	7.00	5.00	
2½ to 3 in	9.00	7.00	
tremuloides. Quaking Aspen. 50'	3.20		
	4.00		
	6.00		
1 ¹ / ₄ to 1 ¹ / ₂ in	10.00		
174 to 2 111	10.00		
trichocarpa. California Poplar. 40'			
6 to 8 ft	2.60	2.20	
8 to 10 ft	3.00	2.60	
10 to 12 ft	3.40	3.00	
1½ to 1¾ in	4.60	3.40	
134 to 2 in	5.80		
2 to 2½ in	7.00		
2½ to 3 in	11.00		

PAINESVILLE, OHIO

	1-4 Each	5-24 Each	25 & up Each
Potentilla fruticosa. Bush Cinquefoil.	4'		
18 to 24 in	.80	.70	.60
2 to 3 ft	1.00	.80	
Gold Drop. 21/2'			
12 to 15 in	1.20		
12 00 10 111, ,	2.20		
Prinsepia sinensis. Cherry Prinsepia.	6 '		
12 to 15 in., from pots		1.40	
3 to 4 ft	8.00		
0 to 110	0.00		
Prunus americana. American Plum. 20) '		
4 to 5 ft	1.00	.80	.70
5 to 6 ft	1.60	1.40	1.20
6 to 8 ft	2.40	2.00	1.60
8 to 10 ft	3.20	2.80	2.40
	0.20	2.00	2.40
americana Newport.			
Purpleleaf American Plum. 20'			
3 to 4 ft	1.40	1.20	1.00
4 to 5 ft	1.60	1.40	1.20
5 to 6 ft	2.40	2.00	
6 to 8 ft	3.20	2.80	
*avium plena.			
Double White Flowering Cherry	y. 30'		
6 to 8 ft	4.80		
8 to 10 ft	6.00		
Large specimens quoted on re	quest.		
besseyi. Bessey Cherry. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.05	.85	.75
4 to 5 ft	1.40	1.20	1.00
	4.08		
cerasifera pissardi. Purpleleaf Plu		1.00	
3 to 4 ft	1.40	1.20	
4 to 5 ft	1.60	1.40	
5 to 6 ft	2.40	2.00	
6 to 8 ft	3.20	2.80	
cistena. Purpleleaf Sand Cherry. 2			
3 to 4 ft	1.50	1.30	1.10
4 to 5 ft	1.80	1.40	
5 to 6 ft	2.20	1.80	

Pru	nus	1-4 Each	5-24 Each	25 & up Each
	davidiana. David Peach. 25'	Laci	Bach	Euch
	4 to 5 ft	2.80		
	5 to 6 ft	3.20		
	6 to 8 ft	4.00		
	davidiana alba. White David Pead	ch. 25'		
	3 to 4 ft	2.40		
	4 to 5 ft	2.80		
	5 to 6 ft	3.20		
	6 to 8 ft	4.00		
	8 to 10 ft	6.00		
	dunbari. Dunbar Plum. 6'			
	5 to 6 ft	2.80		
	glandulosa. Almond Cherry. 10'			
	2 to 3 ft	.60	.50	.45
	3 to 4 ft	.80	.70	.6 0
	4 to 5 ft	1.00	.80	.70
	glandulosa albiplena.			
	Doublewhite Almond Cherry. 6	,		
	2 to 3 ft	1.00	.80	
	3 to 4 ft	1.20	1.00	
	2 to 3 ft. own roots	1.60		
	glandulosa sinensis. Doublepink A	lmond	Cherry	. <i>6</i> '
	2 to 3 ft	.80	.70	.65
	3 to 4 ft	1.20	1.00	.90
	2 to 3 ft. own roots	1.60	1.40	
	3 to 4 ft. own roots	2.00	1.80	
	hortulana. Hortulan Plum. 30'			
	4 to 5 ft	2.00	1.60	
	5 to 6 ft	2.40	2.00	
	6 to 8 ft	3.20	2.80	
	8 to 10 ft	4.00		
	incisa. Fuji Cherry. 15'			
	4 to 5 ft	3.20	2.40	
	5 to 6 ft	4.00	3.20	
	japonica. Chinese Bush Cherry. 12'			
	2 to 3 ft	1.20	1.10	1.00
	3 to 4 ft	1.40	1.30	1 20
	laurocerasus schipkaensis.			
	Schipka Laurel Cherry. 10'			
	12 to 15 in., 4 in. pots	2.00		

	1-4 Each	5-24 Each	25 & up Each
Prunus			
maacki. Amur Chokecherry. 30'			
4 to 5 ft	2.00	1.60	
5 to 6 ft	2.80	2.40	
6 to 8 ft	3.60	3.20	
8 to 10 ft	4.40	4.00	
maritima. Beach Plum. 12'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.05	.85	.75
4 to 5 ft	1.30	1.05	.90
moseri fl. pl. 12'			
4 to 5 ft	2.40	2.00	
5 to 6 ft	2.80	2.40	
6 to 8 ft	4.00	3.20	
8 to 10 ft	6.00		
mume. Japanese Apricot. 15'			
5 to 6 ft	3.20		
6 to 8 ft	4.00		
8 to 10 ft	6.00		
mume fl. pl. Dbl. Flg. Japanese Ay	ricot.	15 '	
4 to 5 ft	4.00		
5 to 6 ft	6.00		
6 to 8 ft	8.00		
munsoniana. Wildgoose Plum. 25'			
8 to 10 ft	6.00		
padus. European Bird Cherry. 30'			
4 to 5 ft	2.00	1.60	1.40
5 to 6 ft	2.40	1.80	1.60
6 to 8 ft	3.20	2.80	2.40
8 to 10 ft	4.00	3.60	3.20
pennsylvanica. Pin Cherry. 25'	0.40	0.00	
5 to 6 ft	2.40	2.20	
6 to 8 ft	3.60	3.20 4.00	
8 to 10 ft	4.40	4.00	
political Double I total ing it said	1.60	1.20	
3 to 4 ft	2.00	1.60	
4 to 5 ft	2.80	1.00	
	4.00		
Alboplena — Double Wh			
Clara Moyer — Double P Rosea Plena — Double P			
Rubroplena — Double R	ea		

HORTON NURSERIES, 1	INC.		
	1-4 Each	5-24 Each	25 & up Each
Prunus	Eacn	Lach	Lacn
persica pendula. Weeping Flower	ina Pe	ach. 10	,
3 ft. standards			
pumila. Sand Cherry. 5'			
2 to 3 ft	.85	.75	.60
3 to 4 ft	1.05	.85	.75
sargenti. Sargent Cherry. 50'			
4 to 5 ft	3.20		
5 to 6 ft	4.00		
6 to 8 ft	4.80		
8 to 10 ft	6.00		
serotina. Wild Black Cherry. 60'			
5 to 6 ft	2.20	2.00	1.80
6 to 8 ft	3.40	3.00	2.60
8 to 10 ft	4.20	3.80	3.40
*serrulata. Oriental Cherry. 40'	0.50	0.10	
5 to 6 ft	3.50	3.10	
6 to 8 ft	4.30	3.90	
8 to 10 ft	5.50	5.10	
*lata Nasanadani 201			
*serrulata Amayadori. 30'	4.00		
5 to 6 ft			
6 to 8 ft	6.00 8.00		
8 to 10 ft	0.00		
*serrulata Higantakura. Dbl. Whit	Fla	Cherry	2/1
4 to 5 ft	3.20	Cherry.	. 00
5 to 6 ft	4.00		
6 to 8 ft	6.00		
8 to 10 ft	8.00		
0 10 10 10.	0.00		
*serrulata Hisakura. Dbl. Pink Flg	Char	ry. 30'	
4 to 5 ft	3.20	y. 30	
5 to 6 ft	4.00		
6 to 8 ft	6.00		
0 10 0 10	0.00		
*serrulata James H. Veitch, syn.	Fugen	zo. 30'	
5 to 6 ft	4.00		
6 to 8 ft	6.00		
8 to 10 ft	8.00		
0 10 10 10.	0.00		

	1-4 Each	5-24 Each	25 & up Each
Prunus	174011	Each	Each
*serrulata Jonioi. Jonioi Oriental (Cherry.	25'	
4 to 5 ft	3.20		
5 to 6 ft	4.00		
6 to 8 ft	6.00		
8 to 10 ft	8.00		
*serrulata lannesiana. Hitoye Che	rru. 30) *	
5 to 6 ft	4.00	3.20	2.80
6 to 8 ft	4.80	4.00	3.60
8 to 10 ft	7.60	5.60	5.20
10 to 12 ft.	9.00	0.00	0.20
10 10 12 10	0.00		
*serrulata sirotae. Shirotae Orient	tal Oho	rry. 28	<u>-</u> /
4 to 5 ft	3.20	rry. ze	,
5 to 6 ft	4.00		
6 to 8 ft.	6.00		
8 to 10 ft	8.00		
0 to 10 1t	0.00		
siberica. Siberian Apricot. 12'	4.00		
5 to 6 ft	4.00		
6 to 8 ft	6.00		
8 to 10 ft	8.00		
*sieboldi, syn. Naden. Siebold Cher	rry. 40'		
5 to 6 ft	4.00	3.80	
6 to 8 ft	6.00		
8 to 10 ft	8.00		
Large specimens quoted on re	equest.		
spinosa. Blackthorn. 12'			
3 to 4 ft	1.60	1.40	1.20
4 to 5 ft	2.00	1.80	1.60
5 to 6 ft	2.80	2.60	2.40
6 to 8 ft	4.00	3.60	3.20
8 to 10 ft	4.80	4.40	4.00
spinosa purpurea. Purpleleaf Black	kthorn.	12'	
4 to 5 ft	3.20		
5 to 6 ft	4.00		
6 to 8 ft	6.00		

	1-4 Each	5-24 Each	25 & ~p Each
Prunus			
*supbhirtella. Higan Cherry. 30'	0.00		
4 to 5 ft	3.20		
5 to 6 ft	4.00		
6 to 8 ft	6.00		
8 to 10 ft	8.00		
Large specimens quoted on re	equest		
*subhirtella ascendens. Shiro-higan	n. 20'		
6 to 8 ft	8.00		
*subhirtella autumnalis. Autumn 1	Tigan	Cherry	311
5 to 6 ft	6.00		
6 to 8 ft	8.00		
8 to 10 ft			
Large specimens quoted on re	quest	•	
*subhirtella pendula. Weeping Hig	jan C	herry.	15'
2 yr. hds., 4 to 6 ft. stem			
tenella. Russian Almond. 6'			
4 to 5 ft	4.00		
5 to 6 ft	4.80		
	1.00		
tomentosa. Manchu Cherry. 10'			
2 to 3 ft	1.60		
3 to 4 ft	2.40		
4 to 5 ft	3.20		
triloba. Flowering Plum. 10'			
3 to 4 ft	1.60	1.40	1.20
4 to 5 ft	2.40	2.00	
5 to 6 ft	3.20	2.80	
triloba plena. Double Flowering Pla	um. 1	o '	
3 to 4 ft	1.40	1.20	
4 to 5 ft	2.00	1.€0	
5 to 6 ft	2.80	2.60	
6 to 8 ft	4.00	3.80	
virginiana. Chokecherry 30'			
4 to 5 ft	1.80	1.10	1 20
5 to 6 ft.	2.20	2 0)	1.00
6 to 8 ft	3.10	3.00	2.10
8 to 10 ft	4.20	3.80	3 40
*yedoensis. Yoshino Cherry. 35'	1.50	0.00	5.10
5 to 6 ft	4.00	3.60	
6 to 8 ft	6.00	5.60	
8 to 10 ft.	8.00	3.00	
0 10 10 11.	0.00		

1-4 5-24 25 & up Each Each Each

Prunus

*yedo	ens	is	Tai	za	n-i	fu	ku	n.		30	,			
4	to	5	ft.			. :								3.20
5	to	6	ft.											4.00
6	to	8	ft.											6.00
L	arg	e s	spec	im	er	ıs	qı	10	te	d	O	n	re	quest

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available as follows:

4	to	5	ft.										3.50
5	to	6	ft.								,		4.00
6	to	8	ft.										6.00

Amanogawa — semi-double pale pink
Gioiko — semi-double pale yellow
Hata-zakura — semi-double white
Horaisan — double pink
Hosokawanioi — semi-double flesh
Kuramayami — double pink
Kwanzan — syn. Sekiyama — double deep pink
Miyako — double pink
Shirofugen — double light pink
Shogetsu — double soft pink
Sumizome — double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsu	ga :	taxifolia.	(douglasi).	Dou	iglas F	ir. 70'	
2	ft.		B	&B	3.80	3.40	3.00
3	ft.		B	&B	6.20	5.80	5.40
4	ft.		B	&B	10.00	8.80	8.00
5	ft.		B	&B	14.00	13.20	12.40
6	ft.		B	&B	20.00	18.00	
7	ft.		B	&B	22.00		
Q	ff		Т	8-D	26.00		

For larger sizes to 12 ft., add \$6.00 per foot.

22022 277 270 2872 2870 7			
	1-4 Each		25 & up Each
Ptelea trifoliata. Hoptree. 20'	Eacn	Each	Laci
4 to 5 ft	1.20	1.00	.80
5 to 6 ft	1.60	1.40	1.20
6 to 8 ft	2.80	2.40	2.00
	3.40	3.20	2.00
8 to 10 ft	5.70	0.20	
Pterostyrax corymbosa. Little Epaulet	te-tree	. 20'	
5 to 6 ft	6.00	4.80	
6 to 8 ft	8.00	6.00	
8 to 10 ft			
0 10 10 10.	10.00		
Pueraria thunbergiana. Thunberg Kud	zu-bean	. 10'	
(See Page 194)			
Pyracantha coccinea. Scarlet Firethorn.			
15 to 18 in., 4 in. pots	2.00		
18 to 24 in B&B			
2 to 3 ft B&B	8.00	6.40	
coccinea lalandi. Laland Firethorn.	101		
		- 1.80	1.60
12 to 18 in., 4 in. pots			1.00
	4.80	4.40	
2 to 3 ft	8.00	6.40	
3 to 4 ft. specimens . B&B	14.40	12.00	
crenato-serrata. 10'			
	2.40		
12 to 10 m., 4 m. pots	2.10	`	
Pyrus betulaefolia. Birch Leaf Pear. 2	?O'		
6 to 8 ft	4.00		
8 to 10 ft	6.00		
calleryana. Callery Pear. 20'			
5 to 6 ft	3.20		
6 to 8 ft	4.00		
8 to 10 ft	4.80		
salicifolia. Willowleaf Pear. 30'			
4 to 5 ft	3.20		
5 to 6 ft	4.00		
J to 0 1t	1.00		
serrulata. 20'			
6 to 8 ft	4.00		
8 to 10 ft	6.00		
	3.00		

		1-4 Each	5-24 Each	25 & up Each
Quercus alba.	White Oak. 75'	Eacn	Each	Each
6 to	8 ft	4.40	4.00	3.60
11/4 to	1½ in	6.40	5.80	5.40
1½ to	13/4 in	10.10	8.30	7.50
13/4 to	2 in	13.80	11.10	10.30
2 to	2½ in	17.00	15.00	13.40
2½ to	3 in	23.00	21.00	
3 to	3½ in	31.00	27.00	
bicolor. Sw	amp White Oak. 60'			
6 to	8 ft	4.20	3.80	3.40
11/4 to	1½ in	6.20	5.60	5.20
1½ to	13/4 in	8.60	7.80	7.00
13/4 to	2 in	13.00	10.60	9.80
2 to	2½ in	16.00	14.00	13.40
2½ to	3 in	22.00	20.00	
3 to	3½ in	30.00	26.00	
3½ to	4 in	38.00	34.00	
borealis. (rubra). Northern Red (0ak. 75'		
6 to	8 ft	4.40	4.00	
11/4 to	1½ in	6.40	6.00	
1½ to	13/4 in	9.60	8.80	
13/4 to	2 in	14.00	11.60	
2 to	2½ in	18.00	16.00	
$2\frac{1}{2}$ to	3 in	24.00	22.00	
3 to	3½ in	32.00	28.00	
3½ to	4 in	40.00	36.00	
4 to	4½ in	52.00		
cerris. Eur	opean Turkey Oak. 75'			
$2\frac{1}{2}$ to	3 in	24.00		
3 to	3½ in		28.00	
3½ to	4 in	40.00	36.00	
	Scarlet Oak. 75'			
	10 ft	6.00		
1½ to	13/4 in	8.80	8.00	
13/4 to	2 in		11.00	
2 to	2½ in	17.00	15.00	
2½ to	3 in	22.00	20.00	
3 to	3½ in	30.00	26.00	
3½ to	4 in		32.00	
4 to	4½ in	50.00		
imbricaria.	Shingle Oak. 60'	ED 00		
4 to	4½ in	52.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

124			HOR	TOL	N I	NUI	RSE	RIE	S, I	NC.		
										1-4 Each	5-24 Each	25 & p Each
Quercus												
lyra			rcup							10.00		
	11/2		13/4							10.00		
	13/4		2							14.00		
	2	to	2½							18.00		
	$2^{1/2}$	to	3	in.						24.00		
mad		-	Bi				75'				4.00	
	6	to	8	ft.						4.40	4.00	
	11/4		$1\frac{1}{2}$							6.00	5.60	
	11/2		13/4							9.60	8.80	
	13/4		2	in.						14.00	12.00	
	2	to	$2\frac{1}{2}$							18.00	16.00	
	21/2		3	in.						24.00	22.00	
	3	to	$3\frac{1}{2}$	in.						32.00	28.00	
palı	ıstri	s. <i>I</i>	Pin C			75'						
	6	to	8	ft.						4.20	3.80	
	11/4	to	$1\frac{1}{2}$							5.80	5.20	
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in.						9.10	8.30	7.50
	$1\frac{3}{4}$	to	2	in.						11.50	10.30	9.50
	2	to	$2\frac{1}{2}$							18.00	16.00	14.40
	$2\frac{1}{2}$		3	in.						24.00	22.00	20.00
	3	to	$3\frac{1}{2}$							32.00	28.00	24.00
	$3\frac{1}{2}$	to	4	in.						40.00	38.00	
	4	to	5	in.						52.00		
	5	to	6	in.						60.00		
phe	llos.	W	illow	Oa	ak.	40)°					
	$2\frac{1}{2}$	to	3	in.						24.00		
	3	to	$3\frac{1}{2}$	in.						32.00		
	$3\frac{1}{2}$	to	4	in.						40.00		
	4	to	$4\frac{1}{2}$	in.						52.00		
pri	nus.	Ch	estnu	t O	ak	c. 6	50'					
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in.						10.00		
	2	to	$2^{1/2}$	in.						18.00		
	$2\frac{1}{2}$	to	3	in.						24.00		
	3	to	$3\frac{1}{2}$	in.						32.00		
rob	ur.	Eng	lish	Oak	k.	80 '						
	$1\frac{1}{2}$									10.00	8.80	
	$1\frac{3}{4}$	to	2	in.						14.00	12.00	
	2	to	21/2	in.						18.00	16.00	
	$2^{1/2}$	to	3	in.						24.00	22.00	
	3	to	31/2	in.						32.00		
	$3\frac{1}{2}$		4	in.						40.00		
	4	to	41/2	in.								

robur fastigiata. Pyramidal English Oak. 60' 6 to 8 ft. B&B 16.00 12.00 11½ to 13¼ in. B&B 20.00 13¼ to 2 in. B&B 32.00 2 to 2½ in. B&B 36.00 2½ to 3 in. B&B 40.00 3 to 3½ in. B&B 52.00 rubra (see borealis) texana. Texas Oak. 75' 1½ to 13¼ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1¼ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 13¼ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 13¼ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 23' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. 70 65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	1-4 Each	5-24 Each	25 & up Each
6 to 8 ft. B&B 16.00 12.00 11½ to 13¼ in. B&B 20.00 13¼ to 2 in. B&B 32.00 2 to 2½ in. B&B 36.00 2½ to 3 in. B&B 40.00 3 to 3½ in. B&B 52.00 rubra (see borealis) texana. Texas Oak. 75′ 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Backthorn. 5′ 3 to 4 ft. 2.40 caroliniana. Carolina Backthorn. 25′ 5 to 6 ft. 2.80 cathartica. Buckthorn. 12′ 3 to 4 ft. 70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
6 to 8 ft. B&B 16.00 12.00 11½ to 13¼ in. B&B 20.00 13¼ to 2 in. B&B 32.00 2 to 2½ in. B&B 36.00 2½ to 3 in. B&B 40.00 3 to 3½ in. B&B 52.00 rubra (see borealis) texana. Texas Oak. 75′ 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Backthorn. 5′ 3 to 4 ft. 2.40 caroliniana. Carolina Backthorn. 25′ 5 to 6 ft. 2.80 cathartica. Buckthorn. 12′ 3 to 4 ft. 70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	robur fastigiata. Pyramidal English Oak.	60 '	
134 to 2 in. B&B 32.00 2 to 2½ in. B&B 36.00 2½ to 3 in. B&B 40.00 3 to 3½ in. B&B 52.00 rubra (see borealis) texana. Texas Oak. 75' 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 10.00 8.80 1¾ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Backthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. 70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
134 to 2 in. B&B 32.00 2 to 2½ in. B&B 36.00 2½ to 3 in. B&B 40.00 3 to 3½ in. B&B 52.00 rubra (see borealis) texana. Texas Oak. 75' 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 10.00 8.80 1¾ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Backthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. 70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	1½ to 1¾ in B&B 20.00		
2 to 2½ in. B&B 36.00 2½ to 3 in. B&B 40.00 3 to 3½ in. B&B 52.00 rubra (see borealis) fexana. Texas Oak. 75' 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. 70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	1¾ to 2 in B&B 32.00		
rubra (see borealis) texana. Texas Oak. 75' 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1½ to 1¾ in. 10.00 8.80 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¼ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Backthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Backthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. 70 .65 4 to 5 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30 <			
rubra (see borealis) fexana. Texas Oak. 75' 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1¼ to 1¾ in. 10.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1¼ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Backthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Backthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	2½ to 3 in		
texana. Texas Oak. 75' 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Backthorn. 5' 3 to 4 ft. 2.40 carlainaa. Carolina Backthorn. 23' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. 70 .65	3 to 3½ in		
1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 23' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	rubra (see borealis)		
1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 23' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
134 to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75′ 1¼ to 1½ in. 8.00 7.20 1½ to 13¼ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70′ 1¼ to 1½ in. 8.00 7.20 1½ to 13¼ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Fetinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5′ 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25′ 5 to 6 ft. 2.80 cathartica. Buckthorn. 12′ 3 to 4 ft. 70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0.00	
2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 13¼ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 13¼ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. 70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
2½ to 3 in. 24.00 3 to 3½ in. 32.00 variabilis. Oriental Oak. 75′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5′ 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25′ 5 to 6 ft. 2.80 cathartica. Buckthorn. 12′ 3 to 4 ft. 70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	2100		
3 to 3½ in. 32.00 variabilis. Oriental Oak. 75' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30		16.00	
variabilis. Oriental Oak. 75' 1½ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Backthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Backthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
1½ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1½ to 1¾ in. 10.00 13¼ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
1½ to 1¾ in. 10.00 8.80 1¾ to 2 in. 14.00 12.00 2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	variabilis. Oriental Oak. 75'		
13/4 to 2 in. 14.00 12.00 2 to 21/2 in. 18.00 16.00 21/2 to 3 in. 24.00 22.00 3 to 31/2 in. 32.00 28.00 velutina. Black Oak. 70' 11/4 to 11/2 in. 8.00 7.20 11/2 to 13/4 in. 10.00 13/4 to 2 in. 14.00 3 to 31/2 in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft	1½ to 1½ in 8.00	7.20	
2 to 2½ in. 18.00 16.00 2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5′ 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25′ 5 to 6 ft. 2.80 cathartica. Buckthorn. 12′ 3 to 4 ft	1½ to 1¾ in 10.00	8.80	
2½ to 3 in. 24.00 22.00 3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70′ 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5′ 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25′ 5 to 6 ft. 2.80 cathartica. Buckthorn. 12′ 3 to 4 ft	13/4 to 2 in 14.00	12.00	
3 to 3½ in. 32.00 28.00 velutina. Black Oak. 70' 1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	2 to 2½ in 18.00	16.00	
velutina. Black Oak. 70' 1½ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	2½ to 3 in 24.00	22.00	
1¼ to 1½ in. 8.00 7.20 1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	3 to 3½ in	28.00	
1½ to 1¾ in. 10.00 1¾ to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
134 to 2 in. 14.00 3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30		7.20	
3 to 3½ in. 32.00 28.00 Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5′ 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25′ 5 to 6 ft. 2.80 cathartica. Buckthorn. 12′ 3 to 4 ft			
Retinospora (see Chamaecyparis) Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
Rhamnus alnifolia. Alder Buckthorn. 5' 3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	3 to 3½ in 32.00	28.00	
3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft	Retinospora (see Chamaecyparis)		
3 to 4 ft. 2.40 caroliniana. Carolina Buckthorn. 25' 5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft	Rhamnus alnifolia. Alder Buckthorn 5'		
5 to 6 ft. 2.80 cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30			
cathartica. Buckthorn. 12' 3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	caroliniana. Carolina Buckthorn. 25'		
3 to 4 ft. .70 .65 4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	5 to 6 ft 2.80		
4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	cathartica. Buckthorn. 12'		
4 to 5 ft. 1.10 .90 5 to 6 ft. 1.30 1.20 6 to 8 ft. 1.50 1.30	3 to 4 ft	.65	
5 to 6 ft 1.30 1.20 6 to 8 ft 1.50 1.30		.90	
6 to 8 ft 1.50 1.30		1.20	
		1.30	
chadwicki. 12'			
3 to 4 ft 2.00			

	1-4 Each	5-24 Each	25 & up Each
Rhamnus			
crenata. Oriental Buckthorn. 10'			
3 to 4 ft	2.80		,
davurica. Dahurian Buckthorn. 12'			
2 to 3 ft	.60	.45	.40
3 to 4 ft	.90	.60	.55
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.20	1.00
6 to 8 ft	1.60	1.50	1.20
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.60	1.30	1.10
6 to 8 ft	1.80	1.60	1.40
frangula asplenifolia. Feathery RI	iamnus.	12'	
3 to 4 ft	2.40		
koraiensis. Korean Buckthorn. 12'			
3 to 4 ft	.90	.70	.60
4 to 5 ft	1.25	1.00	.80
5 to 6 ft	1.50	1.15	1.00
purshiana. Cascara Buckthorn. 12'			
3 to 4 ft	.90	.60	.55
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.20	1.00
6 to 8 ft	1.70	1.50	1.30
spathulaefolia. $6'$			
4 to 5 ft	2.40		
5 to 6 ft	2.80		
wilsoni. $10'$			
3 to 4 ft	1.40	1.20	1.00
4 to 5 ft	1.60	1.40	1.20
5 to 6 ft	2.00	1.80	1.60
Rhododendron carolinianum. Carolina	Rhodod	endro	n. 6'
2 to 3 ft	6.80	6.40	6.00
catawbiense. Catawba Rhododendron	ı. 8'		
2 to 3 ft	5.60	5.30	4.80
3 to 4 ft	6.80	6.40	6.00
maximum. Rosebay Rhododendron.	<i>15</i> ′		
2 to 3 ft B&B	5.20	4.80	4.40
3 to 4 ft	6.40	6.00	5.60
4 to 5 ft	9.60		

	1-4 Each	5-24 Each	25 & up Each
Rhodora canadensis. Rhodora. 3'	Each	Hach	Pacif
18 to 24 inB&B	6.00	5.60	5.20
24 to 30 inB&B	8.00	7.80	
Rhodotypos scandens. (kerrioides). Je	etbead.	6 '	
2 to 3 ft	.90	.60	.55
3 to 4 ft	1.10	.90	.80
73			
Rhus aromatica. (canadensis). Fragre			
2 to 3 ft	.90	.60	.55
3 to 4 ft	1.10	.90	.80
4 to 5 ft	1.30	1.10	
5 to 6 ft	1.50	1.30	
chinensis. Chinese Sumac. 20'			
5 to 6 ft	3.20		
6 to 8 ft	4.00		
8 to 10 ft	4.80		
copallina. Flameleaf Sumac. 20'			
2 to 3 ft	1.00	.70	
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.40	1.20	
5 to 6 ft	1.60	1.40	
6 to 8 ft	1.80	1.60	
cotinus. (see Cotinus coggygria).	•		
glabra. Smooth Sumac. 12'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
trilobata. Lemonade Sumac. 3'			
18 to 24 in	.80	.75	
2 to 3 ft	1.00	.80	
3 to 4 ft	1.20	1.00	
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.70	.55	.50
3 to 4 ft		.70	.65
4 to 5 ft	1.20	1.00	.90
5 to 6 ft		1.30	1.10
			1.10
typhina laciniata. Cutleaf Staghor			
2 to 3 ft	.1.00	.80	
3 to 4 ft	1.20		
4 to 5 ft	1.60		

	1-4 Each	5-24 Each	25 & up Each
Ribes alpinum. Alpine Currant. 4'	Each	Each	Each
18 to 24 in	1.00	.80	.75
2 to 3 ft	1.20	1.00	
3 to 4 ft	1.40	1.20	
aureum. Golden Currant. 10'			
2 to 3 ft	.70	.55	
3 to 4 ft	1.00	.70	
4 to 5 ft	1.20	1.00	
5 to 6 ft	1.60	1.30	
fasciculatum. Winterberry Currant	. 4'		
2 to 3 ft	1.20	1.00	
3 to 4 ft	1.60	1.20	
gordonianum. Gordon Currant. 8'			
3 to 4 ft	1.60	1.20	1.00
4 to 5 ft	1.80	1.40	1.20
sanguineum. Winter Currant. 8'			
2 to 3 ft	1.20	1.00	
3 to 4 ft	1.40	1.20	
4 to 5 ft	1.60	1.40	
Robinia Elliotti. Elliott Locust. 10'			
3 to 4 ft	2.40		
4 to 5 ft	3.20		
fetilis. 25'			
6 to 8 ft	4.00		
8 to 10 ft	4.80		
hispida. Roseacacia Locust.			
2 yr. standard, 3 to 4 ft.	3.00		
2 yr. standard, 4 to 5 ft.	3.50		
Bush form, 2 to 3 ft.	1.20	1.00	
holdti. Holdt Locust, 25'			
5 to 6 ft	4.00		
6 to 8 ft	4.80		
	1.00		
kelseyi. Kelsey Locust. 12'	0.00	0.40	0.00
4 to 5 ft	2.60	2.40	2.20
5 to 6 ft	$\frac{3.40}{4.20}$	3.00	2.30 3.60
8 to 10 ft	5.00	3.00	3.00
	0.00		
Margaretta. Margaret Locust. 20'	4.06		
6 to 8 ft	4.00		
8 to 10 ft	6.00		

PAINESVILLE, OHIO			129
Robinia	1-4 Each	5-24 Each	25 & up Each
nana. Little Locust. 3'			
2 to 3 ft	2.00		
neomexicana. New Mexico Locust.	10'		
3 to 4 ft	2.40		
4 to 5 ft	2.80		
pseudoacacia. Black Locust. 60'			
5 to 6 ft	1.40	1.10	1.00
6 to 8 ft	1.60	1.40	1.20
8 to 10 ft	2.40	2.20	
10 to 12 ft	3.60	3.20	
1½ to 2 in	6.00	4.80	
pseudoacacia bessoniana. Besson L	ocust.	40 '	
6 to 8 ft	4.80		
pseudoacacia decaisneana. Decaisn	e Locu	st. 40'	
8 to 10 ft	6.00		
viscosa. Clammy Locust. 10'			
2 to 3 ft	.90	.60	.55
3 to 4 ft	1.10	.90	.80
4 to 5 ft	1.50	1.20	1.00
5 to 6 ft	1.70	1.50	1.30
Rosa acicularis. Prickly Rose. 5'			
18 to 24 in	.50	.45	.40
2 to 3 ft	.70	.55	.50
3 to 4 ft	.80	.70	.65
acicularis bourgeauiana. Bourgeau	Rose.	6'	
2 to 3 ft	1.20	1.00	
alba. Cottage Rose. 6'			
2 to 3 ft	2.40	2.00	
alpina. (see pendulina)			
blanda. Meadow Rose. 5'			
18 to 24 in	.55	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.95	.75	.70
canina. Dog Rose. 8'			
2 to 3 ft	.80	.65	
3 to 4 ft	1.00	.80	
carolina (humilis). Carolina Rose.	5'		
18 to 24 in	.60	.55	.50
2 to 3 ft	.80	.65	.60
2 10 0 11,	.00	.00	.00

Rosa	1-4 Each	5-24 Each	25 & up Each
coriifolia froebeli. Froebel Rose.	~?		
2 to 3 ft			
damascena. Damask Rose. 8'	2.10		
2 to 3 ft	2.40	2.00	
damascena trigintipetala.	2.40	2.00	
Thirty-petal Damask Rose. 3	,		
2 to 3 ft		2.00	
damascena versicolor. York and			- 01
2 to 3 ft		$\frac{\mathbf{er}}{2.00}$	e. 3'
davurica. Dahurian Rose, 6'	2.40	2.00	
2 to 3 ft	.80	.65	.60
	.00	.03	.00
ecae. Eca Rose. 6' 2 to 3 ft	1.20	1.00	
3 to 4 ft		1.20	
	1.40	1.20	
eglanteria. Sweetbriar Rose. 6' 2 to 3 ft	.80	.65	.60
3 to 4 ft		.80	.75
4 to 5 ft		1.10	.75
eglanteria hybrids.	1.20	1.10	.00
2 to 3 ft	1.20		
3 to 4 ft			
Flora McIvor Lac	dy Penz	ance	
Green Mantle Lo	rd Penz	ance	
	cy Asht		
foetida bicolor. Austrian Copper	•		
2 to 3 ft	2.00		
foetida persiana. Persian Yellow			
2 to 3 ft			
3 to 4 ft			
helenae. Helen Rose. 6'			
2 to 3 ft	.80	.70	
3 to 4 ft		.95	
helenae fl. pl. Dbl Helen Rose.	6'		
3 to 4 ft	1.20		
hugonis. Father Hugo Rose. 6'			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.10	.90	
humilis. (see carolina)			
luciae fujisanensis. Mt. Fuji Ross			
2 to 3 ft		.65	.60
3 to 4 ft	1.00	.80	.70

Rosa	1-4 Each	5-24 Each	25 & up Each
lucida. (see virginiana)			
marreti. Marret Rose. 6'			
0.4.4.64	1.00		
	1.60		
maximowicziana jacki. Jack Rose. 2 to 3 ft.	_	1.00	
	1.20	1.00	
moyesi. Moyes Rose. 10'	0.40		
2 to 3 ft	2.40		
multiflora. Japanese Rose. 8'	= 0	4.0	
2 to 3 ft	.50	.40	.30
3 to 4 ft. 4 to 5 ft.	.60	.45	.40
	.80	.60	
multiflora cathayensis. Cathay Jap			<i>6</i> ′
3 to 4 ft	.80	.70	
nitida. Shining Rose. 4'	= 0		
18 to 24 in	.50	.45	.40
3 to 4 ft	.70	.55	.50
omeiensis. Omei Rose. 12'	.90	.70	.65
2 to 3 ft	0.00		
		_	
omeiensis peteracantha. Wingthorn 2 to 3 ft.		Rose.	10'
	2.00		
palustris. Swamp Rose. 8'		50	4.5
18 to 24 in	.55	.50	.45
3 to 4 ft	.75 .95	.60 .75	.55
pendulina. (alpina). Drophip Rose.		.10	.70
2 to 3 ft	. <i>3'</i> .80	.70	
rouletti.	.00	.10	
40 / 47 /	1.40		
rubiginosa. (see eglanteria).	1.40		
rubrifolia. Redleaf Rose. 6' 2 to 3 ft	1.00	0.0	
3 to 4 ft.	1.00	.80	
	1.20	1.00	
rugosa. <i>Rugosa Rose</i> . 6' 18 to 24 in	.55	.50	.45
2 to 3 ft	.75	.60	.45 .55
	1.05	.85	.75
		.00	.10
	5'	0.0	0.0
2 to 3 ft	1.00	.90 1.10	.80
2 to 0 It	1.20	1.10	1.00

132	HORTON NURSERIES, I	NC.		
_		1-4 Each	5-24 Each	25 & up Each
Rosa				
rug	gosa hybrids. 5'	1.00	1.00	
	2 to 3 ft	1.20	1.00	
	3 to 4 ft	1.40	1.20	
Va	rieties:			
	Blanche de Coubert, C. F. Mey	er, C. l	F. Wor	th
	Agnes Carmen, New Century,	Nova	Zemb	la,
	Mad. Geo. Bruant, Mrs. Ant	hony	Water	er,
	Belle Poitevine, Sir Thomas	Lipton	, Hans	sa,
	Agnes, F. J. Grootendorst.			
T110	gosa hyb. — climbing			
145	Max Graf	2.00	1.80	
			2.00	
rug	gosa repens. Creeping Rugosa R	1.80	1.40	
	2 year	2.00	1.40	
	3 year	2.00		
set	igera. Prairie Rose. 6'			
	2 to 3 ft	.55	.50	.45
	3 to 4 ft	.75	.60	.55
	4 to 5 ft	1.05	.85	.75
spi	nosissima altaica. Altai Scotch	Rose. 4	<i>!</i> *	
•	18 to 24 in	.90	.80	.70
	2 to 3 ft	1.10	1.00	.90
	3 to 4 ft	1.30	1.10	
eni	nosissima hispida. Bristly Scote	h Rose	. 6'	
spi	2 to 3 ft	1.10	1.00	.90
	3 to 4 ft	1.30	1.10	1.05
		1.00	1110	2.00
spı	nosissima hybrids. 5'	1.40		
	18 to 24 in	1.40		
	2 to 3 ft	1.80		
	Sgl. Blush, Dbl. White, Dbl. F		uigens	,
	Sgl. Red, Sgl. Pink, Sgl. Whit	e.		
suf	fulta. 3'			
	2 to 3 ft	1.60	1.20	
vir	giniana (lucida). Virginia Rose.	6'		
	18 to 24 in	.55	.50	.45
	2 to 3 ft	.75	.60	.55
	3 to 4 ft	.95	.75	.70
wa	tsoniana. Watson Rose. 6'			
W C.	3 to 4 ft	1.20	1.10	1.00
		1,20	1.10	4100
Wic	churaiana. Wichurai Rose. 2'	0.0	60	.55
	2 year	.80	.60	
	3 year	1.00	.75	.60

Rosa wichuraiana hybrids. 2'		1-4 Each	5-24 2 Each	5 & up Each
2 year		1.40	1.20	1.00
Jersey Beauty, Swe				
ite, Manda's Trium				
		Oran	ge Per	-
fection, Evergreen				
willmottiae. Willmott R		1.00	1 00	
2 to 3 ft		1.20	1.00	
3 to 4 ft		1.60	1.20	
Climbing Roses. 2 year No	o. 1	1.35	1.10	.90
American Beauty	Mad. Grege	oire S	taechel	in
American Pillar	Mary Wall	ace		
Aviateur Bleriot	Paul's Scar	clet C	limber	
Dr. W. Van Fleet	Primrose			
Dorothy Perkins	Scorcher			
Excelsa	Silver Moo	n		
Gardenia	Star of Per	rsia		
Hiawatha	White Doro	othy F	Perkins	
woodsi. Wood's Rose. 5'	•			
2 to 3 ft		.80	.70	.60
3 to 4 ft		1.00	.90	.80
xanthina Allard. 10'				
2 to 3 ft		2.00	1.60	
3 to 4 ft		2.40	2.00	
Rubus nemarosus. Caucasia	an Dewberry	. 2'		
2 year		.60	.55	.50
3 year		.80	.70	.60
odoratus. Fragrant Thin	nbleberry. 6			
2 to 3 ft		.70	.60	.50
3 to 4 ft		.80	.70	.60
parvifolius. Western Th		6 '		
2 to 3 ft		1.60		
phoenicolasius. Wine Re				
3 to 4 ft		1.20		
Salix alba chermesina. Red	lstem White	Willo	w. 30'	
6 to 8 ft		2.00	1.80	1.60
		2.40	2.00	
1½ to 1¾ in		3.20	2.80	
a. vitellina. Yellowstem	White Will	ow. 3	0'	
6 to 8 ft		1.80	1.60	1.20
		2.40	2.00	1.60
11/4 to 11/2 in		2.80	2.40	2.00
1½ to 1¾ in		3.60	2.80	2.40
13/4 to 2 in		4.40	3.60	

134 HORTON NURSERIES, 1	NC.		
Salix	1-4 Each	5-24 Each	25 & up
a. vitellina pendula.	Lacu	Lacu	Each
Weepinggold White Willow, 40	o "		
6 to 8 ft	2.20		
8 to 10 ft	2.80		
1½ to 1¾ in	3.20		
amygdaloides. Peachleaf Willow.	<i>30</i> ′		
2 to 3 ft	1.00	.80	
3 to 4 ft	1.40	1.00	
4 to 5 ft	1.80	1.40	
5 to 6 ft	2.20	1.80	
6 to 8 ft	2.60	2.20	
babylonica crispa. Ringleaf Weep	in a 117	211	an'
4 to 5 ft	2.40	now.	30
5 to 6 ft	3.20		
6 to 8 ft	4.00		
8 to 10 ft	6.00		
babylonica solomoni. (see sepulc	ralis)		
blanda. Wisconsin Weeping Willow	v. 40'		
6 to 8 ft	2.00	1.80	
8 to 10 ft	2.80	2.40	
caprea. Goat Willow, 20'			
5 to 6 ft	1.40	1.30	1.20
6 to 8 ft	1.60	1.50	1.40
			2120
discolor. Pussy Willow. 20' 4 to 5 ft.	1.90	1 15	1 10
4 to 5 ft	1.20 1.40	1.15	1.10 1.20
6 to 8 ft	1.60	1.50	1.40
8 to 10 ft.	2.00	1.80	1.40
	2.00	1.00	
doniana. Dons Willow. 9'			
4 to 5 ft	1.20	1.00	
5 to 6 ft	1.40	1.20	
eleagnos. (incana). Rosemary Will	low. 20	,	
3 to 4 ft. shrub form	.90	.60	.55
4 to 5 ft. shrub form	1.10	.90	.80
5 to 6 ft. shrub form	1.50	1.20	
elegantissima. Thurlow Weeping W	illow.	50 '	
6 to 8 ft	2.00	1.80	1.60
8 to 10 ft	2.20	2.00	1.80
1½ to 1½ in	3.40	3.00	
1½ to 1¾ in	4.60	3.80	
13/4 to 2 in	5.80	4.60	

Sa

ilix	1-4	5-24	
fragilis. Brittle Willow. 50'	Each	Each	Each
4 to 5 ft	2.00		
5 to 6 ft	2.40		
6 to 8 ft	2.80		
fragilis repandens. $10'$			
5 to 6 ft	2.00	1.60	
glaucophylloides. Blueleaf Willow	<i>15</i> ′		
5 to 6 ft	2.80		
incana. (see eleagnos)			
irrorata. Bluestem Willow. 12'			
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	2.00	1.40	1.20
6 to 8 ft	2.40	2.00	
jessoensis. Yeddo Willow. 6'			
3 to 4 ft	1.60	1.20	
4 to 5 ft	1.80	1.40	
lucida. Shining Willow. 18'			
5 to 6 ft	2.00	1.60	
8 to 10 ft	2.80	2.40	
mandshurica. 30'			
4 to 5 ft	1.60	1.40	
5 to 6 ft	2.00	1.60	
6 to 8 ft	2.40	2.00	
8 to 10 ft matsudana. Hankow Willow. 35'	2.80	2.40	
6 to 8 ft	2.00	1.00	
8 to 10 ft	$\frac{2.00}{2.60}$	$\frac{1.80}{2.20}$	
1½ to 1¾ in	3.80	3.00	
1 ³ / ₄ to 2 in	4.60	3.80	
2 to 2½ in	5.80	5.00	
matsudana tortuosa.	0.00	5.00	
Contorted Hankow Willow. 20'			
6 to 8 ft	2.20	1.80	
8 to 10 ft	2.60	2.20	
1½ to 1½ in	3.00	2.60	
1½ to 1¾ in	3.80	3.40	
2 to 2½ in	5.80		
mutabilis. 5'			
2 to 3 ft	1.00	.80	.60
3 to 4 ft	1.20	1.00	.80
myricoides rigida. g'			
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.40	1.20	

			0 = 0
	1-4 Each	5-24 Each	25 & up Each
Salix			
nigricans cotinifolia. $12'$			
5 to 6 ft	1.60	1.40	
6 to 8 ft	2.00	1.60	
8 to 10 ft	2.40	2.00	
niobe. Niobe Weeping Willow. 30'			
6 to 8 ft	2.20	2.00	
8 to 10 ft	2.40	2.20	
1½ to 1¾ in	4.00	3.60	
13/4 to 2 in	4.80	4.00	
2 to 2½ in	6.00	5.80	
patula. 20'			
3 to 4 ft	1.60	1.20	
4 to 5 ft	2.00	1.60	
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.80	1.60	1.40
8 to 10 ft	2.20	2.00	1.80
1¼ to 1½ in	2.60	2.40	1.00
purpurea. Purpleosier Willow. 12		2.10	
5 to 6 ft		1.40	1.20
6 to 8 ft	2.00	1.80	1.60
purpurea gracilis. Slender Purples		1.60	10
5 to 6 ft	$\frac{1.80}{2.20}$	2.00	
6 to 8 ft			
purpurea nana. Dwarf Purpleosi			4.0
2 to 3 ft	.80	.60	.40
3 to 4 ft	1.00	.80	.60
4 to 5 ft	1.20	1.00	.80
regalis. Royal Willow. 30'	1.00	1.60	
5 to 6 ft		1.60 2.00	
6 to 8 ft	2.20		
8 to 10 ft	2.80	2.40	
sepulcralis. Solomon Weeping W. 6 to 8 ft.	2.00	$\frac{v}{1.80}$	1.60
6 to 8 ft	2.20	2.00	1.80
1½ to 1½ in		2.80	2.60
1½ to 1¾ in		3.80	3.60
134 to 2 in		4.60	3.00
2 to 2½ in		4.00	
2½ to 3 in			
sieboldiana. Sièbold Willow. 30'	3.00		
6 to 8 ft	2.00	1.80	
8 to 10 ft		2.20	
0 10 10 10	2.10	2.20	

	1-4 Each	5-24 Each	25 & up Each
Salix	23404	234012	234011
smithiana. Smith Willow. 20'			
5 to 6 ft	2.00	1.60	
6 to 8 ft	2.40	2.00	
tomini. 20'			
4 to 5 ft	2.00		
5 to 6 ft	2.40		
vitellina. (see alba vitellina)			
wentworthi. 50'			
6 to 8 ft	2.20	2.00	1.80
8 to 10 ft	2.40	2.20	2.00
1½ to 1¾ in	4.00	3.20	2.80
13/4 to 2 in	4.80	4.00	
2 to 2½ in	6.00	5.20	
Sambucus canadensis. American Elder.	10'		
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.60	1.30	
canadensis acutiloba. Cutleaf Elde	r. 10'		
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	
5 to 6 ft	1.60	1.30	
canadensis maxima. Great Elder.	10'		
3 to 4 ft	2.00		
4 to 5 ft	2.40		
5 to 6 ft	2.80		
Sambucus			
coerulea. Blueberry Elder. 15'			
4 to 5 ft	2.00		
5 to 6 ft	2.80		
nigra. European Elder. 15'			
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.40	1.20	
nigra aurea. Golden European Ele	der. 1	5'	
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	
nigra albo-variegata.			
Whiteblotch European Elder. 1			
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.60		

and a state of the			
	1-4 Each	5-24 Each	25 & up
Sambucus	Euch	Hacii	Hacii
pubens. Scarlet Elder. 8'			
3 to 4 ft	1.00		
4 to 5 ft	1.20		
racemosa. European Red Elder. 8	1		
3 to 4 ft	1.00		
4 to 5 ft	1.20		
5 to 6 ft	1.60		
Sarcococca hookeriana. Himalaya Sarc		al.	
2 yr from 4" note	ococca,	6'	0
3 yr. from 4" pots	. 1.20	1.0	0
Sassafras albidum. Common Sassafras.	<i>50</i> ′		
5 to 6 ft	4.00		
6 to 8 ft	4.80		
8 to 10 ft	6.00		
	8.00		
	0.00		
Schizophragma hydrangeoides.			
Japanese Hydrangea-vine. 20'			
from pots	2.20		
Securinega suffruticosa.			
3 to 4 ft	1.00	1.00	
4 to 5 ft	1.60	1.20	
	2.00	1.60	
Shepherdia argentea. Silver Buffalober	ry. 15'		
3 to 4 ft	2.00	1.60	
4 to 5 ft	2.40	2.00	
5 to 6 ft	2.80	2.40	
6 to 8 ft	4.00		
Smilax rotundifolia. Common Greenbrie			
18 to 24 in	.80	.70	60
2 to 3 ft	1.00	.80	.60 .75
		.00	.10
Solanum dulcamara. Bitter Nightshade.			
2 year	.60	.55	.50
Sophora japonica. Chinese Pagodatree.	25'		
2 to 3 ftB&B	5.00	4.60	
3 to 4 ftB&B	7.00	6.20	
4 to 5 ftB&B	8.00		
5 to 6 ftB&B	12.20		
6 to 8 ftB&B	15.00		
viciifolia. Vetchleaf Sophora. 8'			
2 to 3 ft	7.00	5.00	
	8.00	7.00	
	3.00	1.00	

Sorbaria aitchisoni. Kashmir False Spir	1-4 Each	5-24 Each	25 & up Each
		.55	.50
2 to 3 ft	.79 1.00	.70	.65
3 to 4 ft	1.20	1.00	.90
4 to 5 ft	1.60	1.40	1.20
arborea glabrata. Smooth Tree Fai			
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.60	1.40	
sorbifolia. Ural False Spiraea. 6'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.60	1.40	1.20
tomentosa. Lindley False Spiraea.	8'		
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.90
Sorbus americana. American Mountain	Ash.	25'	
5 to 6 ft	3.60		
6 to 8 ft	4.00		
aucuparia. European Mountain Asi	h. 50'		
6 to 8 ft	3.20	3.00	
8 to 10 ft	3.50	3.10	
1½ to 1½ in	4.70	4.30	
1½ to 1¾ in.	6.70	5.90	
13/4 to 2 in	9.50	7.50	
2 to 2½ in	11.00	9.00	
2½ to 3 in	15.00 21.00	13.40 17.00	
3 to 3½ in	27.00	23.00	
3½ to 4 in			
aucuparia columnaris. Columnar I		. 40'	
2 to 2½ in		101	
aucuparia fastigiata. Pyramidal M		40"	
6 to 8 ft	$\frac{4.80}{6.00}$		
1½ to 1½ in	8.00		
1½ to 1¾ in	10.00		
		0'	
aucuparia pendula. Weeping Mt.		0	
3 yr., 5 to 6 ft. stem	12.00		

110KTON NUKSEKTES, 1.	NO.		
	1-4 Each	5-2 4 Each	25 & up Each
Sorbus	234011	2311011	
commixta. Korean Mountain Ash.	25'		
6 to 8 ft	4.00	3.20	
8 to 10 ft	4.80	4.00	
13/4 to 2 in	10.00	8.00	
2 to 2½ in	12.00	10.00	
2½ to 3 in	16.00	14.40	
latifolia. 40'			
6 to 8 ft	4.00		
8 to 10 ft	6.00		
2 to 2½ in,	12.00		
quercifolia. (see thuringiaca)			
spuria. 15'			
8 to 10 ft	4.80		
	6.00		
	10.00		
	12.00		
thuringiaca. (quercifolia). Oakleaj	f Mt . Δ	4sh. 3.	5 '
6 to 8 ft	4.80		
8 to 10 ft	6.00		
1½ to 1¾ in	8.00		
13/4 to 2 in	10.00		
2 to 2½ in	12.00		
2½ to 3 in	16.00		
torminalis. Checkertree Mt. Ash. 5	0'		
6 to 8 ft	4.00	3.20	
8 to 10 ft	4.80	4.00	
13/4 to 2 in	10.00	8.00	
2 to 2½ in	12.00	10.00	
2½ to 3 in	16.00	14.40	
Spirea arguta. Garland Spirea. 6'			
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	1.00	.80
5 to 6 ft	1.50	1.20	1.00
billiardi. Billiard Spiraea. 6'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.90
bumalda. Bumalda Spiraea. 3'			
18 to 24 in	.60	.55	
24 to 30 in	.80	.60	

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
bumalda Anthony Waterer.			
Anthony Waterer Spiraea. 3'	=0	4 =	40
15 to 18 in	.50	.45	.40
18 to 24 in	.65	.55	.50
24 to 30 in	.80	.70	.65
bumalda walluffi. 3'			
18 to 24 in	.70	.60	.55
24 to 30 in	.80	.75	.70
cantonensis. Reeves Spiraea. 8'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft.	1.20	1.00	.90
4 to 5 it	1.20	1.00	.00
cantonensis lanceata. Double Recve	es Spire	aea. 8'	
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
chamaedryfolia. ulmifolia. Elmleaf	Snirae	ea. 6'	
2 to 3 ft	1.00		
develori Danalas Spinsos S			
douglasi. Douglas Spiraea. 8' 2 to 3 ft	.70	.55	.50
	1.00	.70	.65
3 to 4 ft	1.20	1.00	.90
4 to 5 ft	1.60	1.40	.50
5 to 6 ft	1.00	1.40	
froebeli. Froebel Spiraea. 4'			
18 to 24 in	.55	.50	.45
2 to 3 ft	.65	.55	.50
3 to 4 ft	.90	.75	.65
japonica. Japanese Spiraea. 6'			
18 to 24 in	.60	.55	
24 to 30 in	.70	.60	
japonica fortunei. Fortune Spiraea	. 4'		
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
japonica ovalifolia. Ovalleaf Japan			
15 to 18 in	.60	.50	.45
18 to 24 in	.70	.60	.55
24 to 30 in	.90	.70	.60
japonica ruberrima. Red Japanese	Spira	ea. 5'	
2 to 3 ft	.70	.60	
3 to 4 ft	.80	.65	

142 HORTON NORDERIES,	11.0.		
	1-4 Each	5-24 Each	25 & Op Each
Spiraea	Each	Баси	114CI
latifolia. (bethlehemensis).			
Broadleaf Meadowsweet Spirae	ea. 6'		
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.85
margaritae. Margarita Spiraea. 5	•		
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
nipponica rtundifolia. Big Nipp	on Spir	aca. 1) "
3 to 4 ft	1.00	.70	
4 to 5 ft	1.20	1.00	
5 to 6 ft	1.60	1.40	
prunifolia. Bridal Wreath Spiraea	. 8'		
2 to 3 ft		.60	.50
3 to 4 ft		.80	.70
4 to 5 ft		1.10	
pubescens. 6'			
3 to 4 ft	1.20		
	1.20		
salicifolia. Willowleaf Spiraea. 5'	70	==	5.0
2 to 3 ft	1.00	.55	.50
3 to 4 ft		1.00	.00
4 to 5 ft	1.20	1.00	
superba. Striped Spiraea. 4'			= 0
18 to 24 in		.55	.50
2 to 3 ft	.80	.65	.60
syringiflora. Lilac Spiraea. 3'			
18 to 24 in		1.00	.80
2 to 3 ft	1.40	1.20	
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in		.40	.35
2 to 3 ft		.55	.50
3 to 4 ft		.75	.70
4 to 5 ft	1.10	.90	
tomentosa. Hardhack. 4'			
2 to 3 ft		.55	.50
3 to 4 ft	1.00	.70	.65
trichocarpa. Korean Spiraea. 4'			
2 to 3 ft		.60	
3 to 4 ft		.80	
4 to 5 ft	1.20		

	1-4 Each	5-24 Each	25 & up Each
Spiraea		Each	Each
van houttei. Vanhoutte Spiraea. 1	0'		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.90	.70	.65
5 to 6 ft	1.10	.90	
veitchi. Veitch Spiraea. 12'			
3 to 4 ft	1.20		
wilsoni. Wilson Spiraea. 6'			
3 to 4 ft	1.20		
Staphylea bumalda. Bumalda Bladder	nut. 8'		
3 to 4 ft	1.00	.80	.70
4 to 5 ft	1.20	1.00	
colchica. Colchis Bladdernut. 12'			
3 to 4 ft	1.40	1.30	1.20
4 to 5 ft	1.60	1.50	1.40
5 to 6 ft	2.00	1.80	
pinnəta. European Bladdernut. 12'			
3 to 4 ft	1.00	.80	
4 to 5 ft	1.20	1.00	
5 to 6 ft	1.60	1.40	
trifolia. American Bladdernut. 12'			
2 to 3 ft	.80	.60	.50
3 to 4 ft	1.00	.75	.70
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.60	1.30	1.10
6 to 8 ft	1.80	1.60	1.40
Stephanandra incisa (flexuosa).			
Cutleaf Stephanandra. 6'	50	4.5	4.0
2 to 3 ft	.50	.45	.40
3 to 4 ft	.70	.60	.50
4 to 5 ft	.90	.75	.65
Stewartia ovata. (pentagyna). Mounta 3 to 4 ft		vartia.	15
4 to 5 ft			
ovata grandiflora. Showy Mounta		uantia	15'
3 to 4 ft		ariia.	19
serrata. 30'			
3 to 4 ft	10.00		
4 to 5 ftB&B			

	1-4 Each	5-24 Each	25 & up Each
Styrax japonica. Japanese Snowbell. 20	, 114011	13404	234011
3 to 4 ft B&B	5.60	4.80	
4 to 5 ft B&B	7.00	6.00	
	10.00	8.00	
	14.00	12.00	
0 00 0 100 1		12.00	
8 to 10 ftB&B	18.00		
obassia. Fragrant Snowbell. 20'			
3 to 4 ft B&B	10.00		
4 to 5 ft B&B	12.00		
6 to 8 ft			
Symphoricarpus albus. (racemosus). S			25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.45	.40
4 to 5 ft	.90	.70	.45
chenaulti. Chenault Coralberry. 5'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.45	.40
4 to 5 ft	.90	.70	.45
	.50	.10	.10
mollis. Spreading Snowberry. 6'			
2 to 3 ft.	.60	.50	.45
3 to 4 ft	.80	.55	.50
occidentalis. Western Snowberry. 5'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.45	.40
o. heyeri. Thinleaf Western Snowbe	20.00.20 F	,	
2 to 3 ft	.80	'	
orbiculatus (vulgaris). Indiancurran			
2 to 3 ft	.50	.35	.30
3 to 4 ft	.65	.45	.40
orbiculatus leucocarpus. White In	diancu	rrant.	5 '
2 to 3 ft	.80	.70	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.20	1.10	1.00
	1.20	1.10	1.00
racemosus. (see albus)	α		,
*Symplocos paniculata. Sapphireberry			
2 to 3 ft	1.60	1.20	
3 to 4 ft	2.00	1.60	
4 to 5 ft	2.80	2.40	
5 to 6 ft	3.60	3.20	
6 to 8 ft	4.80	4.00	



A view of one our fine blocks of Lilacs (syringa) we have practically every known variety of lilacs grown in the U.S. Note our varieties of late blooming lilacs still in bloom when this picture was taken June 10th.

Syringa amurensis	japonica. Japanese		Each	
3 to 4 ft.		1.10	.90	.80
4 to 5 ft.		1.50	1.20	1.10
5 to 6 ft.		2.20	1.80	1.60
6 to 8 ft.		3.00	2.40	2.20
8 to 10 ft.		3.80	3.60	3.00
chinensis. syn.	rothomagensis. $\it Chi$	nese I	Lilac. 1	10'
2 to 3 ft		.70	.55	.50
3 to 4 ft		.90	.75	.65
4 to 5 ft		1.10	1.00	.90
5 to 6 ft		1.50	1.20	1.10
6 to 8 ft.		1.70	1.50	1.30

	1-4	5-24	25 & up
Syringa	Each	Each	Each
chinensis alba. White Chinese Lilac	. 10'		
2 to 3 ft.	.70	.55	.50
3 to 4 ft	.90	.70	.65
4 to 5 ft	1.10	1.00	.90
5 to 6 ft	1.50	1.20	1.10
6 to 8 ft	1.70	1.50	1.30
chinensis metensis. 10'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	.90	.70	.65
4 to 5 ft	1.10	1.00	.90
5 to 6 ft	1.50	1.20	1.10
6 to 8 ft	1.70	1.50	1.30
chinensis saugeana. Purple Chinese	Lilac.	10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.80	.65	.60
4 to 5 ft	1.00	.85	.80
5 to 6 ft	1.50	1.20	1.10
6 to 8 ft	1.70	1.50	1.30
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.60		
4 to 5 ft	2.00		
5 to 6 ft	2.40		
henryi eximea. 8'			
4 to 5 ft	2.40		
5 to 6 ft	2.80		
henryi lutece. 8'			
3 to 4 ft	2.00	1.60	
4 to 5 ft	2.40	2.00	
5 to 6 ft	2.80	2.40	
6 to 8 ft	3.20	2.80	
japonica. (see amurensis japonica	a)		
josiflexa Guinevere. 20'			
3 to 4 ft	3.20		
4 to 5 ft	4.00		
5 to 6 ft	4.80		
josikaea. Hungarian Lilac. 10'			
2 to 3 ft	.70	.55	
3 to 4 ft	.90	.70	
4 to 5 ft	1.10	1.00	
5 to 6 ft	1.50	1.20	
6 to 8 ft	1.70	1.50)

Sy

	1-4 Each	5-24 Each	
ringa			
josikea pallida. 10'	0.00		
4 to 5 ft	3.20		
microphylla. Littleleaf Lilac. 10'			
2 to 3 ft	1.20	1.00	.80
3 to 4 ft.	1.60	1.20	1.00
4 to 5 ft	2.00	1.60	
5 to 6 ft	2.40	2.00	
6 to 8 ft	4.00	3.60	
oblata. Early Lilac. 12'			
5 to 6 ft	2.40		
oblata dilatata. Korean Early Lile	ac. 12'		
4 to 5 ft	2.00	1.60	
5 to 6 ft	2.40	2.00	
6 to 8 ft	2.80	2.40	
pekinensis. Peking Lilac. 15'			
3 to 4 ft	1.20	1.00	.80
4 to 5 ft	1.40	1.20	1.00
5 to 6 ft	2.00	1.80	1.60
6 to 8 ft	3.20	2.80	2.40
8 to 10 ft	4.00	3.60	3.20
6 to 8 ft. spec	12.00		
8 to 10 ft. spec B&B	16.00		
persica. Persian Lilac. 10'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	.90	.70	.65
4 to 5 ft	1.30	1.10	.90
persica alba. White Persian Lilac.	10 '		
2 to 3 ft	1.10	.90	.70
3 to 4 ft	1.30	1.25	1.10
prestoniae. Preston Lilac. 20'			
2 to 3 ft	3.20		
3 to 4 ft	4.00		
4 to 5 ft	4.80		
5 to 6 ft	6.00		
Handel — magenta			
Paulina — fuchsine pink			
Isabella — fuchsine pink			
Nerissa — pink			
Hecla — Fuchsia Purple			
pubescens. Hairy Lilac. 6'			
3 to 4 ft	2.40		

	1-4 Each	5-24 Each	25 & up Each
Syringa			
reflexa. Nodding Lilac. 12'			
5 to 6 ft	4.00		
velutina. Manchurian Lilac. 10'			
4 to 5 ft	2.00	1.60	
5 to 6 ft	2.40	2.00	
villosa. Late Lilac. 8'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	.90	.70	.65
4 to 5 ft	1.10	1.00	.90
5 to 6 ft	1.50	1.25	
vulgaris. Common Purple Lilac. 15	?		
2 to 3 ft	.70	.50	.45
3 to 4 ft	.90	.85	.75
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	1.50	1.30	
4 to 5 ft. clumpsB&B	7.00		
5 to 6 ft. clumpsB&B	9.00		
vulgaris alba. Common White Lilae	. 15'		
2 to 3 ft	.90	.70	
3 to 4 ft	1.30	1.00	
4 to 5 ft	1.70	1.30	
5 to 6 ft	2.40	2.00	
4 to 5 ft. clumpsB&B	7.00		
5 to 6 ft. clumpsB&B	9.00		
vulgaris. Named Varieties. 15'			
These hybrid lilacs are rov	vn on	their	own
roots in bush form. Can also	be f	urnish	ed in
tree form in first two sizes a	t 25%	addit	ional.
2 to 3 ft	1.30	.90	.80
3 to 4 ft	1.50	1.10	1.00
4 to 5 ft	2.00	1.70	1.50
5 to 6 ft	3.00	2.70	2.50
6 to 8 ft	3.80	3.60	3.00
Belle de Nancy — Double Rose			
2-3' 3-4' 4-5' 5-6' 6-8'			

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly — Dark Purplish Red
2-3' 3-4' 4-5' 5-6' 6-8'

Frau Dammann — Single White
2-3' 3-4' 4-5' 5-6' 6-8'

La Tour d'Auvergne — Double Purple
2-3' 3-4' 4-5' 5-6' 6-8'

1-4 5-24 25 & up Each Each Each

Syringa vulgaris. Named Varieties

Ludwig Spaeth — Single Red

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Abel Chatenay — Double White

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier — Double Creamy White

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine — Large Double White

2-3' 3-4' 4-5' 5-6'

Marie Le Graye — Single White

2-3' 3-4' 4-5' 5-6' 6-8'

Pres. Grevy — Double Blue

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra — Single White

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices. A list of varieties will be forwarded on request.

2 to 3 ft.		1.60 1.40
3 to 4 ft.		2.00 1.80
4 to 5 ft.		2.80 2.60
5 to 6 ft.		4.00 3.80
6 to 8 ft.		6.00 5.80
yunnanensis.	Yunnan Lilac. 10'	

4	to	5	ft.										٠	2.80
5	to	6	ft.											3.20
6	to	8	ft.								٠			4.00

Tamarix afr	icana.	African T	amarix.	15"		
3 to	4 ft			95	.65	.60
4 to	5 ft.			1.15	.95	.85
5 to	6 ft			. 1.50	1.30	1.20
gallica.	French	Tamarix.	10'			

3	to	4	ft.			 						1.00	.70	.65
4	to	5	ft.			 						1.20	1.00	.90

gallica indica. India Tamarix. 10'			
3 to 4 ft	1.00	.70	
4 to 5 ft.	1.20	1.00	

4 to 5 ft	1.20	1.00	
odessana. Odessa Tamarix. 6'			
3 to 4 ft	1.00	.70	.65
4 to 5 ft.	1.20	1.00	00

5 to 6 ft. 1.60 1.30 1.10



Mr. Herb Horton inspecting one of our fine specimen Taxus capitata.

Tamarix 1-		25 & up Each
pentandra. Fivestamen Tamarix. 12'		
3 to 4 ft 1.0	.70	.65
4 to 5 ft 1.2	20 1.00	.90
tetandra. Fourstamen Tamarix. 10'		
3 to 4 ft 1.0	.70	.65
4 to 5 ft 1.2	20 1.00	.90
Taxodium distichum. Common Baldcypres	s. 50'	
5 to 6 ftB&B 10.0	00	
6 to 8 ft	00	
8 to 10 ft B&B 16.0	0	
10 to 12 ftB&B 24.0	00	
Taxus baccata. English Yew. 50'		
18 in B&B 4.0	3.80	
2 ftB&B 4.8	30 4.60	
2½ ft. B&B 6.0	00 5.50	



Taxus	Each	Each	Each
baccata. erecta. Broom Yew. 10'			
2 ftB&B	4.40	3.60	
2½ ftB&B	5.60	4.80	
3 ftB&B	7.60	6.00	
baccata fastigiata. Irish Yew. 10'			
18 in,B&B	7.00	6.00	
baccata repandens. Spreading Eng.	lish Y	ew. 2'	
10 00 21 111 010 1111 1111	5.20	4.80	
24 to 30 in. spd	6.40	6.00	
30 to 36 in. spd	8.00		
baccata washingtoni. Washington	Yew. (6 '	
15 inB&B	5.00	4.00	3.00
18 inB&B	6.00	5.00	4.50
2 ftB&B	7.00	6.00	
canadensis. Canada Yew. 4'			
18 to 24 in. spd			
24 to 30 in. spd	5.50	5.00	
30 to 36 in. spd	7.50	7.00	
canadensis stricta. Dwarf Hedge			
15 to 18 in B&B		4.00	
18 to 24 in	5.50	5.00	
cuspidata. Japanese Yew. 10'			
15 to 18 in. spd B&B			3.25
18 to 24 in. spd B&B			4.00
2 to 2½ ft. spd B&B		5.40	5.00
2½ to 3 ft. spd B&B		8.00	
3 to 3½ ft. spd B&B		12.00	10.00
3½ to 4 ft. spd B&B			
Heavy clipped specimens, 4 t		. broad	l, 3 to
5 ft. high, quoted on request.			

Taxus 1.4 Each Each Each Each Each Each Each Each	110k10h huksekles,	1140.		
cuspidata aurescens. Goldtip Japanese Yew. 20' 18 in. B&B 6.00 5.00 2 ft. B&B 8.00 7.00 2½ ft. B&B 10.00 9.00 cuspidata densa. Cushion Japanese Yew. 3' 18 to 24 in. B&B 7.00 24 to 30 in. B&B 9.00 30 to 36 in. B&B 10.00 cuspidata nana. Dwarf Japanese Yew. 6' 15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 11.00 9.00 8.00 30 to 36 in. B&B 11.00 9.00 8.00 42 to 48 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' B&B 13.00 11.00 18 to 24 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 9.00 7.00 6.00 3 ft. B&B 9.00 7.00 6.00 3 ft. B&B 13.00 11.00 10.00 4 ft. B&B 13.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	l'axus est est est est est est est est est es			
2 ft. B&B 8.00 7.00 2½ ft. B&B 10.00 9.00 cuspidata densa. Cushion Japanese Yew. 3' 18 to 24 in. B&B 7.00 24 to 30 in. B&B 9.00 30 to 36 in. B&B 10.00 cuspidata nana. Dwarf Japanese Yew. 6' 15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 13.00 15.00 14.00 4½ ft. B&B 13.00 15.00 14.00 4½ ft. B&B 13.00 15.00 14.00	cuspidata aurescens. Goldtip Jap			
2½ ft. B&B 10.00 9.00 cuspidata densa. Cushion Japanese Yew. 3' 18 to 24 in. B&B 7.00 24 to 30 in. B&B 10.00 cuspidata nana. Dwarf Japanese Yew. 6' 15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00	18 in B&E	6.00	5.00	
cuspidata densa. Cushion Japanese Yew. 3' 18 to 24 in. B&B 7.00 24 to 30 in. B&B 9.00 30 to 36 in. B&B 10.00 cuspidata nana. Dwarf Japanese Yew. 6' 15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	2 ftB&E	8.00	7.00	
18 to 24 in. B&B 7.00 24 to 30 in. B&B 9.00 30 to 36 in. B&B 10.00 cuspidata nana. Dwarf Japanese Yew. 6' 15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 13.00 15.00 14.00 4½ ft. B&B 13.00 15.00 14.00 4½ ft. B&B 13.00 15.00 14.00 4½ ft. B&B 13.00 15.00 14.00	2½ ftB&E	3 10.00	9.00	
18 to 24 in. B&B 7.00 24 to 30 in. B&B 9.00 30 to 36 in. B&B 10.00 cuspidata nana. Dwarf Japanese Yew. 6' 15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 13.00 15.00 14.00 4½ ft. B&B 13.00 15.00 14.00 4½ ft. B&B 13.00 15.00 14.00	cuspidata densa. Cushion Japane	ese Yew	. 3'	
30 to 36 in. B&B 10.00 cuspidata nana. Dwarf Japanese Yew. 6' 15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 13.00 15.00 14.00 4 ft. B&B 13.00 15.00 14.00 4½ ft. B&B 18.00 15.00 14.00				
cuspidata nana. Dwarf Japanese Yew. 6' 15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	24 to 30 inB&E	9.00		
15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 21/2 ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 31/2 ft. B&B 13.00 11.00 10.00 4 ft. B&B 13.00 15.00 14.00 41/2 ft. B&B 18.00 15.00 14.00	30 to 36 inB&E	3 10.00		
15 to 18 in. B&B 5.60 5.20 4.40 18 to 24 in. B&B 7.00 5.60 5.20 24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 21/2 ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 31/2 ft. B&B 13.00 11.00 10.00 4 ft. B&B 13.00 15.00 14.00 41/2 ft. B&B 18.00 15.00 14.00	cuspidata nana. Dwarf Japanese	Yew.	6 '	
24 to 30 in. B&B 8.50 7.00 6.00 30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 18.00 15.00 14.00				4.40
30 to 36 in. B&B 11.00 9.00 8.00 36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 21/2 ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3 ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 41/2 ft. B&B 22.00 18.00 16.00	18 to 24 inB&E	7.00	5.60	5.20
36 to 42 in. B&B 16.00 14.00 12.00 42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	24 to 30 inB&E	8.50	7.00	6.00
42 to 48 in. B&B 20.00 18.00 cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	30 to 36 inB&E	3 11.00	9.00	8.00
cuspidata nana compacta. 6' 18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	36 to 42 in	3 16.00	14.00	12.00
18 to 24 in. B&B 7.00 5.40 4.60 24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	42 to 48 inB&E	20.00	18.00	
24 to 30 in. B&B 9.00 7.80 7.00 30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	cuspidata nana compacta. 6'			
30 to 36 in. B&B 13.00 11.00 cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00	18 to 24 in B&E	7.00	5.40	4.60
cuspidata capitata. Upright Japanese Yew. 25' 2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00				7.00
2 ft. B&B 5.50 5.00 4.60 2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00				
2½ ft. B&B 9.00 7.00 6.00 3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00				
3 ft. B&B 11.00 9.00 8.00 3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00				
3½ ft. B&B 13.00 11.00 10.00 4 ft. B&B 18.00 15.00 14.00 4½ ft. B&B 22.00 18.00 16.00				
4 ft				
4½ ft				
5 ftB&B 25.00 20.00 18.00				
	5 ft	25.00	20.00	18.00

A heavily sheared block of Taxus cuspidata nana. These plants are perfect specimens priced to sell.





One of our many blocks of specimen Taxus capitata. Every one of our "caps" is a beautiful specimen and are prices so that they could be used in practically all landscape plantings.

Taxus cuspidata capitata	1.4 Each	5-24 25 & up Each Each
5½ ft		
6 ft	30.00	26.00
6½ ft	35.00	30.00
7 ft B&B	42.00	35.00
For larger sizes up to 10 ft.,	add \$6	6.00 per foot.
cuspidata thayeri. Thayer's Yew.	8"	
18 to 24 in. spd B&B	6.00	5.60
24 to 30 in. spd B&B	8.00	7.20
cuspidata Vermuelen. 10'		
18 to 24 inB&B	6.00	
24 to 30 inB&B	8.00	
hunnewelliana. Hunnewell Yew.		
18 to 24 in	6.00	5.00
24 to 30 inB&B	8.00	7.00
30 to 36 inB&B	10.00	9.00
Jeffrey's Pyramidal. 10'		
18 inB&B	6.00	5.00
2 ftB&B	8.00	7.00
2½ ftB&B	10.00	9.00
media. Anglojap Yew. 12'		
18 to 24 inB&B	6.00	5.00
24 to 30 inB&B	8.00	7.00

Taxus	1-4 Each	5-24 Each	25 & up
media andersoni. Anderson Yew.	Hack	Laci	23404
18 to 24 inB&B	6.00	5.00	
24 to 30 inB&B	8.00	7.00	
30 to 36 inB&B	10.00	9.00	
media browni. Brown's Yew. 10'			
18 to 24 inB&B	5.50	5.00	4.50
24 to 30 in	7.00	6.50	6.00
30 to 36 in	9.00	8.00	7.50
media hatfieldi. Hatfield Yew. 20	18		
18 to 24 inB&B	4.50	4.00	3.50
24 to 30 inB&B	6.00	5.50	5.00
30 to 36 inB&B	8.00	7.00	6.00
36 to 42 in B&B		9.00	
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	4.50	3.80	3.50
24 to 30 inB&B	5.50	4.80	4.50
30 to 36 inB&B	7.20	6.40	6.00
36 to 42 in	9.50	8.50	8.00
42 to 48 inB&B	14.00	12.00	

One of our many fine blocks of Taxus hicksi. These plants are well sheared and will make excellent specimens for landscape planting.





A block of Arborvitae (Thuja) showing our great diversity of varieties. These plants are all well sheared and priced for immediate sale.

5-24 25 & up

	Each		Zo & up Each
Taxus	134011	Buon	230021
media kelseyi. Kelsey Yew. 10'			
18 to 24 in	6.00	5.00	
24 to 30 in	8.00	7.00	
30 to 36 inB&B	10.00	9.00	
	- 4		
media wellesleyana. Wellesley Yes			
18 to 24 inB&B	6.00	5.00	
24 to 30 in	8.00	7.00	
30 to 36 inB&B	10.00	9.00	
Thuja occidentalis. Eastern Arborvitae	. 40'		
3 ft	3.60	3.20	2.80
4 ft	4.60	4.20	3.80
4 ft. heavy spec B&B	7.00		
5 ftB&B	6.20	5.40	5.00
5 ft. heavy spec B&B	8.00		
6 ftB&B	7.50	6.50	6.00
6 ft. heavy specB&B	10.00		
7 ft B&B	10.00	8.50	8.00
8 ft B&B	14.00		
For larger sizes to 18 ft., add	\$4.00	per foo	t

See Page 177 for Complete List of Herbaceous Stock

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis aurea douglasi. Douglas Golden Arborvitae. 15'	,		
		0.00	
3 ft	3.20	2.80	
4 ft	4.80	4.00 5.20	
5 ft	6.00 8.00	6.00	
6 ft	8.00	6.00	
occidentalis columbia. Silvertip A	rborvit	ae. 40'	
3 ft	4.80	4.00	
4 ft	6.00		
5 ft	8.00		
6 ft	10.00		
7 ft	12.00		
8 ft	16.00		
occidentalis compacta. Compact	Arborv	itae. 4	,
15 in	2.40	2.20	2.00
18 in	3.00	2.60	2.20
24 in	4.00	3.40	3.00
30 inB&B	4.40	3.80	3.40
36 inB&B	5.00	4.50	
occidentalis Parson's Compacta. 6	,		
36 in B&B	5.00	4.20	
42 in	5.80	5.00	
48 in	9.00	7.00	
54 in			
occidentalis cristata. Crested Arbo		<i>15</i> ′	
3 ft	3.50		
4 ft	5.00		
occidentalis elegantissima.			
Geo. Peabody Arborvitae. 15'			
2 ftB&B	3.40	3.00	2.80
3 ft	5.00	4.20	3.80
4 ftB&B	6.00	5.20	4.50
5 ftB&B	7.00	6.00	5.50
6 ft	10.00	8.00	7.00
	14.00	12.00	10.00
For larger sizes to 10 ft., add	\$4.00	per fo	oot.

1-4 5-24 25 & up Each Each Each

Thuia

ιμα			
occidentalis ellwangeriana.			
Ellwanger Arborvitae. 6'			
2 ft	2.60	2.40	
2½ ft	3.20	2.80	
3 ft	4.00	3.60	
3½ ftB&B	4.90	4.40	
4 ft	7.60	5.60	
4½ ftB&B	9.00	7.60	
occidentalis ericoides. Heath Arbo	rvitae.	5 '	
2 ft	3.20	2.80	
2½ ft	3.60	3.20	
3 ft	4.40	4.00	
5 20 7			
occidentalis globosa. Globe Arborv	itae. 3	,	
18 inB&B	2.80	2.40	2.20
24 inB&B	3.40	2.80	2.50
30 inB&B	3.60	3.00	2.80
36 inB&B	4.40	3.60	3.20
42 in. B&B	7.00	5.00	
42 in	1.00	0.00	
occidentalis hoveyi. Hovey Golde			8'
			8' 2.20
occidentalis hoveyi. Hovey Golde	n Arbo	rvitae.	
occidentalis hoveyi. Hovey Golde 18 in.	n Arbo	rvitae.	2.20
occidentalis hoveyi. Hovey Golde 18 in.	n Arbo 2.80 3.40	2.40 2.80	2.20 2.50
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B	n Arbo 2.80 3.40 3.60	2.40 2.80 3.00	2.20 2.50 2.80
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B	2.80 3.40 3.60 4.40	2.40 2.80 3.00 3.60	2.20 2.50 2.80 3.20
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 3½ ft. B&B	2.80 3.40 3.60 4.40 5.20	2.40 2.80 3.00 3.60 4.40	2.20 2.50 2.80 3.20
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B	2.80 3.40 3.60 4.40 5.20 7.00 9.00	2.40 2.80 3.00 3.60 4.40 6.00 8.00	2.20 2.50 2.80 3.20
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B	2.80 3.40 3.60 4.40 5.20 7.00 9.00	2.40 2.80 3.00 3.60 4.40 6.00 8.00	2.20 2.50 2.80 3.20
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B occidentalis lutea. (see occ. elegation occidentalis nigra.	2.80 3.40 3.60 4.40 5.20 7.00 9.00	2.40 2.80 3.00 3.60 4.40 6.00 8.00	2.20 2.50 2.80 3.20
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B 4½ ft. B&B Woccidentalis lutea. (see occ. elegatoccidentalis nigra. Wintergreen Pyramidal Arboro	2.80 3.40 3.60 4.40 5.20 7.00 9.00 ntissim	2.40 2.80 3.00 3.60 4.40 6.00 8.00	2.20 2.50 2.80 3.20 4.00
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B occidentalis lutea. (see occ. elegatorical descriptions) wintergreen Pyramidal Arboro 2 ft. B&B	2.80 3.40 3.60 4.40 5.20 7.00 9.00 ntissim	2.40 2.80 3.00 3.60 4.40 6.00 8.00	2.20 2.50 2.80 3.20 4.00
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B occidentalis lutea. (see occ. elegatorical descriptions) wintergreen Pyramidal Arborov 2 ft. B&B 3 ft. B&B 3 ft. B&B	2.80 3.40 3.60 4.40 5.20 7.00 9.00 ntissim itae. 2 3.40 4.20	2.40 2.80 3.00 3.60 4.40 6.00 8.00 3.60 3.60	2.20 2.50 2.80 3.20 4.00
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B occidentalis lutea. (see occ. elegatorical descriptions) wintergreen Pyramidal Arboro 2 ft. B&B 3 ft. B&B 4 ft. B&B 4 ft. B&B	n Arbo 2.80 3.40 3.60 4.40 5.20 7.00 9.00 ntissim itae. 2 3.40 4.20 5.00	2.40 2.80 3.00 3.60 4.40 6.00 8.00 3.60 4.60	2.20 2.50 2.80 3.20 4.00 2.75 3.20 4.20
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B occidentalis lutea. (see occ. elegatorical descriptions) wintergreen Pyramidal Arboro 2 ft. B&B 3 ft. B&B 4 ft. B&B 5 ft. B&B	2.80 3.40 3.60 4.40 5.20 7.00 9.00 ntissim itae. 2 3.40 4.20 5.00 6.40	2.40 2.80 3.00 3.60 4.40 6.00 8.00 3.60 4.60 3.60 4.60 5.60	2.20 2.50 2.80 3.20 4.00
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B occidentalis lutea. (see occ. elegatorical descriptions) vintergreen Pyramidal Arboro 2 ft. B&B 3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B	2.80 3.40 3.60 4.40 5.20 7.00 9.00 ntissim itae. 2 3.40 4.20 5.00 6.40 10.00	2.40 2.80 3.00 3.60 4.40 6.00 8.00 3.60 4.60 5.60 8.00	2.20 2.50 2.80 3.20 4.00 2.75 3.20 4.20
occidentalis hoveyi. Hovey Golde 18 in. B&B 2 ft. B&B 2½ ft. B&B 3 ft. B&B 3½ ft. B&B 4 ft. B&B 4½ ft. B&B occidentalis lutea. (see occ. elegatorical descriptions) wintergreen Pyramidal Arboro 2 ft. B&B 3 ft. B&B 4 ft. B&B 5 ft. B&B	2.80 3.40 3.60 4.40 5.20 7.00 9.00 ntissim itae. 2 3.40 4.20 5.00 6.40 10.00 14.00	2.40 2.80 3.00 3.60 4.40 6.00 8.00 3.60 4.60 3.60 4.60 5.60	2.20 2.50 2.80 3.20 4.00 2.75 3.20 4.20

For larger sizes to 10 ft., add \$4.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis pumila. Little Gem			
18 in. spreadB&B	2.80	2.40	2.00
24 in. spreadB&B	3.20	3.00	2.80
30 in. spreadB&B	3.80	3.40	3.00
36 in. spreadB&B	5.00	4.00	
occidentalis pygmaea. Pygmy Arb	$orvita\epsilon$	3. 2'	
15 inB&B	3.00	2.20	2.00
18 inB&B	3.80	3.00	
24 inB&B	4.60	3.80	
occidentalis pyramidalis. Pyramida	al Art	orvitae.	. 25'
	3.80	3.00	2.60
3 ft	4.40	3.60	3.20
4 ft	5.20	4.40	4.00
5 ft	7.00	5.80	5.00
6 ft	9.50	8.00	7.00
7 ft	12.00	10.00	9.00
8 ftB&B	16.00	14.00	12.00
For larger sizes to 18 ft., add	\$4.00	per foo	ot
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvitae.	20 '		
2 ftB&B	4.00	3.20	
3 ftB&B	4.80	4.00	
4 ftB&B	6.00	5.20	
5 ftB&B	8.00	7.20	
6 ftB&B			
For larger sizes to 9 ft., add \$	4.00 p	er foot.	
occidentalis reevesi. Reeves Arbor	vitae.	10 '	
2½ ftB&B	3.60	3.20	
3 ftB&B	4.00	3.60	
4 ftB&B	6.00	4.80	
occidentalis reidi. Reid Arborvitae	. 8'		
2 ftB&B	3.60	3.40	3.20
2½ ftB&B	4.20	3.80	3.40
3 ftB&B	5.20	4.20	3.80
3½ ftB&B	7.00	5.40	4.60
4 ftB&B	8.60	7.20	6.60
	11.00	9.60	9.00
5 ftB&B	14.00	10.00	
occidentalis riversi. Rivers Arbora	vitae.	12'	
3 ftB&B	4.80		
4 ftB&B	6.00		
5 ftB&B	8.00		

	PAINESVI	LLE, OHIO	1-4	~ 0.4	159
773			Each	5-24 Each	25 & up Each
Thuja	13 31				
occidentalis					
			4.40	3.60	3.20
			5.40	4.20	3.80
			7.00	5.60	4.80
5 ft 6 ft			8.00	7.00	
7 ft			10.00	8.00	
			15.00		
occidentalis	- 1	iral Arbor			0.40
2 ft 3 ft.		B&B	3.60	2.80	2.40
			4.40	3.60	3.20
4 ft 5 ft			5.20	4.60	4.20
			7.40	6.20	5.80
	• • • • • • • • • • • • • • • • • • • •			9.00	8.00
	on gines to		13.00	11.00	10.00
	er sizes to			_	
occidentalis					
15 to 1		B&B	2.60	2.20	2.00
18 to 2			2.80	2.60	2.20
24 to 3	*	B&B	3.60	3.40	3.20
	3 ft. spd.		4.40	4.00	3.60
	3½ ft. spd.		5.50	5.00	
occidentalis					
			4.40	4.00	3.00
			5.20	4.60	4.20
5 ft			7.00	6.00	
			9.00	8.00	
7 ft			11.00	10.00	
8 ft			14.00		
		Vare Arbon		<i>15</i> ′	4.00
18 in.			2.60	2.00	1.80
2 ft.			2.80	2.60	2.40
2½ ft.			4.40	3.80	3.20
3 ft.			5.40	4.80	4.60
3½ ft.			6.00	5.40	5.00
4 ft.			9.00	7.00	6.00
4½ ft.			11.00	9.00	8.00
_	ger sizes to		\$4.00	per 100	it.
occidentalis					
	old Arborvite		4.00	0.00	
			4.00	3.60	
2 ft.			6.00	4.80	
$2\frac{1}{2}$ ft.		B&B	8.00	6.00	

3 ft.B&B 10.00 8.00

160	HORTON NURSERIES, II	NC.		
		1-4 Each	5-24 Each	25 & up Each
Thu	ija occidentalis woodwardi. $Woodward$	d Arhi	rvitae.	6 '
		3.00	2.60	
	18 in	4.20	3.80	
	24 in	5.50	0.00	
	30 m	0.00		
	orientalis. Oriental Arborvitae. 25			0.00
	3 ftB&B	3.60	3.40	3.00
	4 ftB&B	5.60	5.00	4.60
	5 ftB&B	7.40	6.40	6.00
	6 ftB&B	9.00	7.60	7.00
	1 10	11.00	9.00	
	8 ftB&B	14.00		
	orientalis conspicua. Goldspire Art	borvita	e. 20'	
	2 ftB&B	4.00	3.60	
	3 ftB&B	4.80	4.40	
	4 ftB&B	6.00		
	5 ftB&B	8.00		
	orientalis elegantissima.			
	Yellow Column Arborvitae. 10'	3.60	3.00	
	2 ftB&B	4.40	4.00	
	3 ftB&B 4 ftB&B	5.60	5.00	
	5 ft	7.00	0.00	
	5 It	1.00		
	orientalis nana aurea.			
	Berkman's Golden Arborvitae.	3'		
	18 inB&B	3.20		
	2 ftB&B	3.60	3.20	
	2½ ftB&B	4.80	4.40	
	orientalis sieboldi. Siebold Arboro	itae.	3*	
	2 ftB&B	4.80	4.40	
	3 ftB&B	6.00	5.60	
	4 ftB&B	8.00	7.20	
	plicata. Giant Arborvitae. 20'	4.00	2.60	
	2 ftB&B	4.00 5.20	$\frac{3.60}{4.40}$	
	3 ftB&B			
	4 ftB&B 5 ftB&B	8.00	6.00 8.00	
	5 ftB&B	10.00	8.00	
	plicata atrovirens. Darkgreen Gia	int Art	borvitae	e. 15'
	2 ftB&B	3.80	3.40	
	3 ftB&B	4.80	4.40	

, , ,	1-4	5-24	25 & up
plicata fastigiata. Pyramidal Giant	Each	Elach	Each 20'
3 ftB&B	4.00	2.60	2.20
4 ft	5.00	3.60	3.20
5 ftB&B	7.00	5.80	5.00
6 ftB&B	9.00	7.00	6.00
7 ftB&B	10.00	8.00	
8 ftB&B	12.00		
For larger sizes to 12 ft., add	\$4.00	per fo	ot.
standishi. Japanese Arborvitae. 50'			
3 ft	6.00		
Tilia americana. American Linden. 75'			
6 to 8 ft	2.20	2.00	
8 to 10 ft	2.60	2.40	
1¼ to 1½ in	3.40	3.20	
1½ to 1¾ in	4.20	4.00	
	6.60	6.40 8.00	
2 to 2½ in	9.00 15.00	14.00	
3 to 3½ in.	22.00	20.00	
3½ to 4 in	30.00	20.00	
0/2 to 1 III	30.00		
americana fastigiata.			
<i>y</i>	75'		
8 to 10 ft			
1½ to 1½ in	12.00		
cordata. Littleleaf European Linden	ı. 70'		
6 to 8 ft	5.00	4.50	
8 to 10 ft	7.00	6.50	
1½ to 1½ in	9.00	8.00	
1½ to 1¾ in	11.00	10.00	
euchlora. Crimean Linden. 75'			
2 to 2½ in	20.00		
2½ to 3 in	24.00		
3 to 3½ in	32.00		
3½ to 4 in	40.00		
4 to 4½ in	52.00		
europaea. European Linden. 75'			
8 to 10 ft	6.00		
1½ to 1¾ in	10.00		
1¾ to 2 in	12.00		
2 to 2½ in	18.00		
	00 00		

							1-4 Each	5-24 Each	25 & up Each
Tilia europa	ea								
3	to	$3\frac{1}{2}$	in.				26.00		
$3\frac{1}{2}$	to	4	in.				36.00		
4	to	5	in.				46.00		
henryan	a.		Hen	ary L	inden.	. 60	,		
8	to 1	10	ft.				10.00		
11/4	to	$1\frac{1}{2}$	in.				12.00		
oliveri.	Oliv	ver 1	Lind	en. E	50'				
8	to 1						10.00		
platyph							20100		
13/4		2					10.00		
2	to						12.00		
$2\frac{1}{2}$							16.00		
3							24.00		
•	to						32.00		
4	to						40.00		
platyph									
					nden.				
3	to	$3\frac{1}{2}$	in.				28.00		
tomento									
							12.00		
							14.00		
· -	to						16.00		
vulgaris									
Tripterygiun							nut. 5'		
					E		3.20	2.40	
3 to	4 f1	t			E	8&B	4.00	3.60	
Tsuga canad	dens	is. (Cana	ida H	Iemloc	k. 7	5 '		
2	ft.				E	8&B	4.50	3.80	3.50
$2\frac{1}{2}$	ft.				E	8&B	5.40	4.40	3.80
3	ft.				E	3&B	6.60	5.60	4.80
4	ft.				E	8&B	10.00	8.60	8.00
4					E		12.00		
5					E			12.00	11.00
5	ft.	extr	a bi	road.	E	8&B	20.00		
6							20.00		
7	ft.				E	8&B	24.00	20.00	
8							30.00		
For	lar	ger s	sizes	s to 1	8 ft.	add	\$6.00 p	er foo	t.



A heavily sheared block of Canadian Hemlock (Tsuga canadensis). Every one of these trees is a beautiful specimen, and are reasonably priced to sell

Tsuga

1 3 d 9 d	Each	Eacn	Each
caroliniana. Carolina Hemlock. 50'	,		
2 ftB&B	7.00	5.20	4.80
3 ftB&B	8.40	6.60	5.80
4 ftB&B	9.00	7.00	
5 ft	15.00		
For larger sizes to 10 ft., add	\$6.00 1	per foot	t.
Ulex europeaus. Common Gorse. 4'			
18 to 24 in., 4 in. pots	1.80	1.40	
Ulmus alatus. Wahoo Elm. 50'			
1½ to 1½ in	4.80	4.40	
1½ to 1¾ in	6.45	5.60	
americana. American Elm. 80'			
6 to 8 ft	2.00	1.60	1.20
8 to 10 ft	2.40	2.00	1.80
1½ to 1½ in	3.60	3.00	2.80
1½ to 1¾ in	5.60	4.60	4.00
13/4 to 2 in	6.40	5.80	5.00
2 to 2½ in	9.40	8.00	7.00
2½ to 3 in	15.00	12.00	10.00
3 to 3½ in	22.00		
3½ to 4 in	30.00		

				1-4 Each	5-24 Each	25 & up Each
Ulmus				Each	Each	Lacn
americana	columna	aris.	Columnar	Ameri		
6 to	8 ft.			2.80	2.40	2.00
8 to	10 ft.			3.60	3.00	2.60
11/4 to	$1\frac{1}{2}$ in.			4.60	3.80	3.40
1½ to	1¾ in.			6.00	5.00	
13/4 to	2 in.			9.00	7.00	
2 to	$2\frac{1}{2}$ in.			11.00	10.00	
2½ to	3 in.			19.00	15.00	
3 to	3½ in.			22.00	18.00	
americana	moline.	Mol	ine Elm. &	80 '		
6 to	8 ft.			2.10	1.70	1.50
8 to				2.80	2.20	2.00
11/4 to	$1\frac{1}{2}$ in.			4.00	3.40	3.00
1½ to	13/4 in.			5.60	4.60	4.00
13⁄4 to	2 in.			9.00	7.20	6.40
2 to	$2\frac{1}{2}$ in.			11.60	10.40	10.00
2½ to	3 in.			16.00	13.00	12.00
3 to	$3\frac{1}{2}$ in.			22.00	18.00	
americana	urni. V	ase 1	Elm. 60'			
6 to	8 ft.			2.10	1.70	1.50
8 to	10 ft.			2.80	2.20	2.00
11⁄4 to	1½ in.			4.00	3.40	3.00
1½ to	13/4 in.			5.60	4.60	4.00
13/4 to	2 in.			9.00	7.20	6.40
2 to	$2\frac{1}{2}$ in.			11.60	10.40	10.00
2½ to	3 in.			18.00	15.00	13.00
3 to	$3\frac{1}{2}$ in.			22.00	18.00	
campestris	. (see p	rocer	a).			
carpinifoli				Elm.	75'	
				6.00		
1½ to				8.00		
13/4 to	2 in.			12.00		
2 to	$2\frac{1}{2}$ in.			16.00		
carpinifoli		nsis.	Wheatley	Elm.	75 '	
6 to				4.80		
11/4 to				8.00	7.20	
1½ to	13/4 in.			10.00	8.80	
13/4 to	2 in.			12.00	11.20	
2 to	$2\frac{1}{2}$ in.			20.00	18.00	
2½ to	3 in.			24.00	22.00	
4½ to	5 in.			52.00	48.00	

	1-4 Each	5-24 Each	25 & up Each
Ulmus	Hacu	134611	Lidon
fulva. Slippery Elm. 65'			
13/4 to 2 in	12.00	10.00	
2 to 2½ in	16.00	12.00	
2½ to 3 in	20.00	16.00	
glabra. Scotch Elm. 75'			
1½ to 1½ in	4.40	4.00	3.60
1½ to 1¾ in	6.60	5.80	4.40
13/4 to 2 in	10.00	9.20	8.00
2 to 2½ in	13.00	11.00	10.00
2½ to 3 in	19.00	15.00	13.00
3 to 3½ in	22.00	18.00	
glabra camperdowni. Camperdown	Elm.	20'	
6 ft. stem	8.00	7.20	
glabra nana. Globe Elm.			
6 to 8 ft. standards	16.00		
8 to 10 ft. standards	20.00		

A block of healthy Moline and American Elm (Ulmus). You will note that our elms are priced very reasonable.



166 HORTON NURSERIE	S, INC.		
	1-4 Each	5-24 Each	25 & up Each
Ulmus	Басп	Each	Диси
hollandica klemmeri. Klemme	r Elm: 75	۶	
13/4 to 2 in	12.00		
2 to 2½ in	16.00		
hollandica latifolia. Belgian E	Elm. 75'		
1½ to 1½ in	6.40	5.60	5.20
1½ to 1¾ in	8.00	7.20	6.80
13/4 to 2 in	12.00	10.80	10.00
2 to 2½ in	16.00	12.00	
2½ to 3 in	24.00	20.00	
3 to 3½ in	28.00		
hollandica vegeta. Huntington	Elm. 75'		
8 to 10 ft	4.80	4.40	
11/4 to 11/2 in	6.20	5.40	5.00
1½ to 1¾ in	7.60	6.80	6.40
13/4 to 2 in	11.60	10.40	9.20
2 to 2½ in	15.60	11.60	10.80
2½ to 3 in	22.00	19.00	17.00
3 to 3½ in	26.00	22.00	
3½ to 4 in	30.00		
japonica Japanese Elm. 70'			
1½ to 1¾ in	8.00		
13/4 to 2 in	10.00		
2 to 2½ in	14.00		
2½ to 3 in	20.00		
parvifolia. Chinese Elm. 30'			
6 to 8 ft	3.20	2.40	2.00
8 to 10 ft		3.20	2.80
10 to 12 ft	6. 80	5.60	4.80
12 to 14 ft	12.00	10.00	
procera. (campestris). English	h Elm. 75	,	
6 to 8 ft		2.40	2.20
8 to 10 ft		3.20	3.00
1½ to 1½ in		4.60	4.20
1½ to 1¾ in	7.00	6.20	5.80
13/4 to 2 in	11.00	9.80	8.60
2 to 2½ in	13.00	11.00	10.20
2½ to 3 in	19.00	15.00	13.40
3 to 3½ in	22.00	18.00	
3½ to 4 in			
4 to 4½ in	38.00		

PAINESVILLE, OHIO			101
	1-4 Each	5-24 Each	25 & up Each
Jlmus			
p. monumentalis. Monument Englis	h Elm	75'	
6 to 8 ft	4.80	4.40	
8 to 10 ft	6.00	5.60	
2 to 2½ in	20.00	18.00	
2½ to 3 in	24.00		
3 to 3½ in	28.00		
4½ to 5 in	52.00	48.00	
p. purpurea. Purpleleaf English E		,	
8 to 10 ft	6.00		
1½ to 1½ in	8.00		
1½ to 1¾ in	10.00		
pumila. Siberian Elm. 75'			
6 to 8 ft	1.90	1.30	1.25
8 to 10 ft	2.60	1.80	1.60
10 to 12 ft	3.00	2.40	2.00
1½ to 1¾ in	4.60	3.80	
13/4 to 2 in	6.20	5.40	
2 to 2½ in	9.80	7.80	
2½ to 3 in	15.00	12.00	
thomasi. (racemosa). Rock Elm.	75 '		
1½ to 1½ in	6.00	5.60	5.20
1½ to 1¾ in	7.20	6.40	6.00
13/4 to 2 in	10.00	8.00	7.20
2 to 2½ in	14.00	12.00	11.20
2½ to 3 in	20.00	16.00)
3 to 3½ in		20.00	1
3½ to 4 in	32.00	28.00)
Vaccinium angustifolium laevifolium	•		
Smoothleaf Blueberry. 18"			
2 to 3 ft	6.00	4.80)
corymbosum. Highbush Blueberry	ı. 8'		
3 to 4 ft	8.00		
4 to 5 ft	3 12.00	10.00	
5 to 6 ft	3 14.00	12.00)
vacillans. Dryland Blueberry. 3'	- 400		
18 to 24 in			
Viburnum acerifolium. Mapleleaf Vi			0
2 to 3 ft		1.0	
3 to 4 ft		1.4	
4 to 5 ft	2 22	1.8	U
5 to 6 ft	. 2.60		

100			
	1-4 Each	5-24 Each	25 & ur Each
Viburnum	1.344 0.31		
americanum. (see trilobum)			
betulifolium. Birchleaf Viburnum.	. 12'		
2 to 3 ft	2.40	2.00	
3 to 4 ft	2.80		
bitchuiense. Veddo Viburnum. 6'			
3 to 4 ft	3.20	2.80	
4 to 5 ftB&B		4.00	
burejaeticum. Manchurian Viburni			
2 to 3 ft		2.00	
3 to 4 ft		2.40	
burkwoodi. Burkwood Viburnum.			
2 to 3 ftB&B	,	4.00	3.50
3 to 4 ft		5.00	4.50
4 to 5 ft		6.80	
carlesi. Koreanspice Viburnum. 4'	,		
18 to 24 in		2.40	
2 to 2½ ft		3.40	
2½ to 3 ftB&B		5.00	
18 to 24 in., own roots B&B			
24 to 30 in., own roots B&B			
Standards			
2 ft. stem 4 yr. hds B&B	7.00	6.00	
3 ft. stem 4 yr. hds B&B	9.00	8.00	
cassinoides. Witherod Viburnum.	12'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.10	.90	.80
4 to 5 ft	1.50	1.10	
5 to 6 ft	2.00		
dentatum. Arrowwood Viburnum.	12'		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.65	· .60
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.30
dilatatum. Linden Viburnum. 10'			
2 to 3 ft	1.20		
3 to 4 ft	1.60		
4 to 5 ft	2.00		
/ d. xanthocarpum.			
Yellowberry Linden Viburnum.	10'		
4 to 5 ft	4.00		

PAINESVILLE, OHIO			169
	1-4	5-24	25 & up
'iburnum	Each	Each	Each
fragrans. Fragrant Viburnum. 10'			
2 to 3 ft	4.80	4.00	
3 to 4 ft B&B	6.00	4.50	
4 to 5 ft	8.00	6.00	
5 to 6 ft	10.00	8.00	
hupehense. Hupeh Viburnum. 6'			
2 to 3 ft	2.00	1.60	
3 to 4 ft	2.40	2.00	
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.20	1.00	.90
5 to 6 ft.	1.60	1.20	.00
lantana rugosum. Wrinkleleaf Way			15'
3 to 4 ft	1.00	.70	
4 to 5 ft	1.20	1.00	
5 to 6 ft.	1.60	1.30	
6 to 8 ft.	1.30	1.60	
lentago. Nannyberry. 20'		-,,,	
2 to 3 ft	.70	.55	.50
3 to 4 ft	.95	.65	.60
4 to 5 ft.	1.10	.90	.80
5 to 6 ft.	1.50	1.30	1.10
6 to 8 ft	1.90	1.70	1.50
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.70	.55	.50
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.30	1.10
6 to 8 ft	1.90	1.70	1.50
nudum. Possumhaw Viburnum. 15'			
2 to 3 ft	.80	.70	.65
3 to 4 ft	1.20	1.00	.80
4 to 5 ft	1.60	1.20	
5 to 6 ft	2.00	1.60	
	0		
opulus. European Cranberrybush. 1	.80	.65	.60
2 to 3 ft	1.00	.80	.70
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	1.50	1.30	1.00
6 to 8 ft	1.70	1.50	1.00
8 to 10 ft	2.30	1.90	
0 (0 10 10,	2.00	1.00	

771	1-4 Each	5-24 Each	25 & uj Each
Viburnum	1 01		
opulus nanum. Dwarf Cranberry B		00	0.0
8 to 10 in	1.00	.90	.80
10 to 12 in	1.20	1.10	1.00
opulus sterile. Common Snowball.	10'		
2 to 3 ft	.80	.70	.60
3 to 4 ft	1.00	.90	.80
4 to 5 ft	1.40	1.30	1.20
5 to 6 ft	1.80	1.60	1.40
opulus xanthocarpum.			
Yellowfruit Cranberrybush. 10'			
2 to 3 ft	2.00	1.80	
3 to 4 ft	2.40	2.20	
4 to 5 ft	2.80		
prunifolium. Blackhaw Viburnum.	15 '		
2 to 3 ft	1.50	1.30	1.10
3 to 4 ft	1.90	1.70	1.50
4 to 5 ft	2.60	2.20	2.00
5 to 6 ft	3.00	2.60	2.40
6 to 8 ft	3.40	3.00	2.10
8 to 10 ft	4.60	3.80	
pubescens. Downy Viburnum. 6'			
4 to 5 ft	1.60	1.20	
5 to 6 ft	2.00	1.60	
6 to 8 ft	2.80	2.40	
p. canbyi. Canby Downy Viburnum	a. 10'		
2 to 3 ft	.80	.60	.55
3 to 4 ft	1.00	.80	.70
4 to 5 ft	1.20	1.00	.90
5 to 6 ft	1.60	1.30	1.10
rhytidophyllum. Leatherleaf Vibura	num. 8'		
2 to 3 ftB&B		4.00	
3 to 4 ftB&B	6.00	5.60	
rufidulum. Rusty Blackhaw Viburn	um. 15'	•	
3 to 4 ft	2.40		
4 to 5 ft	3.20		
sargenti. Sargent Cranberrybush. 1			
3 to 4 ft	2.00	1.60	
4 to 5 ft	2.40	2.00	

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
sieboldi. Siebold Viburnum. 10'			
2 to 3 ft	.90	.70	.65
3 to 4 ft	1.30	1.00	.85
4 to 5 ft	1.50	1.30	1.20
5 to 6 ft	2.00	1.80	
6 to 8 ft	2.40	2.20	
8 to 10 ft	2.80	2.60	
setigerum. Tea Viburnum. 12'			
2 to 3 ft	2.00		
tomentosum. Doublefile Viburnum.	8'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.10	.90	.80
4 to 5 ft.	1.50	1.40	.00
t. sterile. (plicatum). Japanese Sn			
2 to 3 ft	1.40	1.20	
3 to 4 ft.	1.60	1.20	
trilobum. (americanum). American		errybi	ısh 12'
2 to 3 ft	.80	.65	.60
3 to 4 ft	1.10	.90	.80
4 to 5 ft.	1.40	1.20	1.00
5 to 6 ft	1.60	1.40	
trilobum compactum. 6'	1.00	1.10	1.20
18 to 24 in	1.80	1.60	
2 to 3 ft	2.20	2.00	
3 to 4 ft	2.80	2.40	
veitchi. Veitch Viburnum 6'	2.00	2.10	
3 to 4 ft	1.60	1.40	
	1.00	1.10	
wrighti. Wright Viburnum 8'	1 00	1 40	
2 to 3 ft	1.60	1.40	
3 to 4 ft	2.00	1.60	
4 to 5 ft	2.40	2.00	
5 to 6 ft	2.80	2.40	
Vinca minor. (see Herbaceous Materi	ial).		
Vitex agnuscastus. Lilac Chastetree 4'			
2 to 3 ft	.80	.65	
3 to 4 ft	1.10	.90	.75
a. alba. White Chastetree. 4'			
2 to 3 ft	.80	.65	.60
3 to 4 ft	1.10	.90	

	1-4 Each	5-24 Each	25 & up Each
Vitex	~ ~ ~ ~ ~ ~		,,
a. latifolia (macrophylla). Hardy I		iastetre 70	3e. 4
2 to 3 ft	.80	.70	
3 to 4 ft	1.10	.90	
negundo. Negundo Chastetree. 4'			
2 to 3 ft	.80	.60	
3 to 4 ft	1.00	.80	
negundo incisa.Cutleaf Chastetree	3. 4'		
3 to 4 ft	1.00	.80	
4 to 5 ft	1.20	1.00	
Vitis aestivais. Summer Grape. 40'			
2 year	.50	.45	.40
3 year	.70	.55	.50
amurensis. Amur Grape. 40' 3 year	.60		
	.00		
coignetiae. Gloryvine. 40'	1.00	.80	.75
3 year	1.00	1.00	.80
4 year	1.20	1.00	.00
labrusca. Fox Grape. 40'			
2 year	.50	.45	.40
3 year	.70	.55	.50
riparia. Riverbank Grape. 40'			
2 year	.60	.55	
3 year	.80	.70	
rotundifolia. Muscadine Grape. 40'			
3 year	.60	.55	.50
4 year	.80	.65	.60
vulpina. Frost Grape. 40'			
2 year	.60	.55	.50
3 year	.80	.70	.60
4 year	1.00	.80	.75
Weigela floribunda. Crimson Weigela.	10 '		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.90	.60	.55
4 to 5 ft	1.10	.90	.80
florida. (rosea). Oldfashioned Wei	aela 8	? '	
2 to 3 ft	.65	, .50	.45
3 to 4 ft	.90	.60	
4 to 5 ft	1.10	.90	.80
5 to 6 ft	1.50	1.20	1.00

TAINESVILLE, OHIO			110
	1-4 Each	5-24 Each	25 & up Each
Veigela Veigela			
hendersoni. Henderson Weigela. 1	5 '		
3 to 4 ft	1.00	.70	
4 to 5 ft	1.20	1.00	
hortensis rubra. 10'			
	C.F	F.0.	45
2 to 3 ft	.65	.50	.45
3 to 4 ft	.90	.60 .90	.55 .80
	1.10 1.50	1.20	1.00
5 to 6 ft	1.70	1.50	1.20
	1.70	1.50	1.20
japonica. Japanese Weigela. 8'			
2 to 3 ft	.65	.50	.45
3 to 4 ft	.95	.65	.60
4 to 5 ft	1.15	.95	.85
5 to 6 ft	1.50	1.20	
rosea. (see florida).			
vaniceki. Red Weigela. 6'			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.20	1.00	
0 00 1 100	2.20	2,00	
wagneri Abel Carriere.			
Abel Carriere Wagner Weigela		= 0	4 100
2 to 3 ft	.65	.50	
3 to 4 ft	.90	.60	
4 to 5 ft	1.10	.90 1.20	
5 to 6 ft	1.50	1.20	
w. Boule Rose. 8'			
2 to 3 ft	1.20	1.00	
3 to 4 ft	1.60	1.20)
w. Candida. Snow Weigela. 8'			
2 to 3 ft	.65	.50	.45
3 to 4 ft	.90	.60	
4 to 5 ft	1.10	.90	
5 to 6 ft	1.50	1.20	
	1.00		1.00
w. Desboisi. Desbois Weigela. 8'	0.5	F (
2 to 3 ft	.65	.50	
3 to 4 ft	.90	.60	
4 to 5 ft	1.10	.90	.80

174					Н	ORT	ON	TA C	ican	21011	10, 1	110.		
												1-4 Each	5-24 Each	25 & up Each
Wei	gela	a												
	w.	Ev	a :	Ra	thk	ce.	$E\tau$	a F	Rath	ke 1	Weig	ela. 5'		
		2	to	3	ft.							.90	.60	.55
				_								1.05	.85	.75
												1.50	1.20	1.10
	w.	Gr	0e1	ne'	weg	geni	. 6	¥r0e	new	egei	ni W	eigela.	. 8'	
		3	to	4	ft.							1.00	.70	.65
		4	to	5	ft.							1.20	1.00	.90
		5	to	6	ft.					:		1.60	1.30	1.10
	w.	Gu	sta	v	Ma	allot	•	Gu	stav	Me	allot	Weige	ela. 8'	
		2	to	3	ft.							.65	.50	.45
		3	to	4	ft.							.95	.65	.60
		4	to	5	ft.							1.10	.90	
								T.		7.7		, , , , , , , , , , , , , , , , , , , ,	7	-1
	w.	na	na	v	arı	egai	ta.	Du	varf	Va	riego	itea W	eigela.	
		2	to	3	ft.							.90	.60	.55
		3	to	4	ft.							1.10	.90	.80
		4	to	5	ft.							1.50	1.20	1.10
	387.	sie	bo	ld	i a	rger	ıte	oma	argi	nata	a.			
						ilver								
		2	to	3	ft.							.65	.50	.45
					ft.							.95	.65	.60
					ft.							1.20	1.00	
												1.60	1.20	
	w.	St	yri	ac	a.	8'								
		3	to	4	ft.							.90	.70	
		4	to	5	ft.							1.10	.90	
		5	to	6	ft.							1.50	1.20	
	w.	va	nh	ou	itte	i. Į	⁷ ar	ıhoı	itte	We	igela	. 8'		
		0	4-	0	£1							60	4.5	40
					ft.							.60	.45	
		_			ft.							.90	.60	
				_	ft.							1.10	.90	
		5	to	б	ft.							1.50	1.20	1.00

Wistaria floribunda hybrids.	1-4 Each	5-24 2 Each	5 & up Each
2 year	3.20		
Issai — purple			
Kyushaku — lavender			
Murasaki Noda — purp	le		
Naga Noda — lavender			
Penn Valley — deep pur	rple		
Rosea Alabama — pink			
Royal Purple — purple			
Rubra — red			
floribunda macrobotrys (multijug			
Longcluster Japanese Wistaria.	30 '		
2 year	.95	.85	.75
3 year	1.15 1.50	1.05 1.20	.95
1 year	1.00	1.20	
frutescens. American Wistaria. 30	,		
2 year	1.15	.95	.75
sinensis. Chinese Wistaria. 40'			
2 year	.80	.70	.60
3 year		.90	.80
3 yr. grafted flowering plants	2.80		
Standards, 4 ft. stem, 30 in. head B&B	10.00		
• • • • • • • • • • • • • • • • • • • •			
sinensis alba. White Chinese Wist	aria. 40) <i>'</i>	
2 year	.80	.70	
3 year grafted flowering	9.00		
plants	2.80		
Zanthorhiza simplicissima. Yellowrood	t. 3'		
12 to 15 in. clumps	1.10	.90	.70
15 to 18 in. clumps		1.10	.90
18 to 24 in. clumps	1.50	1.30	1.10

	1-4 Each	5-24 25 & uy Each Each
Zanthexylum americanum. P_t	rickly Ash. 15'	
3 to 4 ft	1.20	1.00
4 to 5 ft	1.60	1.20
5 to 6 ft	2.00	1.60
6 to 8 ft	2.40	2.00
schinifolium. Peppertree P	rickly Ash. 12'	
3 to 4 ft	2.00	1.60
4 to 5 ft	2.40	2.00
5 to 6 ft	2. 80	2.40
simulans. Flatspine Prick	ly Ash. 25'	
3 to 4 ft	2.00	
4 to 5 ft	2.80	
5 to 6 ft	3.60	
Zelkova serrata. Japanese Z	elkova. 50'	
4 to 5 ft	5.00	
5 to 6 ft	6.00	
6 to 8 ft	7.00	

HERBACEOUS AND ALPINE MATERIAL

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grawn.

1	Rach	25 & up Each
*Acaena buchanani. Bluish gray, Aug. 1". \$		\$.20
*sanguisorbae. Bright green foliage, 2"	.30	.25
*Achillea ageratifolia aizoon. White, May,		20
June, 8"	.25	.20
Angel's Breath. White, summer, 18"	.40	
filipendulina. Yellow, June, July, 3'	.25	.20
*millefolium Cerise Queen. Rose, July, 2'	.20	.15
*nana. White, June, July, 6"	.20	.15
*ptarmica Boule de Neige. White, June,		
July, 2'	.20	.15
*ptarmica Perry White. June, July, 2'	.20	.15
*tomentosa. Yellow, June, 1'	.20	.15
Aconitum fischeri. Blue, September, 3'	.30	.25
fischeri wilsoni. Violet blue, Sept. 5'	.35	
napellus. Blue, July, Aug. 4'	.40	
*Actinea herbacea. Yellow, May, 6"	.25	
*Actaea alba. White, May, June, 3-4'	.20	.15
rubra. Red, May, June, 3-4'	.20	.15
Adenophora potanini. Light blue, July,		
August, 3'	.20	
Adonis amurensis. Yellow, March, 18"	.60	
*Aegopodium podograria variegatum. Varie-		
gated foliage, 1'	.20	.15
*Aethionema cordifolium. Rosy lilac, June 6"	.30	.25
grandiflorum. Pink, June, 12"	.30	.25
persicum. Pink, June, July, 9"	.30	.25
*schistosum. Rose, June, 4"	.30	.25

Minimum order \$5.00. For less, add \$1.00 handling charge plus the packing.

	5-24	25 & ur
*Ajuga brockbanki. Purple, June, 6"	Each .20	Each .15
*genevensis. Bright blue, May, 6"	.25	.20
*genevensis rosea. Pink, May, 6"	.25	.20
*reptans. Blue, May, 6"	.20	.15
*reptans alba. White, Mty, 6"	.20	.15
Allium	95	
*pulchellum. Violet, June, July, 9"	.25	
schoenoprasum. Rose purple, June, July, 2'	.25	.20
stellatum. Rose, June, July, 18"	.25	.20
*thibetica. Lilac mauve, June, July, 8"	.25	.20
industry of the state, of the		
Althea rosea. Hollyhock.		
*Double. Separate colors, July, Aug. 5'	.20	.15
Fringed Allegheny. July, August,5'	.20	.15
*Alyssum argenteum. Yellow, July, Aug. 6"	.20	.15
*montanum. Yellow, June, July, 8"	.25	.20
saxatile compactum. Yellow, May, 1'	.20	.15
*saxatile sulphureum. Yellow, May, 1'	.25	.20
*spinosum. Pink and white, June, 3"	.40	.35
*Amsonia tabernaemontana. Blue, May,	20	15
June, 3'	.20	.15
Anchusa barrelieri. Blue, May, 2'	.35	
italica Dropmorei. Blue, June, 4-5'	.25	20
*myosotidiflora. Bright blue, May, 1'	.30	.25
Anemone	200	0.5
*japonica alba. White, fall, 3'	.30	.25
japonica Louise Uhink. White, fall, 3'	.30	
japonica Marie Manchard. White, fall, 3'	.30	
japonica Queen Charlotte. Rose, fall, 3'	.30	.25
japonica rubra. Red, fall, 2'	.30	.25
Japonica September Charm. Silvery		
pink, fall, 2'	.30	
japonica September Sprite. Pink, fall, 2'	.30	.25
*pennsylvanica. White, July, 18"	.30	
*pulsatilla. Blue, April, 15"	.30	.25
*pulsatilla alba. White, April, 1'	.40	
*pulsatilla rubra. Dark red, April, 12"	.35	.30

For less than five of a variety add 10c per plant to the 5-24 rate

	5-24	25 & up Each
*Antennaria dioica. White, May, 6"	.20	
*Anthemis moonlight. Pale yellow, summer, 2'	.30	.25
nobilis. White, summer, 1'	.20	
tinctoria. Yellow, July, August, 3'	.20	
tinctoria E. C. Buxton. White, yellow	.20	* 2,0
eye, July, August, 3'	.25	.20
eye, July, August, J	.20	.20
Anthericum liliago. White, May, June, 3'	.35	
Anthyllis vulneraria dilleni. Red, summer, 1'	.30	,
*Aquilegia alpina. Blue, May, June, 1'	.20	.15
*coerulea. Blue, May, June, 1½'	.25	.20
*canadensis. Scarlet, May, June, 2'	.20	.15
chrysantha. Yellow, June, July, 3'	.25	.20
chrysantha alba. White, June, July, 3'	.25	.20
Crimson Star. Crimson, May, June, 2'	.30	.25
*flabellata nana-alba. White, June, 10"	.20	.15
*hybrida. Mrs. Scott Elliott. Various,		
June, 2'	.20	.15
rosea. Long spurred pink, June, 2'	.25	.20
*vulgaris. Purple, May, June, 2'	.20	.15
*Arabis alpina. White, April, May, 6"	.25	.20
*alpina fl. pl. Dbl. white, April, May, 6"	.30	.25
*alpina Rosabella. Pink, Apri, May, 6"	.30	.25
*alpina rosea. Pink, April, May, 6"	.25	.20
	0.5	0.0
*Arenaria balearica. White, July, Aug. 3"	.25	.20
*grandiflora, White, May, 4"	.25	.20
*montana. White, June, 4"	.25	,20
*verna. White, June, July, 3"	.25	.20
Arisaema triphyllum. Purple, May, 1'	.25	.20
*Armeria alpina. Pink, summer, 6"	.25	
*Bee's Ruby. Red, summer, 10"	.30	
*cephalotes rubra. Deep pink, May,	.00	
June, 6"	.30	
*laucheana. Crimson, May, June, 8"	.25	.20
*maritima. Pink, May, June, 6"	.25	.20
*maritima alba. White, May, June, 6"	.25	.20
*robusta. Crimson, May, June, 10"	.25	.20
Artemesia absinthium. Wormwood, 4'	.20	.15
dracunculus. White, August, 2'	.30	.25
uracuituius. Willio, riugust, 2	.00	.20

	5-24 Each	25 & up Each
Artemesia frigida. Silver foliage, 18"	.30	.25
lactiflora. White, August, 4'	.20	.15
pontica. Gray foliage, 12"	.20	.15
purshiana. Gray foliage, 3'	.20	.15
Silver King. White foliage, 3'	.25	.20
*Asarum canadense. Chocolate, May, 6"	.20	.15
Asclepias incarnata. Red, August, 4'	.25	.20
tuberosa. Orange, July, August, 2'	.20	.15
*Asperula cynanchica. Pink, summer, 10"	.30	
hexaphylla. White, June, 1'	.25	.20
*longifolia. White, summer, 8"	.25	
*cdorata. White, May, 8"	.25	.20
Asphodeline lutea. Yellow, July, 3'	.30	
*Aster alpinus. Blue, June, July, 8"	.30	.25
*alpinus Goliath. Bluish purple, May,		
June, 8"	.25	
amellus Mrs. R. Wood. Rose, July, 18"	.20	.15
Abendrothe. Rose pink, Oct. 3'	.20	.15
Acme. Light lavender, Oct. 5'	.20	.15
Adorable. Pink, fall, 3'	.35	
Ballard's Crimson. Fall, 3'	.20	.15
Blue Gem. Blue, September, 3'	.20	.15
Blue Lagoon. Blue, fall, 4'	.35	.30
Climax. Blue, September, October, 3'	.20	.15
frikarti Wonder of Staefa. Lavender,		
fall, 2'	.40	.35
Harrington's Pink. Fall. 3'	.25	.20
laevis. Lavender, September, 4'	.20	.15
Mauve Cushion. Mauve, October, 12"	.20	.15
Mt. Everest. White, fall, 3'	.25	.20
novae-angliae. Purple, Sept., Oct., 4'	.20	.15
Novae-angliae roseus. Rose, Sept., 4'	.20	.15
Palmyra. Pink, fall, 3'	.30	.25
Red Cloud. Deep pink, fall, 3'	.30	.25
Royal Blue. Blue, fall, 4'	.25	
Skylands Queen. Light blue, fall, 3' tartaricus. Purple, Oct. and Nov., 6'	.20	15
Violetta. Violet, Sept., 3'	.20	.15
violetia. violet, Sept., S	.40	

	5-24 Each	Each Each
Aster	•	0.111
Wartberg Star. Lilac blue. spring, 1' White Climax. White, fall, 4'	.30	.25
White Climax. White, fall, 4'	.20	.15
dwarf varieties		
Countess of Dudley. Clear pink,		
Sept., 9"	.35	.20
Lavenda. Lavender blue, Sept. 6"	.25	.20
Lilac Time. Lilac, Sept., 1'	.25	.20
Niobe. White, Sept., 6".	.25	.30
Astilbe arendsi Ceres. Rosy lilac, July, 2'	40	.35
arendsi Fanal. Red, July, 18"	.40	.50
	.40	
arendsi Gladstone. White, July, 18"	.40	
arendsi Granat. Crimson, June, 2'	.40	
arendsi Grandis rosea magnifica. Pink,	4.0	
July, 4'	.40	25
arendsi Juno. Purplish pink, July, 3'	.40	.35
arendsi Kreimhilde. Rose, June, July, 2'	.40	.35
arendsi Marguerite Van Rechteren. Red, tinged lilac, August, 4'	.40	.35
arendsi Moerheimi. White, July, 3'	.40	.66.
arendsi Philadelphia. Lavender rose,	.40	
July, 2'	.40	
arendsi Rhineland. Crimson, shaded sal-	.40	
mon, June, 2'	.40	.35
arendsi Rose Pearl. Shell pink, July, 3'	.40	.35
arendsi Salland. Red, July, 5'	.40	.35
rosea Queen Alexandra. Deep pink,	.10	.00
July, 3'	.40	.35
rosea Queen of Holland. Rose pink,	.10	.00
July, 3'	.40	.35
rubella Vesta. Lilac rose, July, 3'	.40	.35
Astrantia major. Silvery pink, May, 2'	.20	.15
Aubretia deltoides. Purple, April, May, 4"	.20	.15
deltoidea eyrei. Rosy lilac, April, 5"	.25	.20
*deltoidea graeca. Violet, May, 4"	.25	.20
*deltoidea leichtlini. Pink, April, 5"	.25	.20
*hybrida. Various, April, May, 6"	.20	
	0.5	0.0
Baptisia australis. Indigo, June, 4'	.25	.20
tinctoria. Yellow, June, 3'	.25	.20

D. 1	5-24 Each	25 & up Each .13
Belamcanda chinensis. Orange, summer, 3'	.20	.1:
*Bellis perennis alba. White, April, May, 3"	.20	.15
*perennis rosea. Pink, April, May, 3"	.20	.15
*Bellium bellidioeides. Bluish, summer, 4"	.25	
Bocconia cordata. Creamy white, Aug. 6'	.25	.20
Boltonia asteroides. White, Sept. 5'	.20	.15
latisquama. Lavender, Aug., 5'	.20	.15
latisquama nana. Lavender, Aug., 2'	.25	.20
Boykinia rotundifolia. White, June, 2'	.20	.15
Buphthalmum speciosum. Yellow, June, 3'	.20	.15
salicifolium. Yellow, summer, 2'	.20	.15
*Calamintha alpina. Purple, summer, 6"	.30	.25
Calimeris incisa. Pink, summer, 2'	.20	.15
*Callirhoe involucrata. Red, all summer, 6"	.20	.15
*Caltha palustris. Yellow, April, May, 12"	.20	.15
Camassia quamash. Blue, May, 2'	.20	.15
*Campanula alliariaefolia. White, June, July,		
2'	.25	.20
*bononiensis. Blue, June, 2'	.20	.15
*carpatica. Blue, July, August, 9"	.30	.25
*carpatica alba. White, July, Aug. 9"	.30	.25
*cullinmore. Blue, summer, 9"	.30	.25
*garganica. Light blue, June, 6"	.30	.25
*glomerata. Purple, June, July, 2'	.30	.25
*glomerata acaulis. Purple, June, 6"	.30	.25
*grosseki. Blue, summer, 2'	.20	.15
lactiflora. Light blue, August, 4'	.30	.25
latifolia alba. White, July, 3'	.30	.25
latifolia macrantha. Purplish blue,		
July, 3'	.30	.25
medium. Separate colors, June, July, 3'	.25	.20
medium calycanthema. Separate colors,		
July, 3' persicifolia. Blue, June, July, 2'	.20	.15
persicifolia. Blue, June, July, 2'	.25	.20
*persicifolia alba. White, June, 2'	30	25

5-24 25 & up

	5-24 Each	Each Each
Campanula persicifolia dbl. blue. Blue, summer, 2'	.35	
persicifolia Telham Beauty. Blue, sum-	.00	
mer, 2'	.30	.25
*poscharskyana. Blue, summer, 5"	.30	.20
pyramidalis. Blue, July, 4-5'	.25	.20
pyramidalis alba. White, July, 4-5'	.25	.20
*rotundifolia. Blue, June, July, 12"	.30	.25
*sarmatica. Pale blue, summer, 12"	.30	.25
*turbinata. Blue, June, July, 6"	.25	.20
*turbinata alba. White, June, July, 6"	.25	.20
*trachelium. Blue, July, 2-3'	.20	.15
*Carex morrowi. White-edged foliage, 1'	.35	
Cassia marilandica. Yellow, July, 3-4'	.20	.15
Catananche caerulea. Blue, June, July, 18"	.25	.20
Caulophyllum thalictroides	.25	.20
*Centaurea dealbata. Red, July, 1½'	.20	.15
macrocephala. Yellow, July, 3-4'	.20	.15
*montana. Blue, June, July, 2'	.25	.20
Centranthus angustifolius. Rose, summer,		
18"	.25	
ruber. Red, summer, 3'	.25	.20
ruber albus. White, all summer, 3'	.25	.20
Cephalaria tatarica. Cream, summer, 6'	.20	.15
*Cerastium tomentosum. White, June, 6"	.20	.15
*Ceratostigma plumbaginoides. Blue, fall, 6"	.30	.25
Chieranthus allioni. Orange, July, 1'	.25	.20
*Golden Bedder. June, 1'	.25	.20
Chelone glabra. White, rosy tinged, July, 2'	.25	.20
lyoni. Deep rose, August, 2'	.20	.15
Chrysanthemum anemone-flowered	.20	.15
Snow Queen — white.	0.5	90
*arcticum. White, fall, 2'	.25	.20
*arcticum Astrid. Pink, fall, 18"	.23	.20

C

Chrysanthemum	5-24 Each	25 & up Each
-	.20	.15
Cushion varieties. Fall, 1'	.20	.15
(white, yellow, pink, red, bronze)		
hardy button varieties	.25	.20
Pygmy Gold — golden yellow.		
September Bronze — bronze.		
September Cloud — white.		
September Gold — gold.		
White Doty — white.		
hardy large flowering, double, fall, 4'	.25	.20
Algonquin — yellow.		
Barbara Small — rose pink.		
Boston — orange.		
Brune Poitevine — deep velvety redd	ish b	ronze.
Caliph — oxblood red.	0.5	0.0
Cardinal Spoon	.25	.20
Chippewa — aster purple.	1-	
Cydonia — Orange, overlaid mahoga Dainty Lady — pink.		
Dean Kay — rose pink, SeptOct. 2'	.30	.25
Dean Ladd — reddish bronze, Sept	4.0	
Oct. 2'	.40	
Early Wonder — soft pink.	25	20
Emma Marie — lemon yellow, fall, 2' Eugene A. Wander — golden yellow.	.25	.20
Fascination — lavender pink	.25	.20
Ganna — lavender, light silver shadir		.20
Glory of Seven Oaks — yellow,	ıg.	
Sept. 2'	.25	.20
Golden Cheer — golden yellow.	.20	.40
James Eadie — bronze yellow.		
Judith Anderson — yellow, fall, 18"	.25	.20
Huntsman — scarlet orange	.25	.20
Lavender Lady — clear lavender.	.20	.20
Lee Powell — Yellow	.25	.20
Magnolia — soft pink with cream tin		.20
Major Bowes — deep lavender	.25	.20
Margie — dark red.		0

	5-24 25 Each	& np Esch
Chrysanthemum, hardy, large-flowering.	0.5	9.0
Mischief — purple	.25	.20
Mrs. Kidder — deep lemon	.25	.20
Mrs. Pierre S. DuPont III — peach, v	with m	auve
undertone.		
Mrs. Sam Rotan — large golden yel	low.	
Oconto — white.		
Ohio Gold — yellow.		
Pacific Supreme — pink.		
Peggy Ann Hoover — lilac pink,	0.5	9.0
fall, 2'	.25	.20
Pink Radiance — soft pink.		
Polar Ice — white.	0.00	0.0
Powder Puff — white	.25	.20
Rose Spoon	.25	.20
Royal Gem — red.		
Ski Trail — white.	0.5	9.0
Tassiva. White, Sept. 18"	.25	.20
Vesuve — red.		
White Wonder — white.	95	20
Yellow Spoon — yellow, Oct. 18"	.25	.20
hardy large flowering. Single, fall, 4'	.25	.20
Silver Moon — white.		
7F 1 1 1 1 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1	95	.20
Korean hybrids. October, 2-2½'	. ,20	.20
Aphrodite — pale pink.		
Clara Curtis — salmon pink.		
Kristina — deep rose pink.		
Chrysanthemum, Korean hybrids.		
Siegfried — rich yellow.		
Viking — burnt orange.		
maximum Alaska. White, July, Aug. 2	.20	.15
maximum Esther Reed. Double, white,	.20	.10
summer, 18"	.40	.35
	.10	.00
maximum Giant Single. White, sum-	.25	.20
mer, 30" Rell White	.20	.20
maximum Mrs. C. Lothian Bell. White,	25	20
June, July, 2'	.25	.20
maximum White Swan. Double white,	20	.25
summer, 18"	.30	
*morifolium. Rose, fall, 18"	.35	.30

	5-24 Each	25 & up Each .20
Cimicifuga racemosa. White, July, 5'	.25	.20
Clematis davidiana. Blue, August, 3'	.40	
davidiana hybrida. Light blue, Aug. 18"	.45	.35
integrifolia. Blue, July, 2'	.25	.20
recta. White, July, 3'	.30	.25
*Colchicum autumnale. Rosy lilac, Sept. 1'	.35	
autumnale roseum plenum. Rosy lilac,		
September, 1'	.45	
*Convallaria majalis. Clumps, white, May, 6"	.35	.30
Coreopsis auriculata nana. Orange, summer,		
1'	.30	
lanceolata. Yellow, summer, 2'	.20	.15
*rosea. Rose, AugSept. 1'	.25	.20
verticillata. Yellow, July-Aug. 2'	.25	.20
*Coronilla cappadoccia. Yellow, June, 6"	.30	.25
*varia. Pink, summer, 18"	.20	.15
*Corydalis cheilanthifolia. Creamy white,		
July, 2'	.25	.20
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.25	
*Cynanchum acuminatifolium. White, sum-		
mer, 18"	.30	.25
	.50	.40
Cypripedium acaule. Rose-purple, May-		
June, 1'	.45	
parviflorum. Yellow, May, June, 1' spectabile. Rose, June, 2'	.45	
	.45	
Delphinium belladonna. Sky blue, all sum-		
mer, 4'	.25	.20
bellamosum. Dark blue, all summer, 4'	.25	.20
chinense. Blue, July, 2' *chinense album. White, July, 2'	.25	.20
hybridum Blackmore and Langdon.	.25	.20
Various, July, 4'	.25	9.0
hybridum Gold Medal. Shades of blue	.45	.20
July, 4'	.25	.20
hybridum Wrexham's. Various, June, 5'	.30	.25
Pacific Hybrids. Various, summer, 4'	.35	.30

5-24 25 & up Each Each Delphinium Pacific Hybrids. Separate colors, summer, 4'45 Black Knight - dark violet Blue Jay — blue Cameliard — soft lavender Galahad — white Guinevere - light pink lavender King Arthur — royal violet Lancelot - soft lavender Dianthus allwoodi. Pink, July, 1'..... .25 .20 *arenarius. White, July, 10"..... .25 .20 *arvernensis. Pink, June, 4"..... .25 barbatus. (Single Sweet William).... .20 .15 barbatus atrococcineus. Crimson, June, .20 .15 *barbatus Dwarf Giants. Various, June, .20 .15 barbatus Giant White. June, 1'..... .20 .15 barbatus nigricans. Dark velvety red, .20 .15 June, 1'15 barbatus Pink Beauty, Pink, June, 1'... .20 barbatus Sutton's Scarlet. Crimson, .20 .15 June, 1' *caesius. Rose pink, June, July, 9".... .15 .20 *deltoides. Pink, June, 9" .20 .15 *deltoides albus. White, June, 9"..... .20 .25 .25 *deltoides Brilliant. Red, June, 9"..... .20 .30 knappi. Yellow, summer, 1' *latifolius atrococcineus. Crimson, sum-.20 .15 mer, 1' *plumarius semperflorens. Pink, June, .20 .15 *Beatrix. Salmon pink, June, 18"..... .30 .25 *Bristol Purity. White, June, 18"..... .25 .30*Furst Bismarck. Rose, summer, 1'.... .25 .30 *Grenadin. Mixed, summer, 1'..... .15 .20 *Grenadin. Red, summer, 1'20 .15 Her Majesty. Dbl. white, June-July, 9" .30 .25 *Rose Cushion. Pink, June, 3"..... .25 *Silver Mine. White, summer, 1'...... .30 .25

Process	5-24 Each	25 & up Each
*Souv. de Sales. Dbl. pink, June, 9"	.20	.15
*White Reserve. White, June-July, 9"	.20	.15
*Wallace Red. Red, summer, 9"	.35	.10
*Dicentra eximea. Rose, all summer, 1'	.25	.20
spectabilis. Rose, May, June, 2'	.45	.40
Dictamnus albus. White, June, 2'	.45	.40
albus ruber. Red, June, 2'	.45	.40
caucasicus. Red, June, 3'	.45	.40
Digitalis ambigua. Yellow, June, July, 3'	.25	.20
gloxinaeflora. Mixed, June, July, 3'	.20	.15
lanata. Creamy, yellow, July, 3'	.20	.15
lutea. Yellow, June, July, 18"	.30	.25
purpurea, rose. June, July, 3'	.20	.15
purpurea, white. June, July, 3'	.20	.15
Shirley Hybrids, mixed. June, July, 3'	.20	.15
*Dodecatheon meadia. Rose, May, 1'	.25	.20
*latilobum. White, May, June, 1'	.25	.20
Doronicum caucasicum. Yellow, April,		
May, 18"	.30	.25
plantagineum excelsum. Yellow, April,		
May, 3'	.30	.25
Dorycnium hirsutum. Pink, summer, 2'	.25	.20
*Draba aizoides. Yellow, March, 4"	.30	
*bruniifolia. Orange, April, May, 4"	.35	
*fladnizensis. White, April, May, 3"	.30	.25
*repens. Yellow, April, 6"	.30	.25
*Dracocephalum nutans. Blue, August, 1' Ruyschianum japonicum. Blue, sum-	.25	.20
mer, 2'	.25	.20
Echinacea purpurea. Purple, July-Aug. 3'	.20	.15
		.10
Echinops humilis. Blue, July, 2'	.25	.20
ritro. Deep steel blue, July, 3'	.25	.20
*Edraianthus dinaricus. Lilac, July, 3"	.30	
Elymus glaucus. Blue Lime Grass, 3'	.20	.15

	5-24 Fach	25 & up Each
Epigaea repens. Pink, April, May, 4"	.40	Each
Epimedium alpinum. Red, May, June, 1'	.40	.35
niveum. White, May, June, 1'	.40	.35
macranthum lilacina. Lilac, May,		
June, 1'	.40	.35
sulphureum. Yellow, May, 1'	.40	
Eremurus himalaicus. White, June, 6'	1.00	.80
Erianthus ravennae. Plume Grass, 10'	.35	.30
*Erigeron glabellus. Violet, June, July, 1'	.25	.20
glabratus roseus. Pink, June, 1'	.25	.20
*speciosus. Rich purple, June, July, 2'	.25	.20
*Erinus alpinus albus. White, May, 4"	.30	.25
*alpinus roseus. Rosy purple, May, 4"	.30	.25
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.20	.15
amethystinum. Blue, summer, 18"	.30	.25
Eulalia gracillima. Japan Rush, 4-6'	.35	.30
japonica variegata, 4-6'	.35	.30
zebrina. Zebra Grass, 4-6'	.35	.30
*Eupatorium ageroides. White, Aug. 3'	.20	.15
*coelestinum. Blue, SeptOct. 18"	.25	.20
purpureum. Purple, AugSept. 5'	.20	.15
Euphorbia corollata. White, July-Aug. 2'	.25	.20
*epithymoides. Yellow, May, June, 1'	.25	
*myrsinites. Yellow, May, June, 6"	.25	.20
*Ferns		
*Adiantum pedatum. Maiden Hair Fern		.20
*Asplenium felix faemina. Lady Fern		.20
Dennstedtia punctilobula. Hay-scented	0.5	
Fern		
Dryopteris spinulosum. Wood Fern		
thelypteris. Shield Fern	.25	.20

	5-24 Each	25 & up Each
Ferns		
Onoclea sensibilis. Sensitive Fern	.25	.20
*Osmunda cinnamonea. Cinnamon Fern	.25	.20
regalis. Royal Fern	.25	.20
Polystichum acrostichoides. Christmas Fern.	. 25	.20
Festuca glauca. Fescue Grass, June, 10"	.20	.15
Foeniculum atrosanguineum. Summer, 6'	.20	.15
*Fragaria indica. White, May, 6"	.20	.15
*Fuchsia magellanica. Red, summer, 3'	.35	
Funkia. (see Hosta).		
*Gaillardia grandiflora. Yellow and crim-		
son, all summer, 2'	.20	.15
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.20	.15
Mr. Sherbrook. Yellow, summer, 2'	.30	.25
*Galax aphylla. White, June, 10"	.25	.20
Galega officinalis. Blue, June, July, 3'	.20	.15
officinalis hartlandi. Bluish white,		
July, 3'	.20	.15
Galium boreale. White, July, 1½'	.25	.20
*purpureum. Dark brown, Aug. 1'	.25	.20
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug. 4"	.30	.25
andrewsi. Blue, August, 2'	.25	.20
*Purdomi. Blue, July, Aug. 6"	.25	.20
*septemfida. Deep blue, summer, 12"	.30	
*Geranium endressi. Rose, summer, 18"	.40	
*grandiflorum. Lilac, June, July, 15"	.35	.30
*ibericum. Purple, May, June, 2'	.30	.25
*maculatum. Pink, May, June, 1' *pratense alubum. White, July, Aug. 2'	.25	.20
*sanguineum. Red, June, July, 2'	.30	.25
Troat, barret,	.00	.20

	5-24 Each	25 & up Each
*Geum		
Lady Strathedon. Orange, summer, 15"	.30	.25
*Mrs. Bradshaw. Double red, summer 1'	.30	.25
*Orange Queen. Orange, summer, 15"	.30	.25
*Globularia cordifolia. Pale blue, June, 4"	.25	.20
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.25	.20
Gypsophila acutifolia. Pink, July, 2-3'	.20	.15
*cerastoides. White, summer, 4"	.30	.25
Flamingo. Pink, summer, 2'	.40	
paniculata. White, July, Aug. 2-3'	.20	.15
*paniculata Bristol Fairy. Double white,		
summer, 3'	.40	.35
paniculata fl. pl. Double white, July,		
August, 3'	.40	.35
*repens. Bluish white, all summer, 6"	.20	.15
*repens rosea. Pink, summer, 6"	.35	.30
Rosy Veil. Pink, summer, 2'	.35	.30
Helenium autumnale. Yellow, AugSept. 5'	.25	.20
bigelovi. Yellow, Sept. 4'	.25	.20
hoopesi. Orange, June, July, 3'	.25	.20
Riverton Beauty. Lemon, AugSept. 5'	.25	.20
Riverton Gem. Old Gold, SeptOct. 4'	.25	.20
rubrum. Brick red, Sept. 4'	.25	.20
*Helianthemum citrinum. Yellow, summber, 6	" .25	.20
*croceum. Saffron, June, July, 9"	.25	.20
*cupreum. Copper, June, July, 6"	.25	
*Fire Ball. Red, July, Aug. 12"	.25	
*mutabile. Flesh, May, June, 12"	.25	.20
*perfoliatum roseum. Salmon, sum-	0.5	90
mer, 6"	.25	
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus mollis grandiflorus. Yellow,	<i>a</i> ^	
August-September, 4'	.20	
multiflorus fl. pl. Yellow, summer, 4'	.25	
orgyalis. Bright yellow, Sept. 6-8'		
BIGIGUS. YEINW AUGUSL D	.40	

	5-24 Each	25 & ul Each
Heliopsis excelsa. Double yellow, Aug. 3'	.20	.15
incomparabilis. Gold, summer, 30"	.25	.20
pitcheriana. Orange, July, Aug. 3'	.20	.15
*Helleborus niger. White, FebMar. 1'	.80	
Hemerocallis Apricot. Apricot color, June, 2'	.20	.15
aurantiaca. Orange, June, July, 2½'	.20	.15
Dauntless. Yellowish orange, July, 'Aug.		
3'	.40	
Dr. Regal. Orange yellow, May, 18"	.25	.20
flava. Lemon yellow, June, 3'	.25	.20
florham. Golden yellow, June, 3'	.25	.20
fulva. Bronze, August, 3'	.20	.15
gracilis. Yellow, June, 2'	.20	.15
Hyperion. Lemon, July, 4'	.45	.40
J. A .Crawford. Apricot yellow, July, 4'	.30	.25
Kwanso fl. pl. Reddish orange, June, 2½'	.20	.15
luteola. Light orange, June, 2'	.20	.15
Leonian hybrids. Various, summer, 3'	.40	
Mikado. Red orange, June, July, 3'	.35	
May Queen. Orange, May, 4'	.20	
minor. Yellow, June, 2'	.20	.15
Ophir. Orange, July, 3'	.35	
Patricia. Pale yellow, July, 3'	.40	
Sovereign. Rich orange, June, 1½'	.20	.15
thunbergi. Lemon yellow, June, 2-3'.	.20	.15
Vesta. Golden orange, July, 30"	.40	.10
hybrids. Named varieties, 2-3'	.35	.30
Bay State. Deep yellow, August.		
Gypsy. Deep orange, July.		
Harvest Moon. Orange, July.		
Lemona. Pale lemon yellow, August.		
Mrs. W. H. Wyman. Pale lemon, Aug		
The Gem. Deep orange, June, July.		
*Hepatica triloba. Light blue, March, Apr. 4"	.20	.15
*Herniaria glabra. Green, Summer, 4"	.20	
*Hesperis matronalis. Purple, June, July, 3'	.20	.15
*matronalis alba. White, June, July, 3'	.20	.15
Heuchera americana. Greenish white, 3'		
	.20	.15
*brizoides. Pink, June, July, 2'	.25	.20
*Fire King. Red, May, June, 15"	.30	

5-24 25 & un

Heuchera	Each	Each
*Grenadier. Red, summer, 15"	.30	
*Perry's White. White, summer, 15"	.30	.25
*Pleu de Feu. Red, May, June, 2'	.30	.25
*rosamundi. Coral, summer, 18"	.25	.20
*sanguinea. Coral red, June, 1'	.25	.20
Hibiscus Mallow Marvels. Giant red, Aug. 5'	.30	.25
moscheutos. Rose, June, July, 5'	.20	.15
moscheutos crimson eye. White, red	2.0	
eye, August, 5'	.20	.15
*Hieracium aurantiacum. Orange, summer, 6"	.20	.15
*alpinum. Yellow, May, June, 9"	.20	.15
Hosta caerulea. Blue, July, 1½'	.30	.25
fortunei. Pale lilac. July, 2'	.20	.15
lancifolia. Blue, July, 2'	.20	.15
sieboldiana. Silvery foliage.	.30	25
sub-cordata grandiflora. White, Aug.	4.0	0.5
18" White folioge 2'	.40	.35
undulata variegata. White foliage, 2'	.30	.25
*Houtonia serpyllifolia. Blue, April, 2"	.25	.20
Hyacinthus candicans. White, Aug. 3'	.20	.15
*Hypericum calycinum. Yellow, July-Aug. 1'	.25	.20
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July-Aug. 1'	.25	.20
*polyphyllum. Yellow, July, 4"	.25	.20
*rhodopaeum. Yellow, July, 4"	.25	.20
*Hyssopus officinalis. Purple, Aug. 18"	.25	.20
*Iberis gibraltarica. Delicate lilac, May, 1½'	.25	.20
*sempervirens. White, May, June, 8"	.30	.25
*sempervirens Little Gem. White,		
April, 6"	.30	.25
*sempervirens Snowflake. White, May, 9"	.30	.25
*tenoreana. Purplish white, June, 6"	.25	
*Incarvillea delavayi. Rosy purple, June,		
July, 2'	.40	
*Inula ensifolia. Yellow, July, Aug., 8"	.25	.20

	5-24 Each	25 & uj Each
*Iris cristata. Light blue, May, June, 6"	.25	Each .20
dichotoma. Purple, August, 1'	.20	
*ensata. Lilac, June, 10"	.25	.20
*ensata alba. White, June, 10"	.25	
*flavissima. Yellow, May, 6"	.25	.20
fall blooming. Spring and fall, $1\frac{1}{2}-2^{\prime}$.	.25	.20
Autumn King — blue-purple		
Autumn Queen — snow white		
Jean Siret — yellow		
Lt. Chavagnac — violet		
Olive White — cream		
Ultra — ultramarine-blue		
germanica. May, June, 1½-2'		
Afterglow. Soft lavender shading		
yellow	.15	.12
Ambassadeur. Bronze, purple ma-		
roon falls	.15	.12
Anjelus. Pink, shaded lavender	.35	
Aphrodite. Lilac pink	.15	.12
Archiveque. Purple	.15	
Asia. Smoky blue	.15	.12
Ballerine. Violet with deeper falls	.15	.12
Bue Peter. Dark blue purple.	.25	
Blue Triumph. Pale blue	.35	
Bruno. Bronze, red purple falls	.15	.12
Cecil Minturn. Pink	.15	.12
China Maid. Pink	.35	.30
China Rose. Orchid pink	.35	
Cluny. Lilac blue	.15	.12
Crystal Beauty. Tall white	.25	
Depute Nomblot. Coppery red,		
flushed bronze	.20	
Dorothea. Pearl gray	.15	.12
Dream. Light pink	.15	
E. B. Williamson. Coppery red	.35	.30
Elmohr. Purple.	.35	
Elsa Sass. Lemon yellow.	.35	
Fairy. White, bordered blue	.15	.12
Florentina. Pale blue	.15	.12

.12

	5-24 Each	25 & up Each
ris germanica.		
Florentina alba. White.	.15	.12
Freida Mohr. Pink bicolor	.25	
Gold Imperial. Golden yellow	.15	.12
Golden Majesty. Golden yellow	.30	
Golden Treasure. Cream	.30	
Grand Canyon. Plum and gold	.50	
Indian Chief. Velvety red	.25	
Labor. Electric blue	.20	
Leonidas. Lavender, mauve falls	.20	.15
Lent A. Williamson. Violta, rich		
purple falls with yellow beard	.15	.12
Lord of June. Lavender blue, violet		
falls	.15	.12
Lucrezi Bori. Soft yellow	.50	
Mad. Henri Cayeau. Dark purple	.15	
Mary Barnet. Lavender blue	.15	.12
Mary Geddes. Pink, overlaid		
Pomeranian red		
Midnight. Dark blue		
Missouri. Deep blue		
Moonlight. Silvery white	.15	
Moonlight Madonna, Light yellow		
Morocco Rose. Pink		
Opera. Violet red, purple falls	.20	
Pallida Dalmatica. Lavender	.20	
Pallida speciosa. Light blue		
Pink Opal. Pink lilac.		
Pluie d'Or. Yellow		
Pocahontas. White, edged blue		
Prairie Gold. Yellow		
Prospero. Lavender and purple	.15	
Robt. W. Wallace. Violet purple	.15	.12
Shekinah. Pale yellow, shading to	9.0	1.5
buff	.20	
Snow King. Large white		
Snow White. White	.15)
Souv. de Mad. Gaudichau. Deep	4.5	- 14
velvety purple	15	
Taj Mahal. White	15	
True Delight. Pure pink	20	J

Victorine. White, mottled blue15 .12

	5-24 Each	25 & up Each
*Iris germanica		
Treage troods Dide Treatment	.15	
intermedia hybrids. May, 18"	.20	.15
Gerda. Creamy yellow, darker falls.		
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	.25	.20
Awaji. Large white overlaid lavende	r bli	ue
Bandai-San. White standards and fal	ls.	
bordered lavender.		
Blue Bird. Single dark blue.		
Eumee. Double lavender blue		
Florence. Amaranth purple.		
Fukushima. Reddish purple, veined v		€.
Gold Bound. White, yellow shadings.		
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white halo),	
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.	,	
Purple Emperor. Large deep violet p		
Purple and Gold. Violet purple, golder		
Pyramid. Double violet purpe, veine	ea w	nite.
Seacrest. Foam white.		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety she Uchiu. Crimson purple, white veins.	en.	
Warei-hotei. Lavender blue, light blue		ماه
prismatica. Violet, May, June, 2'	.20	.15
pseudacorus. Yellow, June, 3'	.20	.15
*pumila atroviolacea. Wine, April, 6"	.20	.15
*pumila Bride. White, April, 6"	.20	.15
pumila Cyanea. Crimson purple, April		
6''	.20	.15
*pumila Curiosa. Yellow, April, May, 9"	.25	.20
*pumila Fairy. Pale blue, April, 6"	.25	.20
- , ,		

Iris		Each
*pumila lutea. Pale yellow, April, 6"	.20	.15
*pumila Midget. Purplish red, April, 6"	.20	.10
*pumila Schneecuppe. White, April, 6"	.20	.15
*pumila Sambo. Violet, April, 9"	.20	.15
siberica. Purplish blue, June, 3'	.20	.15
siberica alba. White, June, 3'	.20	.15
siberica Emperor. Clear blue, May, 2'	.20	.15
siberica Snow Queen. White, May, 2'	.20	.15
siberica Snow Queen. White, May, 2' spuria Dorothy Foster. Violet standards,		
lighter falls, June, 2'	40	.35
*Stewart. Dwarf, yellow, April, 9"	.25	.20
*tectorum. Blue, June, 1'	.25	.20
*tectorum alba. White, June, 10"	.30	
*verna. Blue, May, June, 6"	.20	.15
versicolor. Blue, June, 2'	.20	.15
*Jasione humilis. Blue, July, Aug., 6"	.25	.20
*Jeffersonia diphylla. White, May, 8"	.35	
*Kniphofia pfitzeri. Coral, AugSept. 4'	.25	.20
Chromatella. Orange, summer, 3'	.40	
Red and Gold. July, 3'	.40	
White Giant. White, summer, 3'	.40	
*Lamium maculatum. Purple red, summer,8"	.40	.35
*maculatum album. White, summer, 8"	.40	
*Lathyru latifolius. Pink to red, July, 6'	.25	.20
*Lavendula officinalis. (Sweet Lavender).		
July, 2'	.30	.25
officinalis alba. White, July, 2'	.25	.20
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.30	.25
*Liatris pycnostachya. Purple, AugSept. 4'	.25	.20
punctata. Purple, Sept., 2'	.35	
August Glory. Purple, Aug., 3'	.35	
September Glory. Purple, Sept., 3'	.35	
spicata. Purple, Aug., 3'	.20	.15
Ligularia clivorum. Yellow, AugSept. 3'	.25	.20

198 HORTON NURSERIES, INC.	5-24	25 & ur Each
Tilian annature White weld hand summor		Each
Lilium auratum. White, gold band, summer,	.80	
3′	.20	.15
canadense. Yellow to red, June-July, 3'		.40
candidum. White, June, 3'	.50	.40
elegans. Orange, July, 1'	.80	
hansoni. Orange, June, July, 4'	.80	
henryi. Yellow, July, 2'	.60	
pardalinum. Scarlet and yellow, $2'$.30	.25
phillipinense formisanum. White, June,		
July, 2'	.40	
philadelphicum. Orange red, June, July,		
3'	.40	.35
regale. White, July, 4'	.35	.30
speciosum album. White, Aug. 2'	.80	
speciosum rubrum. Pink carmine,		
August, 2'	.80	.75
superbum. Orange, July, Aug., 5'	.25	.20
*tenuifolium. Scarlet, June, 18"	.35	.30
testaceum. Apricot, June, July, 5'	2.00	
tigrinum. Orange, spotted, Aug. 4'	40	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.40	
umbellatum. Scarlet red, July, 2'	.40	.35
willmottiae. Orange, July, 4'	.80	.00
William Orange, vary, 1	.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.25	.20
*gmelini. Purplish blue, Aug. 18"	.25	.20
*latifolium. Blue, July, Aug., 2'	.30	.25
*Linaria aequitriloba. Pale mauve, June, 1"	.30	.25
*alpina. Blue, summer, 6"	.30	.25
*alpina rosea. Rose, summer, 6"	.30	0
*cymalaria. Lavender, summer, 4"	.25	.20
*origanifolia. Purple, June, 10"	.30	.20
*purpurea. Purple, summer, 3'	.25	.20
purpurea. Furpre, summer, 3	.40	.20
*Linum austriacum. Blue, summer, 3'	.25	.20
*alpinum. Blue, June, 10"	.25	.20
*flavum. Yellow, June, July, 1'	.25	.20
*narbonnense. Blue, June, July, 2'	.25	.20
*perenne. Blue, June, July, 1½'		
perenne. Dide, July, 172	.25	.20
Liriope graminifolia. Violet, summer, 1'	.40	.35
muscari. Lilac, summer, 15"	.40	

*Lithospermum purpureo-caeruleum. Blue May, 10" .50 Lobelia cardinalis. Scarlet, Aug-Sept., 3' .25 .20 siphilitica. Blue, Sept., 3' .25 .20 Lupinus polyphyllus. Blue, June, July, 3' .25 .20 polyphyllus albus. White, June, July, 3' .25 .20 polyphyllus roseus. Pink, June, July, 3' .25 .20 Russell hybrids. Various, June, July, 3' .25 .20 *Lychnis alpina. Rose color, June, 1' .25 .20 arkwrighti. Scarlet, summer, 15' .25 .20 chalcedonica. Scarlet, July, 3' .20 .15 coronaria. Crimson, July, 2' .20 .15 coronaria alba. White, July, 2' .20 .15 *haageana. Scarlet, June, July, 1' .25 .20 *viscaria splendens fl. pl. Red, June, 1' .30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, June, 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15 Malva moschata. Rose, July, Aug., 2' .20 .15
siphilitica. Blue, Sept., 3'
siphilitica. Blue, Sept., 3'
polyphyllus albus. White, June, July, 3' .25 .20 polyphyllus roseus. Pink, June, July, 3' .25 .20 Russell hybrids. Various, June, July, 3' .25 .20 *Lychnis alpina. Rose color, June, 1' .25 .20 arkwrighti. Scarlet, summer, 15' .25 .20 chalcedonica. Scarlet, July, 3' .20 .15 coronaria. Crimson, July, 2' .20 .15 coronaria alba. White, July, 2' .20 .15 *haageana. Scarlet, June, July, 1' .25 .20 *viscaria splendens fl. pl. Red, June, 1' .30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, June, 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
polyphyllus roseus. Pink, June, Juy, 3′ .25 .20 Russell hybrids. Various, June, July, 3′ .25 .20 *Lychnis alpina. Rose color, June, 1′ .25 .20 arkwrighti. Scarlet, summer, 15′ .25 .20 chalcedonica. Scarlet, July, 3′ .20 .15 coronaria. Crimson, July, 2′ .20 .15 coronaria alba. White, July, 2′ .20 .15 *haageana. Scarlet, June, July, 1′ .25 .20 *viscaria splendens fl. pl. Red, June, 1′ .30 .25 Lysimachia clethroides. White, July, Aug., 3′ .25 .20 *nummularia. Yellow, June, July, 6″ .20 .15 punctata. Yellow, June, 3′ .25 .20 vulgaris. Yellow, July, Aug. 3′ .25 .20 Lythrum salicaria roseum. Rose, July, 4′ .20 .15 superbum The Beacon. Rose, July, 3′ .30 .25 virgatum. Deep rose, July-Aug. 1½′ .20 .15
**Russell hybrids. Various, June, July, 3' .25 .20 **Lychnis alpina. Rose color, June, 1' .25 .20 arkwrighti. Scarlet, summer, 15' .25 .20 chalcedonica. Scarlet, July, 3' .20 .15 coronaria. Crimson, July, 2' .20 .15 coronaria alba. White, July, 2' .20 .15 *haageana. Scarlet, June, July, 1' .25 .20 *viscaria splendens fl. pl. Red, June, 1' .30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, July, Aug. 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
*Lychnis alpina. Rose color, June, 1' .25 .20 arkwrighti. Scarlet, summer, 15' .25 .20 chalcedonica. Scarlet, July, 3' .20 .15 coronaria. Crimson, July, 2' .20 .15 coronaria alba. White, July, 2' .20 .15 *haageana. Scarlet, June, July, 1' .25 .20 *viscaria splendens fl. pl. Red, June, 1' .30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, July, Aug. 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
arkwrighti. Scarlet, summer, 15' .25 .20 chalcedonica. Scarlet, July, 3' .20 .15 coronaria. Crimson, July, 2' .20 .15 coronaria alba. White, July, 2' .20 .15 *haageana. Scarlet, June, July, 1' .25 .20 *viscaria splendens fl. pl. Red, June, 1' .30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, June, 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
chalcedonica. Scarlet, July, 3' .20 .15 coronaria. Crimson, July, 2' .20 .15 coronaria alba. White, July, 2' .20 .15 *haageana. Scarlet, June, July, 1' .25 .20 *viscaria splendens fl. pl. Red, June, 1' .30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6'' .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, July, Aug. 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
coronaria. Crimson, July, 2' .20 .15 coronaria alba. White, July, 2' .20 .15 *haageana. Scarlet, June, July, 1' .25 .20 *viscaria splendens fl. pl. Red, June, 1' .30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, July, Aug. 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
coronaria alba. White, July, 2'
*haageana. Scarlet, June, July, 1' .25 .20 *viscaria splendens fl. pl. Red, June, 1' .30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, July, Aug. 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
*viscaria splendens fl. pl. Red, June, 1'30 .25 Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, July, Aug. 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
Lysimachia clethroides. White, July, Aug., 3' .25 .20 *nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, July, Aug. 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
*nummularia. Yellow, June, July, 6" .20 .15 punctata. Yellow, June, 3' .25 .20 vulgaris. Yellow, July, Aug. 3' .25 .20 Lythrum salicaria roseum. Rose, July, 4' .20 .15 superbum The Beacon. Rose, July, 3' .30 .25 virgatum. Deep rose, July-Aug. 1½' .20 .15
punctata. Yellow, June, 3'25 .20 vulgaris. Yellow, July, Aug. 3'25 .20 Lythrum salicaria roseum. Rose, July, 4'20 .15 superbum The Beacon. Rose, July, 3'30 .25 virgatum. Deep rose, July-Aug. 1½'20 .15
vulgaris. Yellow, July, Aug. 3'
superbum The Beacon. Rose, July, 3'30 .25 virgatum. Deep rose, July-Aug. 1½'20 .15
superbum The Beacon. Rose, July, 3'30 .25 virgatum. Deep rose, July-Aug. 1½'20 .15
virgatum. Deep rose, July-Aug. 1½'20 .15
Malva moschata. Rose, July, Aug., 2'20 .15
Marya moscitata. Itobe, bary, 1108.
moschata alba. White, July, Aug., 2'20 .15
Marrubium vulgare. White, summer, 3'30
Matricaria Golden Ball. Yellow, summer, 1' .25 .20
Silver Ball. Db. white, summer, 1'
*Mazus reptans. Lilac, April, 4"
Melissa officinalis. White, Aug. 2"
Mentha crispa. Curly mint. 12"20
piperita. Peppermint, purple, 2'
rotundifolia. Apple mint, 30"20
spicata. Spearmint, 2'
*Mertensia virginica. Purplish blue, March,
April, 2'

*Micromeria rupestris. White, fall, 10"	5-24 Each .25	25 & up Each .20
Mimulus luteus. Yellow, summer, 1'	.50	20
Mitchella repens. White shaded pink, March	,	
4"	.25	.20
Monarda didyma. Red, July, Aug., 3'	.25	.20
didyma alba. White, summer, 3'	.25	.20
didyma Cambridge. Scarlet, July,		
Aug., 3'	.25	.20
didyma Salmonea. Salmon, July, Aug. 3'	.25	.20
didyma Sunset. Mahogany, July, Aug., 3'	.25	.20
didyma splendens. Scarlet, July, Aug., 3'	.25	.20
didyma violacea. Violet, July, Aug., 3'	.25	.20
fistulosa. Lilac, July, 3'	.20	.15
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.20	.15
*alpestris alba. White, May, June, 8"	.20	.15
*alpestris alba. White, May, June, 8" *alpestris pink. May, June, 8"	.20	.15
*palustris. Blue, all summer, 6"	.20	.15
*Nepeta hederacea. Blue, May, 2"	.20	.15
macrantha. Lavender, summer, 2'	.25	.20
*mussini. Blue, June, July, 1'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.25	.20
*Souv. de Andre Chaudron. Blue, sum-		
mer, 1'	.30	.25
*Nierembergia rivularis. Creamy white,		
summer, 4"	.30	.25
·		
Oenothera fraseri. Yellow, summer, 1'	.30	
fruticosa youngi. Lemon, June, July, 2'	.25	.20
lamarckiana. Yellow, July, Aug. 4'	.25	.20
missouriensis. Yellow, July, Aug., 6"	.25	.20
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 1½'	.30	.25
Origanum vulgare. Pink, summer, 2'	.30	
*Orobus vernus. Rose purple, May, 1'	.30	
Pachysandra terminalis. White, May, 3"		
2 year from pots	.25	.20

	5-24 Each	25 & up Each
Paeania officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.		
Albert Crouse. Salmon pink	.60	
August Dessert. Velvety rose	.80	
Beauty of France. Pale rose	.50	
Claire Dubois. Satiny pink	.55	
Dr. Vandertak. Crimson	.55	
Duc de Wellington. White	.50	.45
Duchess de Nemours. Creamy white	.50	.45
Edulis. Deep rose	.40	.35
Felix Crouse. Brilliant red	.65	.60
Festiva maxima. Finest early white	.65	.60
Karl Rosenfield. Early red	.60	
Lady Alexandra Duff. Pale pink	.80	
Longfellow. Red	.80	
Marie Crousse. Salmon pink	.80	
Marie Lemoine. Creamy white	.60	.50
Marquise of Lansdowne. Large pink	.60	
Mons Martin Cahuzac. Dark pur-		
ple garnet	1.00	
Mons Jules Elie. Pink with darker		
guard petals	.70	.60
Mrs. Van Leeuwen. Light crimson	.55	
Roem von Boskoop. Deep rose	.40	.35
Solange. White petals, golden		
brown center	1.00	
Souv. de Louis Bigot. Bengal rose	.70	
Therese. Violet rose	1.20	
Triumph de Paris. Light pink, yel-		
low center	.40	.35
Virginie. Lilac rose	.40	.35
Walter Faxon. Pure pink	1.20	
Wm. Mesman. White	.50	.40
single Japanese. Named varieties	1.00	
Alba Grandiflora. White		
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to v	vhite	
Shi-pen-kue. Nearest to blue in Peo		
•		

	5-24 Each	25 & up Each
*Papaver alpinum. Varius, summer, 6"	.30	
*nudicaule. All colors, summer, 8"	.20	
oriental. Orange scarlet, June, 2'	.20	.15
Beauty of Livermore. Crimson,		
June, 3'	.35	
Fairy. Pale pink, June, 2'	.30	.25
Giant Mulberry. Mulberry, June, 2'	.50	.40
Helen Elizabeth. Pink, June, 2'	.35	.30
Indian Chief. Mahogany, June, 2'	.40	.35
Lulu A. Neeley. Ox-blood red,		
June, 3'	.35	•
May Sadler. Salmon, June, 2'	.35	90
Mrs. Perry. Salmon pink, June, 3'	35	.30
Olympia. Scarlet, June, 3'	.30	.25
Perry's White. White, June, 3'	.40	
Wurtembergia. Rose-red, June, 2'	.35	20
pilosum. Brick red, June, 3'	.25	.20
Pardanthus. (see Belamcanda).		
*Pennisetum japonicum. Fountain Grass	.30	.20
*Pentstemon alpinus. Bluish purple, June, 1'	.20	.15
*arizonicus. Purple, June, July, 8"	.20	.15
barbatus coccineus. Scarlet, July, Aug. 4'	.20	.15
barbatus Pink Beauty. Pink, summer, 2'	.30	.25
digitalis. White, August, 3'	.25	.20
Garnet. Red, summer, 18"	.30	.25
glaber. Blue, summer, 2'	.20	
hirsutus. Rosy purple, July, Aug. 2'	.30	
ovatus. Blue, July, Aug. 3'	.30	
unilateralis. Blue, June, 2'	.25	.20
Phalaris arundinacea variegata. Ribbon Grass	.20	.15
Phlox *divaricata. Lavender, May, June 1'	.25	.20
*divaricata laphami. Violet, June, 1'	.30	
*ovata. Red, May, June, 1'	.20	
paniculata. 2-3' Named varieties:		
Africa. Carmine, red eye	.25	.20
Antonin Mercie. Lilac, white center	.20	.15
America. Rose pink	.20	.15
B. Compte. Rich French purple	.25	.20
Border Queen. Dwarf pink	.25	.20
•		

	5-24 Each	25 & up Each
Phlox paniculata		
Chas. Curtis. Red	.35	
Colonial. Light blue	.20	.15
Count Zepplein. White, red eye	.25	
Daily Sketch. Salmon pink, car-		
mine eye	.25	.20
Enchantress. Salmon pink, dark eye	.20	.15
Elizabeth Arden. Pink	.35	4.5
Elizabeth Campbell. Salmon pink	.20	.15
Ethel Pritchard. Mauve	.20	.15
Feuerbrand. Orange scarlet	.20	.15
Fiancee. White	.20	.20
George Stipp. Salmon, lighter eye.	.25	.20
Jules Sandeau. Large pink Lavender Beauty. Lavender	.20	.15
Louis Abbema. Dwarf white	.20	.15
Leo Schlageter. Bright scarlet	.30	.25
Lilian. Fine light pink	.25	.20
Mary Louise. Pure waxy white	.25	
Mia Ruys. White	.25	
Mrs. Jenkins. Pure white	.20	
Mrs. Milly van Hoboken. Soft pink	.20	.15
Mrs. W. Van Bueningen. Salmon red	.25	.20
Miss Lingard. White	.30	.25
Miss Verboom. Rose	.30	
Morgenrood. Bright rose, deeper eye	.25	.20
P. D. Williams. Apple blossom pink	.25	
Rheinlander. Salmon pink, claret		
eye	.25	.20
Salmon Glow. Salmon pink	.25	
Spitfire. Salmon red	.30	
Splendour. Pink	.25	
Von Hockberg. Velvety red	.25	.20
Widar. Light reddish violet, white	.20	.15
eye	.20	
*reptans. Lilac, May, 6-12"		
*subulata alba. White, April, May 4"	.25	
*subulata atropurpurea. Purple, Apr. 4"	.25	.20
*subulata Blue Hills. Light blue, Apr. 4"	.25	
*subulata Camla. Pink, May, 4"	.40	
*subulata Dixie Brilliant. Red, May, 4"	.25	.20

	5-24 Each	25 & up Each
Phlox		
*subulata Fairy. Blue, purple eye, Apr. 4" *subulata lilacina. Light blue, April	.25	.20
May, 4"	.25	.20
*subulata Perfection. Rose, pink eye,		
April, 4"	.25	.20
*subulata rosea. Pink, May, 4"	.25	.20
*subulata Vivid. Pink, red eye, April 4"	.30	.25
Phygelius capensis. Red, AugSept. 3'	.40	
*Physalis francheti. Red pods, Oct. 2'	.20	.15
*Physostegia virginiana. Rose, Aug. 3'	.20	.15
virginiana alba. White, Aug. 3'	.20	.15
virginiana Vivid. Deep pink, Aug. 2'	.25	.20
*Phyteuma orbiculare. Purple, June, July, 2'	.25	
Platycoden grandiflorum. Blue, summer, 2'	.25	.20
grandiflorum. Pink, summer, 2'	.35	
grandiflorum album. White, summer, 2'	.25	.20
*mariesi. Deep blue, summer, 1'	.25	.20
*mariesi album. White, summer, 1'	.25	.20
mariesi Dbl. blue. Summer, 18"	.35	
mariesi Dbl. white. Summer, 18"	.35	
*Plumbago larpentae. (see Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.20	.15
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.20	.15
*caeruleum album. White, June, July,		
1½'	.20	
*reptans. Blue, May, June, 6"	.20	.15
richardsoni. Sky blue, May, June, 6"	.20	.15
*Polygonum cuspidatum. White, AugSept. 5'	.20	.15
oxyphyllum. Creamy white, Sept. 3'	.25	
reynoutria. Pink, Sept. 1'	.35	
spaethi. Pink, Sept. 6'	.40	
*Potentilla argentea. Yellow, summer, 18"	.20	.15
*nepalensis. Showy red, May, June, 2'	.25	.20
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.25	.20
*tridentata. White, summer, 1'	.25	.20

For less than five of a variety add 10c per plant to the 5-24 rate

*Primula acaulis. Yellow, May, 9"	Each .25	Each .20
*auricula alpina. Various, May, 6"	.20	.25
*bulleyana. Apricot, June, 18"	.30	.25
*cashmiriana. Light lilac, May, 8"	.30	.25
*denticulata. Purple, yellow eye, May, 6"	.30	.25
*denticulata alba. White, May, 6"	.35	.30
*elatior. Yellow, May, 8"	.40	
*elatior atrocoerulea. Dark blue, May 8"	.40	
*japonica atrosanguinea. Red, May,		
June, 1'	.30	.25
*japonica pink. May, June, 1'	.30	.25
*polyanthus. White or yellow, May, 10"	.25	.20
*veris Yellow, April, May, 9"	.25	.20
*veris Giant Munstead. Various, May 1,'	.25	.20
*veris Gold Laced. Various, May, 9"	.30	.25
*Pulmonaria angustifolia. Blue, April, May, 8"	.30	.25
*saccharata. Pink, April, May, 8"	.30	.25
Pueraria thunbergiana, 2 yr.	.40	.35
*Prunella grandiflora. Violet, summer, 8"	.30	
Pyrethrum James Kelway. Sgl. red, June, 1'	.30	
*Princess Margaret. Crested pink,		
June, 1'	.30	
Rose Glory. Dbl. rose, June, 1'	.30	
roseum. Various, May, June, 1'	.25	.20
roseum double. Various, May, June, 2'	.30	
roseum Rosy Morn. Pink, June, 2'	.25	.20
roseum single scarlet. Summer, 1'	.30	
uliginosum. White, Sept. 5'	.20	.15
Ranunculus acris fl pl. Yellow, June, 3'	.30	.25
*repens. Yellow, June, 4"	.20	.15
repens fl. pl. Yellow, June, 1'	.20	.15
Rosmarinus officinalis. Light blue, April, 4"	.30	.25
Rudbeckia hirta. Yellow, AugSept. 3'	.20	.15
laciniata. (Golden Glow). Yellow, Aug. 6'	.20	.15
nitida. Single yellow, AugSept. 6'	.20	.15
Rayon d'Or. Yellow, Aug. 5'	.20	.15
subtomentosa. Lemon yellow, Aug	20	15
Sept. 4'	.20	.15

	5-24 Each	25 & up Each
*Ruta graveolens. Yellow, summer, 2½'	.25	.20
*Sagina subulata. White, July, Aug., 3"	.25	.20
Salvia azurea. Blue, Aug., 4'	.20	.15
azurea grandiflora. Blue, Aug. 4'	.30	.25
farinacea. Blue, July, 2-3'	.20	.15
glutinosa. Yellow, June, July, 3'	.20	.15
officinalis. Blue, summer, 18"	.20	.15
pitcheri. (See azurea grandiflora)	0.0	
pratensis. Deep blue, June, 3'	.20	.15
pratensis alba. White, June, 3'	.30	
pratensis rubicunda. Rose, June, July, 3' viscosa. Pink, July, 3'	.30	.15
viscosa. Pilik, July, 5	.20	.10
*Sanguinaria canadensis. White, April, 8"	.25	.20
*Santolina chamaecyparissus. Gray foliage, 1'	.25	.20
*Saponaria ocymoides. Pink, summer, 9"	.20	.15
officinalis rosea pl. Pink, summer, 18"	.20	.15
*Saxifraga aizoides. Yellow, Aug., 4"	.30	
*altissima. White, May, June, 2'	.30	
*cochlearis. White, May, June, 9"	.30	.25
*cordifolia. Rose pink, May, June, 1'	.30	.25
*cotyledon. White, May, June, 18"	.30	.25
*crassifolia. Rosy pink, April 1'	.30	.25
*decipiens. White, May, June, 4"	.30	.25
*haussmani. Yellow, May, June, 8"	.25	0.0
*lantoscana. White, May, June, 1'	.30	.25
*lingulata rosea. Pink, April, 1'	.30	.25
*lingulata leichtlini. Rose, April, 1' *longifolia. White, May, June, 2'	.30	.25
*marginata. White, May, June, 3'	.30	
*McNabiana. White, May, June, 1'	.30	.25
*purpurea. Rosy purple, April, 1'	.30	.20
*sarmentosa. White, summer, 2'	.25	.20
Scabiosa caucasica. Lavender, all sum-		
mer, 1'	.25	
*caucasica alba. White, summer, 1'	.20	
caucasica House' Hybrids. Various,		
summer, 1'	.30	
fischeri. Blue, purple, summer, 2'		
japonica. Lavender, AugSept., 18"	.20	.15

For less than five of a variety add 10c per plant to the 5-24 rate

(Constalled to the constalled	5-24 Each	25 & up Each
*Scutellaria alpina. Purple and white, sum-	0.0	25
mer, 6"	.30	
*coelestina. Blue, summer, 1'	.25	.20
orientalis. Yellow, June, July, 8"	.30	
*Sedum acre. Yellow, June, July, 4"	.20	.15
*album. White, July, 4"	.20	.15
*dasyphyllus. White, tinged pink, June, 2"	30	
*douglasi, Yellow, July, 2"	.20	.15
*ewersi. Pink, AugSept., 6"	.25	.20
*glaucum. Blue foliage, 2"	.20	.20
*kamtschaticum. Yellow, July, 6"	.25	.20
*maximum. Pink, SeptOct. 18"	.20	.15
*murale. Pink, July, 1'	.20	.15
*carmentosum. Yellow, July, 3"	.20	.15
*sexangulare. Yellow, June, July, 6"	.20	.15
*sieboldi. Pink, July, Aug. 1'	.30	
*spectabile. Pink, Aug. Sept. 18"	.20	
spectabile Brilliant. Crimson, Sept., 1½'	.20	
*spurium album. White, July, Aug. 6"	.20	.15
*spurium splendens. Rosy crimson,		
August, 6"	.20	
*stoloniferum. Pink, July, Aug. 6"	.20	.15
*stoloniferum coccineum. Crimson,	0.0	1.5
August, 6"	.20	
*ternatum. White, May, June, 4"	.25	.20
*Sempervivum arachnoideum. Red, June, $4^{\prime\prime}$.30	.25
*atroviolaceum. Reddish purple, 8"	.30	
*brauni. Bronze, July, 6"	.30	
*funcki. Brown, June, July, 6"	.30	.25
*glaucum. Pink, July, Aug., 6"	.30	
*globiferum. Yellow, June, 12"	.30	
*tectorum violaceum. Violet red, June, 4"	.30	.25
*Shortia galacifolia. White, June, 8"	.35	.30
Sidalcea Rose Queen. Rose pink, July,		
August, 4'	.25	.20
*Silene alpestris. White, May, June, 6"	.25	.20
orientalis. Pink, July, 2'	.25	.20
*saxifraga. White, summer, 6"	.30	

	5-24 Each	25 & up Each
*schafta. Bright pink, July, 6"	.25	.20
Silphium perfoliatum. Yellow, July, 6'	.30	.25
*Sissyrinchium angustifolium. Blue, June, July, 6"	.25	.20
Smilacina racemosa. White, April, 2-3'	.25	.20
*Spirea aruncus. White, June, July, 3-5' camtschatica. White, July, 6' chinensis. Silvery pink, June, July, 2' eximea. Pink, June, July, 2' filipendula. Single, white, June, July, 1'	.25 .25 .25 .25 .25	.20 .20 .20 .20 .20
filipendula fl. pl. White, summer, 15" lobata. Pink, July, 4' palmata. Rosy crimson, June, July, 2' ulmaria fl. pl. White, June, 3-4' venusta magnifica. Deep pink, July, 3'	.25 .25 .25 .25 .30	.20 .20 .20 .25
Stachya lanata. Purple, June, July, 18"	.25	.20
Statice. (see Limonium)		
Stokesia laevis. Lavender, AugSept. 1' laevis alba. White, AugSept. 1' laevis Blue Moon. Blue, AugSept. 1'	.20 .25 .30	.15 .20 .25
Tanacetum vulgare. Yellow, summer, 3'	.20	.15
Teucrium chamaedrys. Rose, Aug. 1' orientale. Blue, Aug., 10"	.25 .25	.20 .20
Thalictrum adiantifolium. Yellow, June, 4' aquilegifolium. White, June, 5'	.25 .30	.20 .25
June, 3' dipterocarpum. Lilac, Aug. 3' glaucum. Golden yellow, June, 4' minus. Greenish yellow, June, July, 2'	.25 .35 .25 .25	.20 .30 .20
Thermopsis caroliniana. Yellow, June, 6'	.30	.25
Thymus odoratissimus. Lilac, summer, 6" *nitidus. Rose, June, July, 3" *serpyllum. White, June, 4"	.30 .30 .30	.25 .25 .25

	5-24 Each	25 & up Each
Thymus		
*serpyllum citriodorus. Purple, June,		
July, 3-5"	.30	.25
*serpyllum coccineus. Scarlet, June, 4"	.30	.25
*serpyllum lanuginosus. Rosy purple,		
June, July, 5"* *serpyllum roseus. Rose, summer, 8"	.30	.25
*serpyllum roseus. Rose, summer, 8"	.30	.25
vulgaris. Lilac, June, July, 8"	.30	.25
*Tierella cordifolia. Creamy white, June, 8"	.25	.20
Tradescantia virginiana. Blue, all summer, 2'	.25	.20
James Stratton. Deep blue, summer, 1'	.35	.30
Purple Dome. Purple, summer, 1'	.35	.30
Pauline. Cattleya mauve, summer, 1'	.35	.30
James C. Weguelin. Blue, summer, 1'	.30	.25
	.00	.20
Trillium erectum. Purple, May, 1'	.20	.15
*grandiflorum. White, May, 1'	.20	.15
Tritoma. (see Kniphofia)		
*Trollius europeus. Citron yellow, July,		P .
Aug., 1'	.35	
europeus Orange Globe. Orange, sum-	.00	
mer, 18"	.40	
*ledebouri. Orange, summer, 18"	.35	
	.00	
*Tunica saxifraga. Light pink, June, July, 6"	.30	.25
*saxifraga alba. White, summer, 6"	.25	
Valeriana officinalis. Rose, June, July, 5'	.25	.20
Verbascum chaixi. White, summer, 3'	.20	.15
*Cotswold Gem. Amber, June, 4'	.30	.25
olympicum. Yellow, July, Aug. 5'	.20	.15
phoeniceum. Various, May, June, 3'	.20	.15
willmottiae. White, summer, 5'	.20	.15
*Verbena canadensis. Purple, Aug., 18"	.25	.20
Veronic anoveboracensis. Purple, Aug.		
	0.5	90
Sept., 5'	.25	.20
*Veronica allioni. Violet June, 2"	.25	.20
*alpestris. Pale blue, June, 18"	.25	.20
amethystina Royal Blue. June, July, 12"	.30	.25

	5-24 Each	25 & up Each
Veronica		
*Blue Spires. Blue, summer, 18"	.30	.25
caucasica. White, July, 6"	.25	.20
*chamaedrys. Blue, May, June, 18"	.25	.20
*filiformis. Blue, May, 2"	.25	.20
*incana. Pale blue, July, Aug., 18"	.20	.15
*longifolia subsessilis. Blue, AugSept., 2'	.35	.30
*orchidea. Blue, July, 18"	.25	.20
*pectinata rosea. Pink, May, June, 6"	.25	.20
*peduncularis. White, June, 6"	.25	.20
*pulchella. Blue, May, 1'	.25	.20
*repens. Pale blue, May, June, 2"	.25	.20
*rupestris. Blue, June, 6"	.25	.20
*rupestris alba. White, June, 4"	.25	.20
*rupestris nana. Dark blue, June, 2" *rupestris pink. June, 4"	.25	.20
*rupestris pink. June, 4"	.25	.20
*spicata. Blue, July, Aug., 2'	.25	.20
*spicata alba. White, Aug., 18"	.25	
*spuria. Blue, June, 18"	.25	.20
*teucrium prostrata. Blue, June, 1'	.25	.20
*True Blue. June, July, 12"	.25	.20
virginica. Pale blue, Aug., 4'	.25	.20
Vinca minor. Blue, all summer, 6"	.20	.15
minor alba. White, all summer, 6"	.35	.30
minor Bowles. Blue, summer, 6"	.25	.20
minor rubra plena. Red, all summer, 6"	.40	.35
•		
*Viola cornuta Admiration. Purle, all sum-		
mer, 6"	.20	.15
*cornuta alba, type. White, all summer 6"	.20	.15
*cornuta Apricot. Apricot, summer, 6"	.25	.20
*cornuta Arkwright Beauty. Red, sum-		
mer, 6"	.30	
*cornuta Blue Perfection. Blue, all		
summer, 6"	.20	.15
*cornuta Catherine Sharp. Blue, sum-		
mer, 6"	.30	.25
*cornuta Chantryland. Apricot, sum-		
mer, 6"	.30	
*cornuta florariensis. Pale blue, sum-		
mer, 6"	.30	

		Each Each
Viola	Пасц	Lacii
*cornuta White Wermig. White, sum-		
mer, 8"	.25	.20
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.20	.15
*cornuta Papilio. Violet, all summer, 6"	.25	.20
*cornuta Primrose Dame. Yellow, sum-		
mer, 6"	.30	
*cornuta White Perfection. White, all		
summer, 6"	.20	.15
*Double Russian. Blue, June, 4'	.35	.30
*Jersey Gem. Rich violet, summer, 6"	.25	.20
*odorata Gov. Herrick. Blue, May, 6"	20	.15
*odorata Pincess of Wales. Violet, May		
6''	.20	.15
*odorata Rosina. Pink, May, 4"	.30	.25
*odorata Royal Robe. Violet, summer, 8"	.25	.20
*pedata. Violet, May, June, 6"	.20	.15
*tricolor. Purple and yellow, summer, 6"	.25	.20
*wellsiana. Various, all summer, 6"	.25	.20
Yucca filamentosa. White, June, July, 7'		
2 year	.20	.15
3 year	.30	.25
*glauca. White, June, July, 3'	.40	

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties.

	1-4 each	5-24 seach	25 & up each
Apples, Crab 5 to 7 ft	. 1.20	1.10	
Standard 5 to 7 ft	. 1.20	1.10	
Cherry, Sour 5 to 7 ft	. 1.80	1.60	
Sweet 5 to 7 ft	. 2.40	2.20	
Peaches, 5 to 7 ft	. 1.60	1.40	
Pears, Dwarf 5 to 6 ft	. 2.40		
Standard 5 to 7 ft	. 1.80	1.60	
Plums. 5 to 7 ft	. 1.80	1.60	
Quinces, 4 to 5 ft	. 2.00		
Asparagus		.12	.10
Blackberries		.16	.15
Grapes, 3 yr. strong	40	.35	
Raspberries		.16	.15
Rhubarb		.20	.15
Strawberries		.25	.20

CONIFEROUS EVERGREENS

Abies alba

A. alba pyramidalis
A. balsamea
A. cephalonica
A. concolor

A. c. violocea

A. firma
A. homolepis
A. lasiocarpa arizonica

A. nordmanniana

A. pinsapo A. procera glauca A. veitchi veitchi

Cedrus deodara C. libani

Chamaecyparis lawsoniana

C. I. alumi C. I. Triomphe de Boskoop

C. nootkatensis
C. n. pendula

C. nootkatensis
C. nootkatensis
C. n. pendula
C. obtusa compacta
C. o. nana
C. pisifera
C. p. filifera
C. p. filifera aurea
C. p. filifera aurea
C. p. plumosa
C. p. plumosa
C. p. plumosa aurea
C. p. plumosa cliptic
C. p. plumosa pulpturea
C. p. plumosa sulpturea
C. p. plumosa cliptic
C. p. plumosa sulpturea
C. p. plumosa sulpturea
C. p. plumosa cliptic
C. p. plumosa sulpturea
C. p. pumosa sulpturea
C. p. squarrosa
C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus chinensis
Juniperus chinensis
J. c. albovariegata
P. bicolor
P. p. dengelmanni
P. glauca
P. m. doumeti
P. porientalis
P. polita
P. p. plungens
P. p. kosteri
P. p. moerheimi

Cryptomeria japonica lobbi Juniperus chinensis

J. c. albovariegata J. c. columnaris J. c. globosa J. c. mas

J. c. neaboriensis

c. oblonga J. c. pfitzeriana J. c. sargenti

c. smithi

J. communis
J. c. depressa
J. c. depressa aureo-spica
J. c. hibernica

J. c. suecica J. c. suecica nana

J. conferta J. excelsa

J. e. stricta J. horizontalis J. h. alpina J. h. glauca

J. h. plumosa

J. japonica J. j. aurea J. recurva

J. rigida J. Sabina J. s. tamariscifolia J. s. von ehron

J. scopulorum
J. sphaerica
J. squamata

J. s. meyeri

J. virginiana
J. v. canaerti
J. v. elegantissima
J. v. glauca

J. v. globosa J. v. keteleeri

J. v. kosteri J. v. pendula J. v. plumosa J. v. schotti plumosa

J. v. tripartita J. v. venusta Picea abies

P. a. aurea
P. a. clanbrasiliana

P. a. clanbrasiliar
P. a. maxwelli
P. a. parviformis
P. a. pendula
P. a. pygmaea
P. a. nana
P. a. remonti
P. asperata
P. bicolor
P. engelmanni

P. cembra
P. densiflora
P. flexilis

P. jefferyi
P. koraiensis
P. mugo
P. m. mughus

P. nigra

P. parviflora
P. peuce
P. ponderosa P. resinosa P. rigida P. strobus P. sylvestris

P. thunbergi Pseudotsuga taxifolia

Taxus baccata Taxus baccata
T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni
T. canadensis

T. cuspidata T. c. aurescens
T. c. densa
T. c. nana

T. c. nana compacta

T. c. capitata T. hunnewelliana T. Jeffrey's pyramidal

T. media

T. m. andersoni
T. m. browni
T. m. hatfieldi
T. m. hicksi
T. m. kelseyi

Coniferous Evergreens Continued

T. m. wellesleyana Thuja occidentalis T. o. aurea douglasi
T. o. columbia
T. o. compacta
T. o. cristata
T. (o. elegantissima T.(o. elegantissima
T. o. ellwangeriana
T. o. ericoides
T. o. globosa
T. o. hoveyi
T. o. nigra
T. o. pumila
T. o. pyramidalis
T. o. douglasi pyramidalis
T. o. reevesi
T. o. reidi

BROAD - LEAVED EVERGREENS

Arctostaphylos uva-ursi Azalea obtusa amoena

A. o. j. hinodegiri A. rosmarinifolia A. r. sekidera

Berberis sargentiana B. triacanthophora B. verruculosa

Bruckenthalia spiculifolia

Buxus microphylla koreana B. sempervirens glauca
B. s. handsworthi
B. s. suffruticosa

Calluna vulgaris

Calfuna vulgari
C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. compacta
C. v. rubra
C. v. searlei
C. v. searlei

Chamaedaphne calyculata

Daphne cneorum Erica carnea E. darleyensis

E. vagans

Euonymus fortunei

E. f. argenteo-marginatus
E. f. carrieri
E. f. colorata

T. o. rosenthali T. o. rosenthall
T. o. spiralis
T. o. umbraculifera
T. o. vervaeneana
T. o. woodwardi
T. orientalis
T. o. conspicua
T. o. elegantissima
T. o. nana aurea

T. o. riversi

T. o. nana aurea
T. o. sieboldi
T. plicata
T. standishi

Tsuga canadensis T. caroliniana

E. f. kewensis E. f. minima
E. f. radicans
E. f. vegetus
E. kiautschovicus Ilex cornuta I. c. burfordi I. crenata I. c. bullata
I. c. latifolia
I. c. microphylla
I. e. rotundifolia I. glabra I. opaca Kalmia latifolia Leucothoe catesbaei Lonicera nitida L. pileata Mahonia aquifolium M. repens Pachistima canbyi Pieris floribunda P. japonica

Pyracantha lalandi P. coccinea P. yunnanensis

Rhododendron carolinianum

R. catawbiense R. maximum Stranvaesia davidiana Viburnum rhytidophyllum

DECIDUOUS SHADE TREES

Acer compestre A. cappadocicum
A. negundo
A. nigrum A. platanoides

A. p. columnare
A. p. schwedleri
A. pseudoplatanus

A. rubrum

A. r. columnare
A. saccharinum
A. s. pyramidale A. s. wieri

A. saccharum Aesculus carnea

A. glabra A. hippocastanum A. h. baumanni

A. octandra Ailanthus altissima A. vilmoriniana Alnus cordata

A. glutinosa A. g. laciniata
A. hirsuta
A. incana

A. japonica Aralia elata Betula fontinalis

B. maximowicziana

Deciduous Shade Trees Continued

B. lenta
B. lutea
B. maximowicziana B. nigra B. nigra
B. papyrifera
B. p. cordifolia
B. pendula
B. p. fastigiata
B. p. laciniata
B. populifolia
Compinus hatulus Carpinus betulus C. b. fastigata C. caroliniana C. cordata C. tschonoski Carya ovata Castanea crenata C. mollissima Catalpa ovata C. speciosa Cedrela sinensis Celtis occidentalis Cercidiphyllum japonicum Cercidiphyllum japoni
Eucommia ulmoides
Fagus grandiflora
F. sylvatica
F. s. fastigiata
F. s. heterophylla
F. s. purpurea
F. s. riversi
F. s. tricolor
F. Zlatia
Ersylva americane F. Ziatia
Fraxinus americana
F. excelsior
F. mandshurica
F. nigra
F. pennsylvanica F. p. lanceolata
F. quadrangulata
Ginkgo biloba G. b. fastigiata Gleditsia elegantissima G. japonica triacanthos G. triacanthos
G. t. inermis
Gymnocladus dioica Juglans cineria
J. nigra
J. regia J. sieboldiana Larix decidua L. laricina L. leptolepis Liquidambar formosana L. s. surea
Liriodendron chinense L. tulipifera L. t. fastigiatum Magnolia acuminata M. denudata M. fraseri M. obovata M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa

Phellodendron amurense

P. lavallei

Platanus occidentalis P. orientalis Populus alba P. a. bolleana
P. a. nivea
P. berolinensis
P. candicans P. maximowiczi
P. nigra italica
P. nigra betulifolia
P. simoni P. suaveolens
P. tremuloides
P. trichocarpa Prunus serotina Ptelia trifoliata Quercus alba Q. bicolor Q. borealis Q. cerris Q. coccinea Q imbricaria Q. lyrata Q. macrocarpa Q. palustris
Q. phellos
Q. prinus Q. robur Q. r. fastigiata Q. rubra Q. stellata Q. texana
Q. variabilis
Q. velutina Robinia pseudoacacia Robinia pseudoacacia
R. p. bessoniana
R. p. decaisneana
Salix alba chermesina
S. a. vitellina
S. a. pendula
S. b. crispa
S. blanda
S. elegantissima
S. fregilia S. fragilis S. mandshurica S. niobe S. pentandra
S. sepulcralis S. sieboldiana S. wentworthi Sassafras albidum Sorbus aria latifolia S. aucuparia S. a. fastigiata S. thuringiaca S. torminalis Taxodium distichum Tilia americana T. cordata T. euchlora
T. europea
T. henryana
T. heterophylla
T. oliveri T. platyphyllos
T. p. pyramidalis
T. tomentosa Ulmus alatus U. americana U. a. columnaris

Deciduous Shade Trees Continued

U. a. moline

U. a. urni

U. carpinifolia sarniensis
U. c. cornubiensis
U. hollandica belgica

U. h. klemmeri U. h. vegata

U. procera
U. p. monumentalis
U. p. purpurea

U. fulva

U. glabra U. g. camperdowni U. g. nana

U. japonica
U. parvifolia
U. pumila
U. thomasi

Zelkova serrata

DECIDUOUS SMALL TREES

Acer buergerianum

A. ginnala
A. glabrum
A. griseum
A. japonicum aureum

A. nikoense

A. nikoense
A. palmatum
A. p. atropurpureum
A. p. filicifolium
A. platanoides globosum
A. sieboldianum
A. spicatum

tartaricum

Albizzia julibrissin rosea Alnus pendula Aralia spinosa

Asimina triloba

Broussonetia papyrifera Cercis canadensis

C. c. alba

Cladrastis lutea Cornus florida

C. f. plena C. f. rubra C. f. welchi C. kousa C. k. chinensis

C. mas C. officinalis

Cotinus coggygria Crataegus aprica

Crataegus aprici
C. arkansana
C. arnoldiana
C. cocciniodes
C. crusgalli
C. tuneata
C. hupehensis
C. intricata
C. lavallei
C. macracantha
C. mollis
C. monogyna
C. m. stricta
C. nitida
C. oxyacantha

C. oxyacantha
C. o. plena
C. o. pauli
C. o. punicea
C. o. rosea plena

C. o. rosea piena
C. peregrina
C. persistens
C. phaenopyrum
C. pinnatifida major
C. pruinosa
C. prunifolia
C. punctata
C. succulenta

C. tomentosa C. viridis

Diospyros virginiana Euptelea polyandra Franklinia alatamaha

Halesia tetraptera H. monticola Idesia polycarpa Kalepanax pictus

K. p. maximowiczi Koelreuteria paniculata Laburnum alpinum

L. anagyroides L. watereri

Maackia amurensis Maclura pomifera

Magnolia kobus

M. salicifolia
M. soulangeana
M. s. nigra
M. s. lennei
M. virginiana

M. virginiana
Malus angustifolia
M. arnoldiana
M. adstringens
M. atrosanguinea
M. baccata
M. b. mandshurica
M. brevipes
M. gorganis

M. brevipes
M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M. florentina
M. floribunda
M. floribunda
M. flaucescens
M. halliana
M. h. parkmani
M. hopa
M. hupehensis
M. h. rosea
M. ioensis

M. h. rosea
M. ioensis
M. i. plena
M. micromalus
M. niedzwetzkyana
M. Oekonemurat Echtermeyer
M. purpurea
M. p. eleyi
M. p. lemoinei
M. prunifolia rinki
M. robusta
M. r. erecta
M. r. persicifolia

M. r. persicifolia M. sargenti M. scheideckeri

Deciduous Small Trees Continued

M. sieboldi
M. spectabilis
M. s. alba plena
M. sublobata
M. toringoides
M. toringoides
M. techonoski
M. yunnanensis veitchi
M. zumi
M. z. calocarpa
Morus alba pendula
Nyssa aquatica
N. sylvatica
N. s. pendula
Oxydendrum arboreum
Prunus americana M. sieboldi Prunus americana P. a. Newport P. a. Newport
P. armeniaca sibirica
P. avium plena
P. cerasifera pissardi
P. cistena P. davidiana P. d. alba P. hortulana P. incisa P. maacki P. moseri fl. pl. P. mume P. mume fl. pl. P. padus P. pennsylvanicum P. persica P. persica
P. p. alboplena
P. p. Clara Meyer
P. p. rubroplena
P. sargenti
P. serrulata P. serrulata
P. s. Amanogawa
P. s. Gioiko
P. s. Hata-zakura
P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura
P. s. Hisakura
P. s. Jas. H. Veitch

P. s. Jonioi P. s. Kuramayami P. s. Kwanzan P. s. lannesiana P. s. Invariant
P. s. Invariant
P. s. Miyako
P. s. Shirofugen
P. s. Shogetsu
P. s. Sirotae
P. s. Sumizome
P. sieboldi syn. Naden
P. spinosa
P. s. purpurea
P. subhirtella
P. s. ascendens
P. s. astumnalis
P. s. pendula
P. virginiana
P. yedoensis
P. y. taizanfukun
Pterostyrax corymbosa
Pyrus calleryana
P. betulaefolia P. betulaefolia
P. salicifolia
P. serrulata Rhus chinensis Robinia fertilis R. globosa R. hispida R. holdti R. Margaretta Salix amygdaloides S. caprea S. matsudana S. m. tortuosa S. regalis Sophora japonica S. viciifolia Sorbus americana S. commixta S. spuria Styrax japonica

ch S. pekinensis
DECIDUOUS SHRUBS

Abelia chinensis
A. grandiflora
A. schumanni
Acanthopanax sieboldianus
A. henryi
Aesculus parviflora
Alnus rugosa
A. viridis
Amelanchier alnifolia
A. asiatica
A. canadensis
A. laevis
A. grandiflora rubescens
A. oblongifolia
A. ovalis
A. sanguinea
A. stolonifera

Amorpha brachycarpa
A. canescens
A. fruticosa
Aronia arbutifolia
A. melanocarpa

A. m. elata A. prunifolia Artemisia abrotanum Azalea calendulacea
A. canescens
A. kaempferi
A. lutea
A. mollis
A. mucronulata
A. nudiflora
A. viscosa
A. yedoensis
A. y. poukhanensis
Baccharis halimifolia
Berberis beaniana
B. circumserrata
B. horvathi
B. koreana
B. thunbergi
B. t. atropurpurea
B. t. minor
B. t. pluriflora
B. t. receta
Berchemia racemosa
Bischoffia javanica
Buddleia Charming
B. alternifolia

S. obassia Syringa amurensis japonica B. davidi

Deciduous Shrubs Continued

C. s. flaviramea

B. d. superba B. d. veitchiana B. farquhari
B. Ile de France
B. intermedia
B. lindleyana B. microphylla B. Orchid Beauty B. paniculata
B. Royal Purple
B. White Cloud
Callicarpa americana C. dichotoma
C. giraldiana
C. japonica Calycanthus floridus C. occidentalis Caragana arborescens C. a. lorbergi C. boisi C. decorticans C. sophoraefolia Caryopteris incana Ceanothus americanus Cephalanthus occidentalis Cercis chinensis Chaenomeles japonica C. j. alpina C. l. baltzi C. l. Dattzi
C. lagenaria
C. l. alba
C. l. cathayensis
C. l. Columbia
C. l. Falconet Charlet
C. l. kermesina semiplena
C. l. moerloosi C. I. nivalis C. l. pygmaea
C. l. rosea grandiflora
C. l. rosea plena C. l. rubra
C. l. semperflorens
C. l. umbilicata
C. l. Vermilion Chionanthus virginicus C. retusus Clerodendron trichotomum Clethra alnifolia C. a. paniculata C. barbinervis C. tomentosa Colutea arborescens C. cilicica C. media Comptonia asplenifolia Cornus alba C. a. elegantissima C. a. sibirica C. a. spaethi
C. alternifolia
C. amomum C. baileyi C. paucinervis
C. pubescens
C. racemosa C. rugosa C. sanguinea
C. s. viridissima
C. stolonifera

Corvlopsis sinensis Corylus americana C. avellana C. a. atropurpurea C. a. aurea C. colurna C. heterophylla setchuenensis C. rostrata Cotoneaster acutifolia C. a. villosula C. adpressa C. ambigua C. apiculata C. dammeri C. dielsiana C. divaricata C. foveolata C. francheti C. himalaicus
C. horizontalis
C. h. perpusilla
C. h. wilsoni C. hupehensis C. integerrimaC. lucida C. melanocarpa C. microphylla C. moupinensis
C. multiflora
C. nitens C. obscura C. racemiflora soongarica C. rotundifolia C. rosea C. s. floccosa C. simonsi
C. tenuipes
C. zabeli Cudrania tricuspidata Cytisus elongatus C. nigricans
C. scoparius
C. s. andreanus
C. supinus Daphne mezereum D. m. alba Deutzia gracilis D. hypoglauca
D. lemoinei
D. l. compacta
D. myriantha Boule Rose
D. ningpoense
D. parvifora
D. rosea
D. rosea companulata
D. r. carminea
D. r. venusta
D. scabra
D. s. Pride of Rochester
D. s. rosea plena
D. s. watereri
D. s. wellsi
D. schneideriana laxiflore D. hypoglauca D. schneideriana laxiflora
D. vilmorinae Diervilla sessilifolia D. lonicera

Dirca palustris Eleagnus angustifolia E. commutata

E. multiflora
E. umbellata
E. u. parvifolia
Elsholtzia stauntoni Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus
E. bungeanus
E. europaeus
E. e. fructu-coccineus
E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia danieli E. hupehensis Exochorda racemosa E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia
F. i. primulina
F. i. spectabilis
F. ovata F. suspensa
F. s. atrocaulis
F. s. fortunei
F. s. sieboldi
F. viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa G. sagittalis
G. tinctoria Hamamelis japonica
H. j. rubra
H. mollis
H. vernalis
H. v. tomentella
H. virginiana Helwingia japonica Hibiscus svriacus H. variegatus H. v. meehani Hippophae rhamnoides Hovenia dulcis Hydrangea arborescens
H. a. grandiflora
H. cineria sterilis
H. m. Otaksa
H. m. Nikko Blue
H. paniculata
H. p. grandiflora H. p. grandiflora
H. p. grandiflora
H. p. praecox
H. quercifolia
H. radiata
H. x. Thos. Hogg
Hypericum arnoldiana
H. hprellei H. bucklei H. densiflorum H. frondosum
H. kalmianum
H. lobocarpum
H. moserianum
H. patulum

H. p. henryi H. prolificum H. vanfleeti Ilex geniculata I. laevigata I. montana I. serrata syn. sieboldi I. verticillata I. v. chrysocarpa Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. pleniflora Kolkwitzia amabilis Lagerstroemia indica rubra Leptodermis oblonga Lespedeza bicolor L. thunbergi L. japonica Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. obtusifolium L. o. nanum L. o. regelianum L. ovalifolium
L. o. variegat
L. vulgare o. variegatum L. vulgare
L. v. buxifolium
L. v. foliosum
L. v. leucocarpum
L. v. nanum
L. v. pyramidale Lindera benzoin Lonicera amoena L. a. arnoldiana L. bella albida L. bella atrorosea L. billardi L. chrysantha L. conjugialis
L. dioica
L. fragrantissima L. gracilipes L. orientalis longifolia L. kohneana L. korolkowi floribunda L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. Standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. lutea L. t. rosea L. t. sibirica

L. t. virginalis

L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina L. mariana Magnolia sieboldi M. stellata M. s. rosea Myrica pennsylvanica M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronata Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus coronarius P. c. aureus P. c. multiflorus plenus P. c. nanus P. cymosus Banniere P. c. Norma P. c. Voie Lactee P. falconeri P. gordonianus P. grandiflorus P. incanus P. P. inodorus P. lemoinei Avalanche P. l. erectus
P. l. Dame Blanche
P. l. Pyramidale P. lewisi P. magdalenae P. nepaler P. nivalis nepalensis P. polyanthus Favorite
P. p. Gerbe de Neige
P. p. Pavillon Blanc
P. purpureo mac. Ophelia P. p. Sybille P. sericanthus P. splendens
P. virginalis Al
P. v. Argentine virginalis Albatre P. v. Boquet Blanc
P. v. Glacier
P. v. Virginal
P. zeyheri Photinia villosa P. v. laevis Physocarpus intermedius P. i. parvifolius P. monogynus P. opulifolius P. o. luteus P. o. nanus Potentilla fruticosa P. Gold Drop Prinsepia sinensis Prunus besseyi P. dunbari P. glandulosa P. g. albiplena
P. g. sinensis
P. japonica
P. maritima P. pumila P. tenella

P. tomentosa
P. triloba
P. t. plena
P. v. demissa Rhamnus caroliniana Rhamnus carolini
R. cathartica
R. dahurica
R. frangula
R. f. asplenifolia
R. koraiensis
R. purshiana
R. spathulaefolia
R. wilsoni Rhodotypos scandens Rhus aromatica R. copallina
R. glabra
R. trilobata R. typhina
R. t. laciniata
Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum sanguineum Robinia Ellioti R. Kelseyi R. viscosa Rosa acicularis R. alba
R. blanda
R. carolina
R. canina
R. coriifolia froebeli R. coriifolia from R. damascena R. d. versicolor R. davurica R. ecae R. eglanteria R. e. hybrids R. foetida R. f. persiana R. fuiisanensis R. helenae R. hugonis R. humilis R. laevigata R. marreti R. laevigata
R. marreti
R. maximowicziana jacki
R. moyesi
R. multiflora
R. m. cathayensis
R. nitida
R. omiensis
R. o. pteracantha
R. palustris
R. pendulina
R. rouletti
R. rubrifolia
R. rugosa
R. r. alba R. r. alba
R. r. hybrids
R. r. repens
R. sericea R. setigera R. spinosissima altaica
R. s. hispida
R. s. hybrids R. suffulta R. virginiana R. watsoniana

R. wichuraiana
R. w. hybrids
R. hybrid perpetuals
R. hybrid tea
R. climbing R. polyantha hybrids R. woodsi R. xanthina allard R. x. spontanea Rubus deliciosus R. nemorosus R. odoratus R. phoenicolasius Salix discolor S. doniana S. elaeagno S. irrorata elaeagnos S. irrorata
S. jessoensis
S. lucida
S. mutabilis
S. myricoides rigida
S. nigricans cotinifolia S. patula S. purpurea nana S. purpurea S. purpurea gracilis Sambucus canadensis S. c. acutiloba S. c. maxima S. coerulea S. nigra S. n. aurea
S. n. albo-variegata
S. pubens S. p. xanthocarpa S. racemosus Shepherdia argentea S. canadensis Smilax rotundifolia Sorbaria aitchisoni S. arborea glabrata S. sorbifolia S. tomentosa

Spirea arguta S. billiardi S. bumalda S. b. Anthony Waterer S. b. walluffi S. cantoniensis S. c. lanceata S. chamaedryfolia ulmifolia S. douglasi

S. froebeli S. japonica japonica fortunei S. j. ovalifolia S. j. ruberrima S. latifolia S. margaritae S. nipponica rotundifolia S. prunifolia S. pubescens

S. salicifolia S. superba S. syringiflora S. thunbergi S. tomentosa

S. trichocarpa S. van ho S. veitchi van houttei S. wilsoni Staphylea bumalda

S. colchica S. pinnata S. trifolia Stephanandra incisa

Stewartia ovata S. o. grandiflora S. serrata

Symphoricarpos chenaulti S. albus S. mollis S. occidentalis S. o. heyeri S. orbiculatus

Symplocos paniculata Syringa amurensis japonica

S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata

S. o. dilatata S. o. giraldi S. persica S. p. alba S. prestoniae S. pubescens S. reflexa S. velutina S. villosa S. vulgaris
S. v. alba
S. v. hybrids S. yunnanensis Tamarix africana T. gallica

T. g. indica
T. juniperina
T. odessana
T. pentandra
T. tetandra Ulex europeus Vaccinium corymbosum Viburnum acerifolium

V. bitchuiense
V. betulifolium
V. burejaeticum
V. burkwoodi V. carlesi V. cassinoides V. dentatum

V. dilitatum V. d. xanthocarpum V. fragrans V. hupenhense V. lantana
V. l. rugosum
V. lentago
V. molle
V. nudum V. opulus
V. o. nanum
V. o. sterile

V. o. xanthocarum

V. prunifolium
V. pubescens
V. p. canbyi
V. rufidulum
V. sargenti
V. sieboldi
V. setigerum
V. tomentosum
V. t sterila

V. tomentosum
V. t. sterile
V. trilobum
V. veitchi
V. wrighti
Vitex agnus castus
V. a. c. alba
V. a. c. latifolia
V. negundo incisa
Weigela floribunda
W florida

W. florida

W. f. nana variegata W. hendersoni W. hortensis rubra W. japonica

W. yaniceki
W. w. Abel Carriere
W. w. candida
W. w. desboisi
W. w. Eva Rathke
W. w. Groenewegeni W. w. Groenewegeni W. w. Gustav Mallot

W. sieboldi argenteomarginata
W. w. styriaca
W. w. vanhouttei

Zanthorhiza simplicissima Zanthoxylum americanum

Z. schinifolium Z. simulans

VINES

Actinidia arguta Akebia trifoliata

A. quinata Ampelopsis acontifolia A. brevipedunculata
A. b. elegans
A. b. maximowiczi

Aristolochia durior A. tomentosa

Campsis grandiflora

C. radicans
C. r. Mme. Galen
C. r. speciosa

Celastrus gemmata
C. orbiculatus
C. scandens Clematis apiifolia

Clematis apiifolia
C. chrysocoma sericea
C. crispa
C. fargesi
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. paniculata
C. serratifolia
C. tangutica
C. tangutica
C. texensis syn. coccinea
C. viorna
C. viorna
C. viitalba
C. viticella
Decumaria barbara

Decumaria barbara Hedera helix H. h. Albany

H. h. baltica
H. h. Emerald Gem
H. h. gracilis
H. h. Hahns

H. h. lobata

Hydrangea petiolaris

Lonicera alseusmoides L. browni plantierensis L. caprifolium

L. fuchsoides L. heckrotti L. henryi L. hirsuta

L. japonica
L. j. chinensis
L. j. halleana
L. j. aurea reticulata
L. periclymenum belgica
L. prolifera syn. sullavanti
L. semperyirena

L. sempervirens L. tellmanniana L. thibetica

Parthenocissus henryana

Partnenocissus henr.
P. quinquefolia
P. q. engelmanni
P. q. saintpauli
P. tricuspidata lowi
P. t. veitchi
Perpiloca graeca
P. sepium

Polygonum auberti Pueraria thunbergiana Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor
V. m. alba
V. m. rubra plena
Vitis aestivalis V. amurensis V. coignetae V. labrusca V. rotundifolia V. vulpina

Wistaria frutescens W. floribunda macrobotrys

W. macrostachya

W. sinensis W. s. alba

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we understake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING.

Baccharis halimifolia Buddleia in variety Campsis grandiflora Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix pentandra Vitex agnus castus Vitex agnus castus latifolia

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Aronia arbutifolia Aronia prunifolia *Betula papyrifera

*Betula populifolia
*Betula lenta
*Betula lutea

*Betula lutea Cornus in variety *Crataegus in variety Euonymus in variety *Hypericum prolificum *Juniperus virginiana *Juniperus communis *Ligustrum in variety

Lindera benzoin Lonicera in variety

Morus alba
*Myrica pennsylvanica Nyssa sylvatica

Parthenocissus quinquefolia P. tricuspidata vetichi

*Pinus in variety
Photinia villosa
Prunus besseyi
Prunus padus Prunus pennsylvanicum Prunus serotina

*Rhamnus in variety *Rhus capallina

*Rhus glabra
*Rhus typhina
Ribes in variety
Sambucus in variety Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety

Vitis in variety *Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Hypericum henryi Chamaecyparis obtusa nana Jasminum nudiflor Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Juniperus suecica nana Cotoneaster rotundifolia Juniperus sabina tamariscifolia
Daphne cneorum Lonicera spinosa alberti
Daphne mezereum Lonicera syringantha
Euonymus fortunei minimus Lonicera thibetica

Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis glauca

Woody Plants Enduring Shade

For Dry Soil

Ailanthus altissima Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum obtusifolium Ligustrum vulgare
Rhus aromatica
Ribes alpinum
Rubus odoratus
Symphoricarpus orbiculatus
Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus fortunei in variety
Fagus grandiflora
Hedera helix
Kalmia latifolia

Amelanchier in variety Lindera benzoin Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerifolium Zanthorhiza simplicissima

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus altissima
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Euonymus fortunei
*Lonicera halleana
*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

*Rhus typhina Robinia pseudacacia *Rosa setigera *Rosa wichuraiana

*Rubus odoratus Salix caprea Salix discolor Salix elaeagnos *Symphoricarpus

*Symphoricarpus orbiculatus Vinca minor Vitis vulpina

Plants for the Herb Garden

Achillea millefolum
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia abrotanum
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum citriodorus
Thymus vulgaris
Valeriana officinalis

SCHEDULE OF B & B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24"		 		\$.75
2-3'		 		1.10
3-4'		 		1.50
4-5'		 		1.90
5-6'		 		2.25
				Diameter of Ball
6-8' Shr 1" Tre	ubs)	 	\$ 3.00	16"
8-10' Shi 11/4" Tr	rubs {	 	4.25	18"
11/2" Tr	ees	 	5.50	20"
13/4" Tr	ees	 	7.50	22"
2" Tr	ees	 	9.00	24"
21/2" Tr	ees	 	13.50	30"
3"Tr	ees	 	22.50	36"
31/2" Tr	ees	 	32.50	42"
4" Tr	ees	 	45.00	48"
41/2" Tr	ees	 	65.00	54"
5" Tr	ees		90.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

MEMORANDA

MEMORANDA

MEMORANDA



